



UNIVERSITY OF EMBU

TENDER NO. UoEm/FW/03/2021-2022

FOR

SUPPLY AND DELIVERY OF HARDWARE AND GENERAL BUILDING MATERIALS

OPEN CATEGORY

CLOSING DATE: 6TH OCTOBER, 2021 AT 11.00 AM

INTRODUCTION

- 1.1 This document has been prepared for framework agreement.

 The winning bidders will be awarded supply and delivery for Hardware and General Building Materials for 1 year.
- 1.2 The document includes a form for invitation for tender, instructions to candidates and a letter of application with attached forms for candidates to complete.

NB: The criteria in SECTION V must be met before a bidder qualifies for the financial evaluation.

SECTION I - INVITATION FOR TENDERS

TENDER NO: UoEm/FW/03/2021-2022

TENDER NAME: Supply and Delivery of Hardware and General Building Materials

- 1.1 University of Embu invites sealed tenders from eligible candidates for Supply and Delivery of Hardware and General Building Materials.
- **1.2** Interested eligible candidates may obtain tender documents **FREE** from the website www.embuni.ac.ke.
- 1.3 Prices quoted should be net inclusive of all taxes, and delivery costs, must be in Kenya Shillings and shall remain valid for (90) days from the closing date of the tender.
- 1.4 Completed tender documents are to be enclosed in plain sealed envelopes, marked with the tender number and name and be deposited in the Tender Box at University of Embu, P. O. Box 6-60100 Embu, or to be addressed to the Vice- Chancellor, University of Embu so as to be received on or before 6th October, 2021 at 11.00 am
- 1.5 Tenders will be opened immediately thereafter in the presence of the bidder representatives who choose to attend at University of Embu, P. O. Box 6-60100 EMBU.

The Vice-Chancellor, University of Embu.

NOTE: University of Embu does not levy any fees in order to award tenders.

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, Council members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be charged for the tender document shall not exceed Kshs. 1,000/=
- 2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

2.4. The Tender Document

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers
 - (i) Invitation to Tender
 - (ii) Instructions to tenderers
 - (iii) General Conditions of Contract
 - (iv) Special Conditions of Contract
 - (v) Schedule of requirements
 - (vi) Technical Specifications
 - (vii) Tender Form and Price Schedules
 - (viii) Tender Security Form
 - (ix) Contract Form
 - (x) Performance Security Form
 - (xi) Bank Guarantee for Advance Payment Form
 - (xii) Manufacturer's Authorization Form
 - (xiii) Confidential Business Questionnaire
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Documents

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 **Documents Comprising of Tender**

- 2.8.1 The tender prepared by the tenderers shall comprise the following components
 - (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
 - (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
 - (d) tender security furnished in accordance with paragraph 2.14

2.9 **Tender Forms**

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 **Tender Prices**

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

- 2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.
- 2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22
- 2.10.4 The validity period of the tender shall be 60 days from the date of opening of the tender.

2.11 **Tender Currencies**

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

- 2.12.1 Pursuant to paragraph 2.1. the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.
- 2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1
- 2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;
 - (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
 - (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;

(c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

- 2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract
- 2.13.2The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 2.13.3The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristic of the goods;
 - (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
 - (c) a clause-by-clause commentary on the Procuring Entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security - NOT APPLICABLE

- 2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.
- 2.14.2The tender security shall be in the amount of 0.5 2 per cent of the tender price.
- 2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7
- 2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non-responsive, pursuant to paragraph 2.22
- 2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28

- 2.14.8 The tender security may be forfeited:
 - (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
 - (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.27 or
 - (ii) to furnish performance security in accordance with paragraph 2.28

2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for 90 days or as specified in the Invitation to Tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive.
- 2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses there to shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

- 2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.
- 2.16.2The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.
- 2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

- 2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- 2.17.2 The inner and outer envelopes shall:
 - (a) be addressed to the Procuring entity at the address given in the Invitation to Tender:
 - (b) bear, tender number and name in the Invitation for Tenders and the words, "DO NOT OPEN BEFORE," 6th October, 2021 at 11.00am
- 2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared "late".
- 2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

2.18 **Deadline for Submission of Tenders**

- **2.18.1**Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **6**th **October**, **2021 at 11.00am**
- 2.18.2The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 Modification and Withdrawal of Tenders

2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.

- 2.19.2The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7
- 2.19.5The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 2.19.6The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.20 Opening of Tenders

- 2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, 6th October, 2021 at 11.00 am and in the location specified in the Invitation to Tender.
 - The tenderers' representatives who are present shall sign a register evidencing their attendance.
- 2.20.2The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.
- 2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

- 2.21.1To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.21.2Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

- 2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.22.2Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail
- 2.22.3The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

- 2.22.4Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 2.22.5If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the rate of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

- 2.24.1The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22
- 2.24.2The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.
- 2.24.3A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

2.26 Contacting the Procuring entity

- 2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.26.2Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) **Post-qualification**

- 2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.27.2The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.
- 2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

(d) Procuring entity's Right to Accept or Reject Any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

2.28 Notification of Award

- 2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.
- 2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties
- 2.28.3Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

2.29 Signing of Contract

- 2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.
- 2.29.2The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless the is an administrative review request.
- 2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

- 2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.
- 2.30.2Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt or Fraudulent Practices

- 2.31.1The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;
 - (i) "corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;
- 2.31.2The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.31.3Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

Appendix to Instructions to Tenderers

Notes on the Appendix to the Instruction to Tenderers

- 1. The Appendix to instructions to tenderers is intended to assist the procuring entity in providing specific information in relation to the corresponding clause in the instructions to Tenderers included in Section II and has to be prepared for each specific procurement
- 2. The procuring entity should specify in the appendix information and requirements specific to the circumstances of the procuring entity, the goods to be procured and the tender evaluation criteria that will apply to the tenders.
- 3. In preparing the Appendix the following aspects should be taken into consideration;
 - (a) The information that specifies and complements provisions of Section II to be incorporated
 - (b) Amendments and/or supplements if any, to provisions of Section II as necessitated by the circumstances of the goods to be procured to be also incorporated
- 4. Section II should remain unchanged and can only be amended through the Appendix.
- 5. Clauses to be included in this part must be consistent with the public procurement law and the regulations.

Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	Indicate eligible tenderers
2.14.1	Not applicable.
2.18.1	Closing date will be 6 th October, 2021 at 11.00am
2.29.1	As in 2.18.1 above
2.29.1	N/A

(Complete as necessary)

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 **Definitions**

- 3.1.1 In this Contract, the following terms shall be interpreted as indicated: -
 - (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
 - (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
 - (d) "The Procuring entity" means the organization purchasing the Goods under this Contract.
 - (e) "The Tenderer' means the individual or firm supplying the Goods under this Contract.

3.2 **Application**

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

3.3 **Country of Origin**

- 3.3.1 For purposes of this clause, "Origin" means the place where the Goods were mined, grown or produced.
- 3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

- 3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above
- 3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 **Performance Security**

3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.

- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 **Inspection and Tests**

- 3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.
- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.
- 3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or

- 3.8.5 waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.
- 3.8.6 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 **Packing**

- 3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 **Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 **Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 **Payment**

- 3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract
- 3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

- 3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.
- 3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.
- 3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15 Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for default

- 3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part
 - (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity

- (b) if the tenderer fails to perform any other obligation(s) under the Contract
- (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract
- 3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

3.17 Liquidated Damages

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

- 3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract
- 3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

Notes on Special Conditions of Contract

The clauses in this section are intended to assist the procuring entity in providing contract-specific information in relation to corresponding clauses in the General Conditions of Contract.

The provisions of Section IV complement the General Conditions of Contract included in Section III, specifying contractual requirements linked to the special circumstances of the procuring entity and the goods being procured. In preparing Section IV, the following aspects should be taken into consideration.

- (a) Information that complement provisions of Section III must be incorporated and
- (b) Amendments and/or supplements to provisions of Section III, as necessitated by the circumstances of the goods being procured must also be incorporated.

SECTION IV - SPECIAL CONDITIONS OF CONTRACT

- 4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.
- 42. Special conditions of contract as relates to the GCC

REFERENCE OF GCC	SPECIAL CONDITIONS OF CONTRACT
3.7.1	NA
3.12.1	Payment is after delivery and acceptance of goods
3.18.1	As per provisions of 3.18

SECTION V - QUALIFICATION CRITERIA

The applicant shall meet the following criteria

EVALUATION STAGES

Stage 1: Mandatory Requirements-

S/No.	Bidders must attach the below	Attach/Fill
	requirements	
1.	Copy of a certificate of Incorporation/	Attach
	Business Registration Certificate	
2.	A Copy of a Valid tax compliance	Attach
	certificate	
3.	Duly Filled, Signed and Stamped	Fill, Sign and Stamp attached
	Declaration for Non- Debarment.	Form on Page 57
4.	Duly Filled, Signed and Stamped	Fill, Sign and stamp attached
	Declaration Not to Engage in Corrupt	Form on <mark>Page 58</mark>
	or Fraudulent Practices	
5.	Duly completed, signed and stamped	Fill and Sign attached Form
	Confidential Business Questionnaire	on <mark>Page 59</mark>
6.	Form of Tender	Fill and Sign attached Form
		on <mark>Page 56</mark>
7.	Serialized bid documents	All pages of all bid
		documents must be
		sequentially serialized
		(paginated) on every page.
8.	A copy of AGPO Certificate	Attach
	(Where Applicable)	

NB: A bidder who will not meet all the mandatory requirement will not proceed to Technical Evaluation.

Stage 2: Technical Evaluation

S/No.	Particulars	Attach	Maximum
			Score
1.	Evidence or recommendations from at	Attach	30
	least three clients that your firm has		
	served (Supplied Hardware and		
	General Building Materials) in the		
	recent 2 years		
2.	Audited Copies of financial	Attach	10
	statements for the last two years		
	(2019 & 2020) or recent 6 months		
	bank statements		

To qualify, a bidder must attain 30 marks out of 40.

NB: A bidder will who will not meet technical specifications will not proceed to Financial Evaluation.

VI - SCHEDULE OF REQUIREMENTS

Hardware & General Building Materials

S/No.	ITEM DESCRIPTION	UNIT OF	UNIT PRICE
		ISSUE	(KSHS)
	CARPENTRY		
1.	4" ordinary nails	Kg	
2.	3" ordinary nails	Kg	
3.	2½ " ordinary nails	Kg	
4.	2 " ordinary nails	Kg	
5.	1½ " ordinary nails	Kg	
6.	1" ordinary nails	Kg	
7.	U- nails	Kg	
8.	4" steel nails	Pkt	
9.	3" steel nails	Pkt	
10.	2½" steel nails	Pkt	
11.	2" steel nails	Pkt	
12.	1" steel nails	Pkt	
13.	1" tack nails	Pkt	
14.	³ / ₄ " tack nails	Pkt	
15.	Ceiling nails	Kg	
16.	Roofing nails	Kg	
17.	Panel pins 1"	Kg	
18.	Panel pins 1½"	Kg	
19.	1½" wood screws	Pkt	
20.	1" wood screws	Pkt	
21.	³ / ₄ " wood screws	Pkt	
	MDF screws	Pkt	
23.	Plastic rubber washers	Pkt	
24.	Professional wood glue	Litre	
25.	Contact glue	Litre	
26.	Super glue	ML	
27.	Silicon Sealant	ML	
28.	4" butt hinges	Pair	
29.	3" butt hinges	Pair	
30.	3 ½" Butt Hinges	Pairs	
31.	2 ½ " butt hinges	pair	

32.	Malpher hinges	Pair
33.	Magnetic ball catcher	Pcs
34.	3m Piano hinges	Strips
35.	6" aluminum tower bolt	Pcs
36.	3" aluminum tower bolts	Pcs
37.	3" steel tower bolt	Pcs
38.	6" steel tower bolt	Pcs
39.	3 lever mortise locks complete with aluminum	Pcs
	handles - Union	
40.	2 lever mortise locks complete with aluminum	Pcs
	handles- Union	
41.	4 Lever mortise door lock complete with	Pcs
	aluminum handles- Union	
42.	6 lever mortise locks complete with aluminum	Pcs
	handles- Union	
43.	Steel door locks - Yale	Pcs
44.	Aluminum door handles	Pair
45.	Aluminum drawer pull handles - D	Pcs
46.	Drawer pull handles	Pcs
47.	Drawer Locks (Ultra)	Pcs
48.	Padlocks Series Y120/60	Pcs
49.	Drawer locks – Union or equivalent	Pcs
50.	Pedestal Drawer lock	Pcs
51.	Arrow drawer locks	Pcs
52.	Drawer sliding track	Pcs
53.	8'x 4' x ³ / ₄ " plain ordinary block boards	Pcs
54.	8' x 4' x ³ / ₄ " Double veneered ordinary block	Pcs
	board	
55.	8' x 4' x ³ / ₄ " Single Veneered ordinary block	Pcs
	board	
56.	8' x 4' x 3/4" MDF boards	Pcs
57.	8' x 4' x 6mm chip board	Pcs
58.	8' x 4' x 12mm chip board	Pcs
59.	8" x 4" x ³ / ₄ " thick laminated chip boards	Pcs
60.	8' x 4' x 3mm ply wood	Pcs
61.	8' x 4' x 6mm ply wood	Pcs
62.	8' x 4' x 10mm ply wood	Pcs
63.	8' x 4' x 12mm ply wood	Pcs
64.	8' x 4' x 12mm soft board	Pcs
65.	Armstrong Acoustic ceiling boards size	Carton
	600x600mm	
		1

66.	³ / ₄ "MDF board lipping - plastic	Roll
67.	³ / ₄ " wooden lipping	Roll
68.	Plastic Lipping	Roll
69.	P 80 sand paper	Feet
70.	P 60 sand paper	Feet
71.	P 40 sand paper	Feet
72.	Corrugated galvanized roofing sheet gauge 30	
	pre-painted 2.5M long – brick red.	Pcs
73.	Corrugated galvanized roofing sheet gauge 30	D
	pre-painted 3M long – brick red.	Pcs
74.	Corrugated galvanized roofing sheet gauge 30	D
	pre-painted 2M long – brick red.	Pcs
75.	Corrugated galvanized roofing sheet gauge 28	Des
	pre-painted 2.5M long – brick red.	Pcs
76.	Corrugated galvanized roofing sheet gauge 28	Dag
	pre-painted 3M long – brick red.	Pcs
77.	Corrugated galvanized roofing sheet gauge 28	Pcs
	pre-painted 2M long – brick red.	rcs
78.	Box profile roofing sheet gauge 30 pre-	Pcs
	painted 2.5M long – brick red.	1 CS
79.	Box profile roofing sheet gauge 30 pre-	Pcs
	painted 3 M long – brick red.	105
80.	Box profile roofing sheet gauge 30 pre-	Pcs
	painted 2 M long – brick red.	
81.	Box profile roofing sheet gauge 28 pre-	Pcs
	painted 2.5M long – brick red.	
82.	Box profile roofing sheet gauge 28 pre-	Pcs
0.2	painted 3 M long – brick red.	
83.	Box profile roofing sheet gauge 28 pre-	Pcs
0.4	painted 2 M long – brick red.	D.
84.	Corrugated galvanized roofing sheet gauge 30	Pcs
0.5	3M long.	Dog
85.	Corrugated galvanized roofing sheet gauge 30	Pcs
06	2.5M long.	Dag
86.	Corrugated galvanized roofing sheet gauge 30 2M long.	Pcs
87.		Pcs
	ZED Bars (6Metres Long)	
88.	Ridge caps – brick red Chain link 12.5 gauge (0 feet) (Heavy)	Pcs
89.	Chain link – 12.5 gauge (9 feet) (Heavy	Roll
90.	gauge) Chain link – 12.5 gauge (8 feet) (Heavy	Roll
<i>9</i> 0.	Cham mik – 12.3 gauge (o reel) (fleavy	KUII

	gauge)	
91.	Chain link – 12.5 gauge (7 feet) (Heavy	
71.	gauge)	Roll
92.	Chain link – 12.5 gauge (6 feet) (Heavy	
72.	gauge)	Roll
93.	Chain link – 12.5 gauge (5 feet) (Heavy	
75.	gauge)	Roll
94.	Chain link – 12.5 gauge (4 feet) (Heavy	
<i>,</i>	gauge)	Roll
95.	Chicken wire – ½"	Roll
-	Chicken wire – ³ / ₄ "	Roll
97.	Chicken wire – 1"	Roll
98.	Chicken wire $-1\frac{1}{4}$ "	Roll
99.	Mosquito Gauze wire	Roll
	Barbed wire – 610m long 12.5 gauge	Roll
	Barbed wire – 480m long 12.5 gauge	Roll
	Aluminum plain wire 4mm diameter	Roll
	Aluminum plain wire 3mm diameter	Roll
	Stainless steel plain wire 4mm diameter	Roll
	Stainless steel plain wire 3mm diameter	Roll
	Brass coat hangers	Pcs
	1" chrome pipe holders	Pcs
	PVC ceiling panels – 8mm thick panels	Bundles
	PVC ceiling cornice piece	Linear
		Meter
110.	Cypress Timber cornice	
111.	4mm thick ordinary clear quality glass	Square
	4mm tinek ordinary clear quanty grass	Meters
112.	6mm thick ordinary clear quality glass	Square
	offini unck offinally clear quantly grass	Meters
113.	10mm thick ordinary clear quality glass	Square
	Tommi unck ordinary creat quanty grass	Meters
114.	4mm thick ordinary Obscure quality glass	Square
	Thin thick ordinary Coscare quality glass	Meters
115.	6mm thick ordinary obscure quality glass	Square
		Meters
116.	10mm thick ordinary obscure quality glass	Square
		Meters
117.		Square
4.4.0	glass	Meters
118.	6mm thick Toughened /tempered quality glass	Square

		Meters
110	4mm thick Toughened /tempered quality glass	
119.	411111 tillek Toughelled/tempered quality glass	Square Meters
120	Among this of souding are tinted associates along	
120.	4mm thick ordinary tinted quality glass	Square
121	Commentation and in a marking of a second state	Meters
121.	6mm thick ordinary tinted quality glass	Square
100	10	Meters
122.	10mm thick ordinary tinted quality glass	Square
100	10 (1:17) 1 1/4 1 1/4 1	Meters
123.	10mm thick Toughened /tempered and tinted	Square
121	quality glass	Meters
124.	6mm thick Toughened /tempered and tinted	Square
127	quality glass	Meters
125.		Square
	quality glass	Meters
	600mm x 1200mm x 6mm thick glass panes	No.
127.	6mm thick x 150mm clear louvre window	LM
	panel	
128.	Gauge 20, plain aluminum sheet size 1200 x	Pcs
	2400mm	
129.	Padlocks – tri-circle 266 original or	Pcs
	equivalent	
130.	Padlocks – tri-circle 265 original or	Pcs
	equivalent	
131.		Pcs
	equivalent	
132.	Padlocks – tri-circle 263 original or	Pcs
	equivalent	
133.	Padlocks – tri-circle 262 original or	Pcs
	equivalent	
134.	Padlocks – tri-circle 261 original or	Pcs
	equivalent	
135.	³ / ₄ "MDF board lipping - plastic	Roll
136.	Conta glue	Liter
137.	Ultra-drawer locks – Union or equivalent	No.
138	HSS hacksaw blade	Dozen
130.	TISS Hacksaw Diauc	DOZCII
139.	Glass putty – grade 1	Kgs
		-

140.	Standard cypress door frame 6"	Pcs	
141.	Standard cypress door frame 8"	Pcs	
142.	Standard Hardwood door frame 6"	Pcs	
143.	Standard Hardwood door frame 8"	Pcs	
144.	45mm thick Semi solid core flush door size 850x2050mm high	Pcs	
145.	Mortise Aluminium door handles	Pairs	
146.	45mm thick Solid core flush door size 850x2050mm high	Pcs	
147.	45mm thick Solid core flush door size 850x2050mm high – embossed with plastic	Pcs	
148.	45mm thick Solid core flush door size 850x2050mm high – embossed with Wooden casing	Pcs	
149.	Cypress battened door size 900x2100mm high	Pcs	
150.	Brass fasteners	Pcs	
151.	Casement stays	Pcs	
	Window stoppers with a round hole(pair)	Pair	
	Window stoppers with a square hole(pair)	Pair	
	TIMBER	<u>'</u>	
S/No.	ITEM DESCRIPTION	UNIT	UNIT
		OF	PRICE
		ISSUE	(KSHS)
1.	4"x2" cypress sawn timber	Ft	
2.	3"x2" cypress sawn timber	Ft	
3.	2"x2" cypress sawn timber	Ft	
4.	6"x1" cypress sawn timber	Ft	
5.	8"x1" cypress sawn timber	Ft	
6.	4"x2" cypress planed timber	Ft	
7.	3"x2" cypress planed timber	Ft	
8.	2"x2" cypress planed timber	Ft	
9.	6"x1" cypress planed timber	Ft	
10.	8"x1" cypress Fascia board planed timber	Ft	
11.			1
11.	4"x2" Mature blue gum timber	Ft	
12.	4"x2" Mature blue gum timber 3"x2" Mature blue gum timber	Ft Ft	
		-	

15.	6"x1" Mature blue gum timber	Ft	
16.	8"x1" Mature blue gum timber	Ft	
17.	³ / ₄ " x ³ / ₄ " Cypress planed timber binding	Lm	
18.		LFT	
19.	³ / ₄ '' x 1'' Cypress planed timber	Lm	
	binding/frames		
20.	4" x 2" planed Cypress wooden skirting	Lm	
21.	1"x1" cypress timber binding	Ft	
22.	2"x1" cypress timber binding	Ft	
23.	2"x1" blue gum timber binding	Ft	
24.	1"x1" blue gum timber binding	Ft	
25.	Quadrant	Ft	
26.	Architrave	Ft	
27.	100mm diameter Cedar post – 7 Feet long	No.	
28.	100mm diameter Cedar post – 10 Feet long	No.	
29.	150mm diameter Props – blue gum 10 feet	No.	
	long		
30.	Wood preservative	Liter	
31.	Gladiator	liter	
	RAINWWATER GOODS		
C /NT -	ITEM DECODIDATION	TINITT	TINITT
S/No.	ITEM DESCRIPTION	UNIT	UNIT
S/NO.	TIEW DESCRIPTION	OF	PRICE
		OF ISSUE	
1.	GI gutter size 150x100mm gauge 24	OF ISSUE LM	PRICE
		OF ISSUE	PRICE
1.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with	OF ISSUE LM	PRICE
1. 2.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end	OF ISSUE LM LM	PRICE
1. 2.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with	OF ISSUE LM LM	PRICE
1. 2. 3.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet	OF ISSUE LM LM LM	PRICE
1. 2. 3. 4.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with	OF ISSUE LM LM LM	PRICE
1. 2. 3. 4. 5.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end	OF ISSUE LM LM LM LM LM	PRICE
1. 2. 3. 4. 5.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with	OF ISSUE LM LM LM LM LM	PRICE
1. 2. 3. 4. 5.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick	OF ISSUE LM LM LM LM LM LM Pcs	PRICE
1. 2. 3. 4. 5.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick Mild steel brackets size 200x150mm x3mm	OF ISSUE LM LM LM LM LM LM	PRICE
1. 2. 3. 4. 5. 6. 7.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick Mild steel brackets size 200x150mm x3mm thick	OF ISSUE LM LM LM LM LM LM Pcs	PRICE
1. 2. 3. 4. 5. 6.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick Mild steel brackets size 200x150mm x3mm thick Mild steel Clips size 100mm diameter x 3mm	OF ISSUE LM LM LM LM LM LM Pcs	PRICE
1. 2. 3. 4. 5. 6. 7. 8.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick Mild steel brackets size 200x150mm x3mm thick Mild steel Clips size 100mm diameter x 3mm thick	OF ISSUE LM LM LM LM LM LM LM Pcs Pcs	PRICE
1. 2. 3. 4. 5. 6. 7.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick Mild steel brackets size 200x150mm x3mm thick Mild steel Clips size 100mm diameter x 3mm thick Mild steel Clips size 75mm diameter x 3mm	OF ISSUE LM LM LM LM LM LM Pcs	PRICE
1. 2. 3. 4. 5. 6. 7. 8.	GI gutter size 150x100mm gauge 24 GI gutter size 150x100mm gauge 24 with blocked end GI gutter size 150x100mm gauge 24 with Outlet GI gutter size 200x150mm gauge 24 GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with blocked end GI gutter size 200x150mm gauge 24 with Outlet Mild steel brackets size 150x100mm x3mm thick Mild steel brackets size 200x150mm x3mm thick Mild steel Clips size 100mm diameter x 3mm thick	OF ISSUE LM LM LM LM LM LM LM Pcs Pcs	PRICE

11.	GI Sawn neck, 75mm gauge 24	Pcs
12.	GI Sawn neck, 100mm gauge 24	Pcs
13.	GI Down pipe, 100mm gauge 24	LM
14.	GI Down pipe, 75mm gauge 24	LM
15.	GI Shoe, 75mm gauge 24	Pcs
16.	GI Shoe, 100mm gauge 24	Pcs
17.	Double plastic glass sliding rail 4mm thick	LM

	MASONRY		
S/NO.	ITEM DESCRIPTION	UNIT OF ISSUE	UNIT PRICE (KSHS)
1.	50 kg Ordinary Portland cement –Blue Triangle or Equivalent	Bag	
2.	50 kg Ordinary Portland cement –Simba or Equivalent	Bag	
3.	Grouting cement	Kg	
4.	Waterproof cement (premium grade)	Kg	
5.	Lime	Kg	
6.	Tile Adhesive 25kg bag	Bag	
7.	200x200mm x 6mm thick ceramic floor tiles	Carton	
8.	300x300mm x 6mm thick ceramic floor tiles	Carton	
9.	300x300mm x 8mm thick floor non-slip tiles	Carton	
10.	330x330x8mm thick non-slip Saj ceramic floor tiles	Carton	
11.	330x330x8mm thick grazed Saj ceramic floor tiles	Carton	
12.	400x400x8mm thick Saj Ceramic Floor tiles	Carton	
13.	600x600x8mm thick Saj Ceramic Floor tiles	Carton	
14.	600x600x10mm thick Granito Floor tiles	Carton	
15.	400x400x10mm thick Granito Floor tiles	Carton	
16.	200x300x6mm thick ceramic Wall tiles	Carton	
17.	250x330x8mm thick Saj ceramic wall tiles	Carton	
18.	300x450x8mm thick Saj ceramic wall tiles	Carton	
19.	Plastic corner strips	Pcs	
20.	Aluminum Corner strips	Pcs	
21.	Tile spacer 1½ mm	Pkt	
22.	Tile spacer 2mm	Pkt	
23.	Tile spacer 2½ mm	Pkt	
24.	Tile spacer 3 mm	Pkt	

25.	Step tiles	Carton
26.	450x450x10mm thick Porcelain tiles	Carton
27.	600x600x10mm thick Porcelain tiles	Carton
28.	T20 reinforcement long 12m	Bars
29.	T16 reinforcement long 12m	Bars
30.	T12 reinforcement, long 12m	Bars
31.	T10 reinforcement long 12m	Bars
32.	T8 reinforcement long 12m	Bars
33.	R16 reinforcement long 12m	Bars
34.	R12 reinforcement, long 12m	Bars
35.	R10 reinforcement long 12m	Bars
36.	R8 reinforcement long 12m	Bars
37.	Binding wires 25 Kgs	Roll
38.	BRC mesh - A142	Roll
39.		Roll
40.	50x50mm wire mesh overall size 8"x4" –	Pcs
	3mm diameter	
41.	Hoop iron – 25mm wide x 3mm thick (50M	roll
	long)	
42.	100mm thick Ndarugo machine cut stones	Pcs
43.	150mm thick Ndarugo machine cut stones	Pcs
44.	200mm thick Ndarugo machine cut stones	Pcs
45.	150mm thick Ngandori Quarry building block	Feet
46.	200mm thick Ngandori Quarry building block	Feet
47.	³ / ₄ " machine crushed ballast	Tons
48.	½" Machine crushed ballast	Tons
49.	1/4" Machine crushed ballast	Tons
50.	Quarry dust	Tons
51.	Murram	Tons
52.	Clean river Sand	Tons
53.	Broken quarry stone hardcore	Tons
54.	8" x 4" White Formica	Pcs
55.	1000 gauge damp proof membrane - polythene	Rolls
56.	500 gauge damp proof membrane - polythene	Rolls
57.	Bituminous damp proof course	Rolls
58.	PCC Culverts 150 mm diameter	Pcs
59.	PCC Culverts 300 mm diameter	Pcs

60.	PCC Culverts 450 mm diameter	Pcs
61.	PCC Culverts 600 mm diameter	Pcs
62.	PCC Culverts 1000 mm diameter	Pcs
63.	PCC paving slabs size 50mm thick x600x600mm class 20	Pcs
64.	PCC paving blocks size 205x110x80mm thick – strength – 45 N/MM ²	Pcs
65.	PCC paving blocks size 205x110x80mm thick - strength - 60 N/MM ²	Pcs

	WELDING		
S/NO.	ITEM DESCRIPTION	UNIT OF ISSUE	UNIT PRICE (KSHS)
1.	³ / ₄ "x ³ / ₄ "x 1.8mm thick mild steel square tubes, 6 meter long (SHS)	Pcs	
2.	1" x 1" x 1.6mm mild steel tubes,6m long (SHS)	Pcs	
3.	1¼ " x 1¼" x 2mm thick mild steel tubes,6m long (SHS)	Pcs	
4.	1 ½ " x 1 ½ " x 2mm thick mild steel tubes,6m long (SHS)	Pcs	
5.	1 ³ / ₄ " x 1 ³ / ₄ " x 3mm thick mild steel tubes,6m long (SHS)	Pcs	
6.	2" x 1" x 2mm thick mild steel tubes,6m long (RHS)	Pcs	
7.	2" x 2" x 3mm thick mild steel SHS tube,6m long	Pcs	
8.	2 ½" x 2 ½" x 3mm thick mild steel SHS tube,6m long	Pcs	
9.	3" x 3" x 3mm thick mild steel SHS tube,6m long	Pcs	
10.	³ / ₄ " x ³ / ₄ " x 2mm thick SHS, Long 6 Meters	Pcs	
11.	4" x 4" x 3mm medium gauge mild steel Square tubes (SHS).	Pcs	
12.	3/4 "diameter x 1.8mm thick mild steel black pipe (CHS)	Pcs	
13.	1 "diameter x 1.6mm thick mild steel black pipe (CHS)	Pcs	

14. 1 ½ "diameter x 2mm thick mild steel black pipe (CHS)chicken 15. 2 "diameter x 2mm thick mild steel black pipe (CHS) 16. 2 ½ "diameter x 2mm thick mild steel black pipe (CHS) 17. 3 "diameter x 3mm thick mild steel black pipe (CHS) 18. 4 "diameter x 3mm thick mild steel black pipe (CHS) 19. 2 "diameter x 3mm thick mild steel black pipe (CHS) 19. 2 "diameter heavy gauge Chrome pipe 20. ½ "diameter heavy gauge Chrome pipe 21. 1 "diameter heavy gauge Chrome pipe 22. 4 "diameter x 3mm thick Stainless steel pipe (CHS) 23. ¾ "x ¾ "x 2mm thick mild steel angle bars, 6m long 24. 1 "x 1" x 2mm thick mild steel angle bar, 6m long 25. 1 ½ "x 1 ½ "x 2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick mild steel flat bars, 6m long 32. ¼ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2 "x m thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick T bar Pes 37. Mild steel bar 1"x ¼ "x 2mm thick T bar			
15. 2 "diameter x 2mm thick mild steel black pipe (CHS) 16. 2 ½ "diameter x 2mm thick mild steel black pipe (CHS) 17. 3"diameter x 3mm thick mild steel black pipe (CHS) 18. 4"diameter x 3mm thick mild steel black pipe (CHS) 19. 2"diameter x 2mm thick Stainless steel pipe 20. ¾ "diameter heavy gauge Chrome pipe 21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. ¾ "x¾ "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1"x 2 mm thick mild steel angle bars, 6m long 25. 1 ½ "x1½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2 mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2 "x 2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼" x 2mm thick Pcs	14.		Pcs
16. 2 ½ "diameter x 2mm thick mild steel black pipe (CHS) 17. 3"diameter x 3mm thick mild steel black pipe (CHS) 18. 4"diameter x 3mm thick mild steel black pipe (CHS) 19. 2"diameter x 2mm thick Stainless steel pipe 20. ¾ "diameter heavy gauge Chrome pipe 21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. ¾ "x ¾ "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1"x 2mm thick mild steel angle bar, 6m long 25. 1 ½ "x 1 ½ "x 2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1"x 1¼ "x 2mm thick Pcs	15.	2 "diameter x 2mm thick mild steel black	Pcs
17. 3"diameter x 3mm thick mild steel black pipe (CHS) 18. 4"diameter x 3mm thick mild steel black pipe (CHS) 19. 2"diameter x 2mm thick Stainless steel pipe 20. ½ "diameter heavy gauge Chrome pipe 21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. ½ "x ½ "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1" x 2mm thick mild steel angle bars, 6m long 25. 1½ "x 1½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick mild steel flat bars, 6m long 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2 "x 2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars - 1" x 1¼" x 2mm thick lock 29. Mild steel Z bars - 1" x 1¼" x 2mm thick 36. Mild steel Z bars - 1" x 1¼" x 2mm thick 37. Pes	16.	2 ½ "diameter x 2mm thick mild steel black	Pcs
18. 4"diameter x 3mm thick mild steel black pipe (CHS) 19. 2"diameter x 2mm thick Stainless steel pipe 20. ½ "diameter heavy gauge Chrome pipe 21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. ¾ "x ¾ "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1" x 2mm thick mild steel angle bar, 6m long 25. 1 ½ "x1 ½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick lock lock long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick lock lock lock lock lock lock lock lo	17.	3"diameter x 3mm thick mild steel black	Pcs
19. 2"diameter x 2mm thick Stainless steel pipe 20. ¾ "diameter heavy gauge Chrome pipe 21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. ¾ "x ¾ "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1" x 2mm thick mild steel angle bars, 6m long 25. 1½ "x1½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick mild steel flat bars, 6m long 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1½ "x 2mm thick lock lock lock long 36. Mild steel Z bars – 1" x 1½ "x 2mm thick lock lock lock lock lock lock lock lo	18.	4"diameter x 3mm thick mild steel black	Pcs
20. ¾ "diameter heavy gauge Chrome pipe 21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. ¾ "x ¾ "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1" x 2mm thick mild steel angle bars, 6m long 25. 1 ½ "x1 ½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long 31. 50 x 25 x 4mm thick mild steel flat bars, 6m long 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars — 1" x 1¼ "x 2mm thick Pcs	19.	† 	
21. 1"diameter heavy gauge Chrome pipe 22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. 34 "x 34" "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1" x 2mm thick mild steel angle bars, 6m long 25. 1 ½ "x 1 ½ "x 2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick mild steel angle bar, 6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. 34 "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars — 1" x 1¼" x 2mm thick Pcs	20.		
22. 4"diameter x 3mm thick Stainless steel pipe (CHS) 23. 3/4 "x 3/4 "x 2mm thick mild steel angle bars, 6m long 24. 1"x 1" x 2mm thick mild steel angle bars, 6m long 25. 1 ½ "x1 ½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. 3/4 "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars — 1" x 1¼ "x 2mm thick Pcs	21.		
6m long 24. 1"x 1" x 2mm thick mild steel angle bars, 6m long 25. 1½ "x1½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick Pcs	22.	4"diameter x 3mm thick Stainless steel pipe	
long 25. 1½ "x1½ "x2mm thick mild steel angle bar, 6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. ¾ "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1½ "x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick Pcs	23.		Pcs
6m long 26. 2 "x 2 "x 2mm thick mild steel angle bar, 6m long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. 3/4 "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 11/2" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 11/4 "x 2mm thick Pcs	24.		Pcs
long 27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m Pcs long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m Pcs long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) No. 32. ³ / ₄ " x 2mm thick mild steel flat bars, 6m Pcs long 33. 1 "x 2mm thick mild steel flat bars, 6m Pcs long 34. 1½" x 2mm thick mild steel flat bars, 6m Pcs long 35. 2 "x 2.2mm thick mild steel flat bars, 6m Pcs long 36. Mild steel Z bars - 1" x 1¼ " x 2mm thick Pcs Pcs	25.		Pcs
27. 2 "x 2 "x 3mm thick mild steel angle bar, 6m long 28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. 3/4 "x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 11/2" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 11/4 "x 2mm thick Pcs	26.		Pcs
28. 2 "x 2 "x 4mm thick mild steel angle bar, 6m long 29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. 3/4 " x 2mm thick mild steel flat bars, 6m long 33. 1 "x 2mm thick mild steel flat bars, 6m long 34. 1/2" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1/4 " x 2mm thick long 37. Pcs	27.		Pcs
29. 2 "x 2 "x 6mm thick mild steel angle bar, 6m long 30. 50 x 25 x 3mm thick angle line bars (6m long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) 32. 3/4 " x 2mm thick mild steel flat bars, 6m long 33. 1 " x 2mm thick mild steel flat bars, 6m long 34. 1½" x 2mm thick mild steel flat bars, 6m long 35. 2 " x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼" x 2mm thick long 37. 2 " x 2mm thick mild steel flat bars, 6m long	28.		Pcs
long) 31. 50 x 25 x 4mm thick RHS tubes (6m long) No. 32. 3/4 " x 2mm thick mild steel flat bars, 6m Pcs long 33. 1 " x 2mm thick mild steel flat bars, 6m long Pcs 34. 1½" x 2mm thick mild steel flat bars, 6m Pcs long 35. 2 " x 2.2mm thick mild steel flat bars, 6m Pcs long 36. Mild steel Z bars – 1" x 1¼ " x 2mm thick Pcs	29.	2 "x 2 "x 6mm thick mild steel angle bar, 6m	Pcs
31. 50 x 25 x 4mm thick RHS tubes (6m long) No. 32. 3/4 "x 2mm thick mild steel flat bars, 6m Pcs long 33. 1 "x 2mm thick mild steel flat bars, 6m long Pcs 34. 1½" x 2mm thick mild steel flat bars, 6m Pcs long 35. 2 "x 2.2mm thick mild steel flat bars, 6m Pcs long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick Pcs	30.		No.
32. 34 "x 2mm thick mild steel flat bars, 6m Pcs long 33. 1 "x 2mm thick mild steel flat bars, 6m long Pcs 34. 1½" x 2mm thick mild steel flat bars, 6m Pcs long 35. 2 "x 2.2mm thick mild steel flat bars, 6m Pcs long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick Pcs	31.	<u> </u>	No.
long 33. 1 " x 2mm thick mild steel flat bars, 6m long Pcs 34. 1½" x 2mm thick mild steel flat bars, 6m Pcs long 35. 2 " x 2.2mm thick mild steel flat bars, 6m Pcs long 36. Mild steel Z bars – 1" x 1¼ " x 2mm thick Pcs			
33. 1 "x 2mm thick mild steel flat bars, 6m long Pcs 34. 1½" x 2mm thick mild steel flat bars, 6m long 35. 2 "x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼ "x 2mm thick Pcs		·	
long 35. 2 " x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1¼ " x 2mm thick Pcs	33.	· ·	Pcs
35. 2 " x 2.2mm thick mild steel flat bars, 6m long 36. Mild steel Z bars – 1" x 1½ " x 2mm thick Pcs	34.	·	Pcs
36. Mild steel Z bars – 1" x 1¼ " x 2mm thick Pcs	35.	2 " x 2.2mm thick mild steel flat bars, 6m	Pcs
	36.	9	Pcs
	37.		Pcs

38.	Steel window hinges	Pair
39.	Body filler	Kg
40.	4"x8" gauge 16 mild steel black sheet	Pcs
41.	4"x8" gauge 18 mild steel black sheet	Pcs
42.	4"x8" gauge 16 mild steel black sheet –	Pcs
	chequered plate	
43.	4"x8" x 6mm thick mild steel chequered	Pcs
	plate	
44.	4"x 8" gauge 16 mild plain aluminum sheet	Pcs
45.	4"x 8" gauge 18 GI plain Sheet	Pcs
46.	4"x 8" gauge 28 GI plain Sheet	Pcs
47.	3.2mm diameter arc welding rod – Kenya,	Pkt
	Fortec or equivalent (5kgs)	
48.	3.2mm diameter stainless steel welding rod	Pkt
	(2kgs)	
49.	200mm cutting disk – Abbra or equivalent	No.
50.	200mm Abbra grinding disk	No.
51.	200mm diameter Abbra grinding disc	Pcs
52.	Mild steel Door bush 1"	Pc
52	M:14 -41 D b 1 1 / 22	Dag
53.	Mild steel Door bush 1 ¹ / ₄ "	Pcs
54.	Mild steel Door bush 1 ¹ / ₂ "	Pcs
	_	
55.	2400mm x 1200mm x 4mmthick check sheet	Pcs.

	PAINTS		
S/NO.	ITEM DESCRIPTION	UNIT OF ISSUE	UNIT PRICE (KSHS)
1.	Sanding sealer –premium grade	Kg	
2.	25 Kgs Packet Wall Polyfilla	Pkt	
3.	4 litres tin cobalt blue paint	No.	
4.	20 litres bucket cobalt blue paint	No.	
5.	Roller Brushes	Pcs	
6.	4 Litres Tin Gun Metal super Gloss Paint – Premium Grade	No.	
7.	20 Litres Bucket Gun Metal super Gloss Paint – Premium Grade	No.	
8.	4 Litres Dura coat emulsion paint-premium grade	No.	
9.	4 Litres Silk vinyl gloss paint-premium grade	No.	
10.	4 Litres Vinyl matt paint premium grade	No.	
11.	4 Litres Grey under coat paint- premium grade	No.	
12.	4 litrs Clear vanish- premium grade	No.	
13.	4 litres Smotex – Premium grade	No.	
14.	4 Litres Transeal emulsion paint-premium grade	No.	
15.	4 Litres floor super gloss paint-premium grade	No.	
16.	4 Litres roof super gloss paint-premium grade	No.	
17.	20 Litres Vinyl matt paint premium grade	No.	
18.	20 Litres Silk vinyl gloss paint-premium grade	No.	
19.	4 Litres cream emulsion paint premium grade	No.	
20.	4 Litres cream silk vinyl paint premium grade	No.	
21.	Peanut Butter Silicone Exterior (4 Litres Can)	No.	
22.	Cream – Duraplast emulsion (4 Litres Can)	No.	
23.	Brilliant White – Vinyl matt emulsion (4 Litres Can)	No.	
24.	Catalan – Silicon Exterior Emulsion (1 Litre Can)	No.	
25.	Emerald Green silicon Exterior (1 Litre Can)	No.	
26.	Brilliant Blue Silicon Exterior (1 Litre Can)	No.	
27.	Gold silicone Exterior Emulsion (1 Litre Can)	No.	
28.	6" Paint Brush – Premium Alligator	No.	

29.	White Spirit – Duracoat (5 Litres Can)	No.
30.	Yellow road marking paint (4 Litres Can)	No.
31.	Brick Red – Silicone Exterior Emulsion(4	No.
	Litres Can)	
32.	Black road marking paint (4 Litres Can)	No.
33.	White road marking paint (4 Litres Can)	No.
34.	Road Marking Thinner (5 Litres Can)	No.
35.	Universal Undercoat (4 Litres Can)	No.
36.	Brilliant White Super Gloss (4 Litres Can)	No.
37.	Cream Vinyl Matt Emulsion (4 Litres Can)	No.
38.	Cream Super Gloss (4 Litres Can)	No.
39.	4 Litres Bermuda blue super gloss paint-	No.
	premium grade	
40.	5 Litres white spirit – crown or equivalent	No.
	premium grade	
41.	Wire brush – medium size with plastic handle	No.
42.	4litres clear – premium grade	No.
43.	20 Litres Brick red Vinyl matt paint premium	No.
	grade	
44.	4 Litres Brick red Vinyl matt paint premium	No.
	grade	
45.	20 Litres Soft White Vinyl Silk Paint -Premium	No.
	grade	
46.	4 Litres Soft White Vinyl Silk Paint -Premium	No.
	grade	
47.	4 litres tin grey oxide paint- premium grade	No.
48.	20 litres bucket grey oxide paint- premium grade	No.
49.	4 litres tin Grey Oxide Primer	Tin
50.	4 litres tin super gloss paint- premium grade	No.
51.	2 litres tin supa gloss paint (burmuda blue	No.
52.	4litres tin Emulsion paint (brilliant white)	No.
53.	20 litres dura plast white premium grade	No.
54.	4 liters Gray oxide paint-premium grade	No.
55.	4 litres Dura plast cream premium	Tin
56.	4 litre Brilliant white viryl matt-premium grade	No.
57.	4 Litere Soft white viryl matt-premium grade	No.
58.	4 litres super-fast emulsion dura coat paint	No.
	(brilliant white)	
59.	4ltrs tin Silk viny (premium) paint soft white-	No.
	premium grade	
60.	4 litre tin Supar- gloss-black, premium paint	No.

61. 4 litres tin universal under coat paint (white)- No.	
premium grade.	
62. 4 litres tin roof red paint-premium grade No.	
63. 2ltrs Clear vanish-premium grade No.	
64. 1litre tin clear vanish-premium grade No.	
65. Slitrer tin Sanding Sealer No.	
66. 20litrs bucket Duraplast cream/weather guard- No.	
premium grade	
67. 20 ltrs bucket Silk vinyl emulsion cream- No.	
premium grade	
68. 20 ltrs bucket Vinyl matt emulsion cream- No.	
premium grade	
69. 4 litrs TinVinyl matt brilliant white-premium No.	
grade	
70. 20 litrs bucket Vinyl matt brilliant white- No.	
premium grade	
71. 20 ltrs bucket Vinyl matt emulsion soft white- No.	
premium grade	
72. 4 litrs tin Super gloss cobult blue-premium No.	
grade	
73. Brick red (IT 5) box roofing sheet 3m long No.	
,gauge 30	
74. Smotex filla Kg	
75. 4 Litres Black super gloss paint- premium grade No.	
76. 20 Litres Black super gloss paint- premium No.	
grade	
77. Vinyl matt emulsion premium paint (magnolia) Tin	
4 litres tin	
78. Silk Vinyl emulsion paint (Magnolia) 4 litres tin Tin	
79. Super gloss paint (Magnolia) 4 litres tin Tin	
80. Brush 6" Alligator/Harris or equivalent No.	
81. Brush 4" Alligator/Harris or equivalent No.	
82. Brush 3" Alligator/Harris or equivalent	
83. Brush 2" Alligator/Harris or equivalent No.	
84. 4 Litres Universal undercoat – high capacity No.	
paint premium grade	
85. Scrappers – medium size No.	
86. Bondex 1 kg Tin	
87. Gypsum Filler Kg	
88. Vanish 1 litre Tin	
89. Turpentine 5 litres Tin	

90.	Crack filler pkt	Kg
91.	Glass putty	Kg
92.	Paint brush 6" 1st class	No.
93.	Paint brush 5" 1st class	No.
94.	Paint brush 4" 1st class	No.
95.	Paint brush 3" 1st class	No.
96.	Paint brush 2" 1st class	No.
97.	Paint brush 4" 1st class	No.
98.	Paint brush 3" 1st class	No.
99.	Paint brush 2" 1st class	No.
100.	Paint brush 4" 1st class	No.
101.	Paint brush 3" 1st class	No.
102.	Thinner 5 litres - Premium	No.
103.	4liters Red oxide Super Gloss – premium	No
104.	20 liters Red oxide Super Gloss – premium	No
105.	Red Oxide Powder	Kgs

	PLUMBING MATERIALS	5
1.	PVC Pipes class E ½"	No.
2.	PVC Pipes class E ³ / ₄ "	No.
3.	G. I Socket ³ / ₄ "	No.
4.	G. I Long Nipples 3/4"	No.
5.	G. I Elbow 1"	No.
6.	G. I Elbow ½"	No.
7.	PVC Valve sockets 1"	No.
8.	PVC Valve sockets 1 1/2"	No.
9.	PVC Valve sockets 1/2"	No.
10.	UPVC Elbows ½"	No.
11.	G.I. Long nipple ½"	No.
12.	½" GI plug – push type	No.
13.	½" GI plug – socket type	No.
14.	½" GI Bend	No.
15.	1 ½" P trap for WHB	No.
16.	1 ½" waste tee	No.
17.	1 ½" waste bend	No.
18.	1 ½" sink waste	No.
19.	1 ½" deep throat sink waste	No.
20.	2" pvc waste pipe Heavy duty	Pcs
21.	1½" pvc waste pipe Heavy duty	Pcs
22.	1 ¹ / ₄ " pvc waste pipe Heavy duty	Pcs
23.	Waste PVC Pipes 4" Heavy duty	No
24.	Pillar Tap ½"	No.
25.	Bib tap pegler ½"	No.
26.	Bib tap pegler ¾"	No.
27.	G. I Socket 1"	No.
28.	G. I Long Nipple 1 ½"	No.
29.	G. I Tees 2"	No.
30.	2" G.I. Elbow	No.
31.	G. I Tees ³ / ₄ "	No.
32.	G. I Tees ½"	No.
33.	G. I Elbows ³ / ₄ "	No.
34.	G. I Elbows ½"	No.
35.	Gates Valves (peglar England) 1"	No.
36.	Pillar Tap1/2"	No.
37.	PPR Pipe 1"	No.

38.	PPR Pipe 2"	No.
	PPR Pipe ³ / ₄ "	No.
	PPR Socket 1"	No.
	PPR Adaptor 1"	No.
	PVC Pipes class E 1½"	No.
	2" PVC pipe class E	No.
	3" PVC pipe class E	No.
	2 ½" PVC pipe class E	No.
	4" PVC pipe class E	No.
	1" PVC pipe class E	No.
48.	4" PVC pressure bend class E	No.
49.	3" PVC pressure bend class E	No.
	2" PVC pressure bend class E	No.
51.	1" PVC pressure bend class E	No.
52.	PVC pipe 1" class E	No.
53.	UPVC Tees 1 ½"	No
54.	WC Flushing valve 1 ½"	No.
55.	.Asian WC	No.
56.	Hindustern Squatting WC	No.
57.	1/2" GI Tee	No.
58.	½" GI Union	No.
59.	½" gate valve – Pegler or equivalent	No.
60.	G. I Socket ½"	No.
61.	2"PVC drain tees and plugs	No.
62.	2"x 1 ½" GI reducers	No
63.	1 1/2" bottle trap	No
64.	4" PVC drain bends	No.
65.	4"drain tees	No.
66.		No.
	³ / ₄ "x 1/2" GI Tee	No
68.		No.
69.	, 1	No.
70.	GI Elbow ¾" heavy duty	No.
71.	Gate valve ¾" Peglar original	No.
72.	½" Valve socket metro or equivalent	No.
73.	Ball valve pegler 2"	No.
74.	Ball valve pegler ½"	No.
75.	Flashing handle High level - Metallic	No.

76.	Flashing handle Low level – Heavy Duty	No.
77.	Ball Valve 3/4" – Pegler or equivalent	No
78.	1 ¼" Bottle Trap	No.
79.	Boss white glue 100gms	No.
80.	Hexagonal nipples ½"	No.
81.	Hexagonal nipples 3/4"	No.
82.	1/2"x ³ / ₄ " UPVC reducer	No.
83.	WC magic flex connector 4"	No.
84.	Flex tube ½" heavy duty	No.
85.	Rubber connector 1 1/2"	No.
86.	PVC Tee ½"	No.
87.	PVC Tee ³ / ₄ "	No.
88.	GI union ½"	No.
89.	Tangit glue 250 gm	Pcs
90.	Tangit glue 100ml	Pcs
91.	GI socket 2"	No.
92.	Double drain double bowl kitchen sink	No.
93.	Single drain Single bowl kitchen sink	No.
94.	Ceramic Urinal Dividers	No.
95.	Automatic Urinal Flushing Cistern	No.
96.	Ceramic WC cistern	No.
97.	Low level complete cistern – Fortec or equivalent	No.
98.	High level complete cistern - Fortec or equivalent	No.
99.	1" valve socket	Pcs
100	³/4 ''x ¹/2 ''GI T socket	Pcs
101	1"x ½ "GI T socket	Pcs
102	½" meter stand	Pcs
103	½ '' stand pipe	Pcs
104	½ "PPR male adaptor	Pcs

105	½ " PPR elbow	Pcs
106	½" PPR female elbow	Pcs
107	³ / ₄ " PPR elbow	Pcs
108	³ / ₄ "PPR female elbow	Pcs
109	³ / ₄ " PPR male adapter	Pcs
110	2"PPR male adopter.	Pcs
111	2"PPR socket.	Pcs
112	2"PPR T socket	Pcs
113	2"GI T socket	Pcs
114	2" PPR Female adaptor	No.
115.	WC plastic seat cover complete-HARO	No.
116.	³ / ₄ '' x ¹ / ₂ '' GI reducing bush	No.
117.	½ PPR male adapter	No.
118.	½ PPR female adapter	No.
119.	1 ½' Toilet flush valve-Docol or equivalent	No
120.	Ceramic hand washing basin-medium	Pcs
121.	1½" Magic flex tube	Pcs
122.	Shower roses	Pcs
123.	High level siphon fittings-fortec or equivalent	Pcs
124.	Low level siphon fittings-fortec or equivalent	Pcs
125.	2" inspection T and plug	Pcs
126.	1½" inspection T and plug	Pcs
127.	1¼" inspection T and plug	Pcs
128.	2" pvc waste pipe – Heavy Duty	Pcs
	1½" pvc waste pipe – Heavy Duty	Pcs
130.	1 ¹ / ₄ " pvc waste pipe – Heavy Duty	Pcs

131.	½" Push Type Tap - Docol/ Vado	Pcs
132.	½" flexible tube	Pcs
133.	650 X 450mm CI man hole cover	No.
134.	8" Steel door Latch	Pcs
135.	6" Steel Tower Bolts	Pcs
136.	Double top double bowl stainless steel kitchen sink – ASL complete with 1 ½" waste drainers attached p-trap connector	No.
137.	½" PPR Pipe	No.
138.	½" PPR tee	No.
139.	³ / ₄ " x ¹ / ₂ " PPR female adaptor	No.
140.	³ / ₄ " PPR Tee	No.
141.	4" waste inspection tee	No.
142.		No.
143.	4" PVC Vent cap	No.
144.	4" Waste pipe	No.
145.	HDPE Pipe size – 3 inch (Black for water)	Roll of 100m
146.	PVC Water pipe – Class B Size: 2 inches 20 feet long	No.
147.	Equal Tee – 3 inch HDPE – With Male and Female Adaptor	No.
148.	HDPE 3 inch End Cap	No.
149.	Non- return valve socket – ½ inch metallic	No.
150.	2 ½" x 3mm thick mild steel black pipes	Pcs
151.	Concealed WC flush covers – Vado/Docol or equivalent	No.
152.	½" Push Type Pillar Tap – Vado/Docol or equivalent	No.
153.	4	No.
154.	1" Tensile spring	Pcs
155.	Concealed WC flush covers – Vado/Docol or equivalent	No.
156.	3" CPVC bend	Pcs
	3" CPVC Plug	Pcs
	3" CPVC pipes	Pcs

159.	3" x 2½" CPVC reducer	pcs
160.	2½" CPVC bend	pcs
161.	2½" CPVC pipe	pcs
162.	2½" CPVC tee	Pcs
163.	2½" x 2 CPVC reducer	Pcs
164.	2" CPVC plug	Pcs
165.	2½" CPVC plug	pcs
166.	2" CPVC pipes	pcs
167.	2" CPVC socket	pcs
168.	CPVC solvent cement 1 litre	Tin
169.	2" PVC tee	Pcs
170.	2" PVC bend	pcs
171.	2" PVC valve socket	pcs
172.	2" gate valve-Pegler	pcs
173.	2" x 2½" PVC reducer	pcs
174.	2½" PVC valve socket	pcs
175.	1½" ball valve-pegler or Equivalent	No
176.	½" Bip Tap- Pegler or equivalent	Pcs
177.	½" Bip Tap- Long Arm - Original	Pcs
178.	3/4 " PPR pipe pn 16-100M long	Roll

NB:

- i. Prices should include all **the taxes and transport** to University of Embu
- ii. All the specifications stated above are mandatory.

Signature of tenderer _		
-		
Stamp		

CRITERIA FOR EVALUATON

The lowest evaluated price for bidders who shall meet all the specification shall be considered for award as long as the prices are established to be within the prevailing market prices.

SECTION VIII - STANDARD FORMS

Notes on the sample Forms

Form of Tender

The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.

Confidential Business Questionnaire Form

This form must be completed by the tenderer and submitted with the tender documents.

Tender Security Form

When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.

Contract Form

The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract form shall be completed after contract award and should incorporate the accepted contract price.

Performance Security Form

The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.

Bank Guarantee for Advance Payment Form

When Advance payment is requested for by the successful bidder and agreed by the procuring entity, this form must be completed fully and duly signed by the authorized officials of the bank.

Manufacturers Authorization Form

When required by the tender documents this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.

FORM OF TENDER

To: University of Embu			
P.O. Box 6-60100, Embu		Date	••
Tender No: UoEm/FW/03	3/2021-2022		
Tender Name: Supply ar	d Delivery of H	Hardware and General Buil	lding
Materials.			
Gentlemen and/or Ladies:			
		cuments including Addenda	
		mbers] The receipt of which	
		ersigned, offer to supply de(i	
		the said tender documents for	
		(total te	
v e		er sums as may be ascertain	
accordance with the Sche	dule of Prices at	tached herewith and made pa	art of
this Tender.			
2. We undertake,	if our Tender i	s accepted, to deliver install	l and
commission the equipm	ent in accordan	nce with the delivery scho	edule
specified in the Schedule	of Requirements.	•	
3. If our Tender is	accepted, we wil	l obtain the guarantee of a ba	nk in
	-	cent of the Contract Price fo	
		orm prescribed by	
(Procurin		1	
,	•	er for a period of [num	nberl
	_	ng of the Instructions to tende	
•	-	ay be accepted at any time b	
the expiration of that period	-	The second secon	
-		ar written acceptance thereof	f and
	•	e a Contract, between us. Su	
to signing of the Contract		e a contract, between us. Su	ioject
	•	bound to accept the lowest or	r anv
tender you may receive.	mat you are not	bound to accept the lowest of	1 any
tender you may receive.			
Dated this	day of	20	
[Signature]		[in the capacity of]	
[~-2]		[me emphasity or]	
Duly authorized to sign te	nder for an on be	ehalf of	

SELF DECLARATION FORMS

(r.47)

FORM SD1: SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

I of Post Offi		
hereby make a statement as follows:		
1. THAT I am the Company Secr Officer/Director of	respect of Tender No. ler title/description) for	(Insert name of the For (Insert name)
2. THAT the aforesaid Bidder, its I from participating in procurement pr		
3. THAT what is deponed to hereina Information and belief.	above is true to the best of my	knowledge,
(Title)	(Signature)	(Date)
Bidder Official Stamp		

FORM SD2: SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

I,resident ofhereby make a statement as follows:-	in the Republic			
1. THAT I am the Chief Exect of	(Insert name of the Comp For	any) who is a Bidder in (Insert tender		
2. THAT the aforesaid Bidder, its see in any corrupt or fraudulent practice any member of the Board, Mana(insert name of	and has not been requested t gement, Staff and/or empl	o pay any inducement to oyees and/or agents of		
3. THAT the aforesaid Bidder, its se any inducement to any member of and/or agents of	f the Board, Management,	Staff and/or employees		
4. THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender				
5. THAT what is deponed to hereina and belief.	bove is true to the best of my	y knowledge information		
(Title)	(Signature)	(Date)		
Bidder's Official Stamp				

CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

Part 1 – General:

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c) whichever applied to your type of business

You are advised that it is a serious offence to give false information on this form

Duais	naga Nama			
	ness Nametion of business premises			
	No			
Posta	al Address Tel	No	Fax E mail	
	re of Business			
	stration Certificate No			
	imum value of business which you can			
Nam	e of your bankers	B	Branch	
	1	D (2() G 1	D	
	V - : C-11	Part 2 (a) – Sole		
	Your name in full			
	Citizen	•	origin	
		•		
	•			
		Part 2 (b) Partner	ship	
	Given details of partners as follows:		1	
	Name		Citizenship Details	Shares
	1			
	· ·			
	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	
	4			
		Devi 2 (c) De		
	Private or Public		gistered Company	
	State the nominal and issued capital			•••••
	Nominal Kshs.			
	Issued Kshs.			
	Given details of all directors as follo			
		Nationality	Citizenship Details	Shares
	1	•	*	
	2			

If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or registration.

Date Signature of Candidate

3.

5

TENDER SECURITY FORM

(hereinafter called [date of submission of(hereinafter called KNOW ALL PEO)	"the tenderer") has some of tender] for the support of the support	ubmitted its tend pply, installation cription of presents	der dated a and commis the equi that	sioning ipment)
office at unto Procuring entity") well and truly to be itself, its successor	of	ter called "the ng entity] (her curing entity, e presents.	naving our reg Bank"), are einafter called for which p the Bank Sealed wi	gistered bound ed "the ayment binds th the
20	·			
 If the validit If the Tende validit fails o fails 	IS of this obligation at tenderer withdraws it ty specified by the tenderer, having been by the Procuring ty: or refuses to execute the or refuses to furn dance with the Instruction	s Tender during derer on the Tenten notified of the entity during the Contract Formish the performance.	nder Form; or ne acceptance ne period of n, if required; mance secu	e of its tender
receipt of its first v substantiate its den will note that the a	ay to the Procuring envritten demand, without and, provided that in mount claimed by it is the two conditions, sp	ut the Procuring its demand the due to it, owing	entity havin Procuring g to the occ	entity
days after the period thereof should read [signature of the bo	tee will remain in forced of tender validity, a ch the Bank not later the tank]ordingly if provided by	nd any demand han the above da	in respendente.	(30) ct

CONTRACT FORM

THIS AGREEMENT made the	day	of	20		
between [name Procurement entity] (hereinafter [name of ten	of Procurem called "the F	ent entity) of Procuring entity	(a) [a y) of the one	country part	and
(hereinafter called "the tenderer") o			na country of	ienue	rerj
WHEREAS the Procuring entity in tender by the tenderer for	the supply	of those go	ods in the	sum	of
NOW THIS AGREEMENT WITN	ESSETH AS I	FOLLOWS:			
1. In this Agreement words a respectively assigned to them in the				ngs as	are
2. The following documents start of this Agreement viz: (a) the Tender Form and the Pri (b) the Schedule of Requirement (c) the Technical Specifications (d) the General Conditions of Co (e) the Special Conditions of co (f) the Procuring entity's Notifi 3. In consideration of the patenderer as hereinafter mentioned, to to provide the goods and to remedy provisions of the Contract	ice Schedule s ints Contract contract; and ication of Awa syments to be the tender her y defects there	ubmitted by the ard made by the eby covenants value in conformit	Procuring entwith the Procu	tity to ring er ts with	the ntity 1 the
4. The Procuring entity hereby provisions of the goods and the remother sum as may become payable the manner prescribed by the contra	nedying of de under the prov	fects therein, th	e Contract Pri	ice or s	such
IN WITNESS whereof the parties accordance with their respective law				xecute	d in
Signed, sealed, delivered by	the	(for	the Procuring	entity	
Signed, sealed, delivered bypresence of		(for	the tendere	r in	the
(Amend accordingly if provided by	Insurance Co	mpany)			

PERFORMANCE SECURITY FORM

To	
[name of Procuring entity]	
WHEREAS	of Contract d
AND WHEREAS it has been stipulated by you in the said Contractenderer shall furnish you with a bank guarantee by a reputable be sum specified therein as security for compliance with the performance obligations in accordance with the Contract.	ank for the
AND WHEREAS we have agreed to give the tenderer a guarantee	e:
THEREFORE WE hereby affirm that we are Guarantors and responsion, on behalf of the tenderer, up to a total of	to pay you, fault under within the hid, without
This guarantee is valid until the day of2	20
Signed and seal of the Guarantors	
[name of bank or financial institution]	
[address]	
[date]	

BANK GUARANTEE FOR ADVANCE PAYMENT FORM

То	[name of Procuring entity]
[name	of tender]
Gentle	men and/or Ladies:
which tender guarar	ordance with the payment provision included in the Special Conditions of Contract amends the General Conditions of Contract to provide for advance payment
tender as sur whatso	[bank or financial institutions], as instructed by the er, agree unconditionally and irrevocably to guarantee as primary obligator and not ety merely, the payment to the Procuring entity on its first demand without ever right of objection on our part and without its first claim to the tenderer, in the tenderer in the exceeding
Contra made liabilit	rther agree that no change or addition to or other modification of the terms of the cet to be performed there-under or of any of the Contract documents which may be between the Procuring entity and the tenderer, shall in any way release us from any under this guarantee, and we hereby waive notice of any such change, additionalification.
_	quarantee shall remain valid in full effect from the date of the advance paymented by the tenderer under the Contract until
Yours	truly,
Signat	ure and seal of the Guarantors
[name	of bank or financial institution]
[addre	ess]
[date]	

MANUFACTURER'S AUTHORIZATION FORM

To [name of the Procuring entity]
WHEREAS
We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.
[Signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

LETTER OF NOTIFICATION OF AWARD

	Address of Procuring Entity
	ender No
This is	Sender Names to notify that the contract/s stated below under the above mentioned tender have awarded to you.
1.	Please acknowledge receipt of this letter of notification signifying your acceptance.
2.	The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3.	You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.
	(FULL PARTICULARS)

SIGNED FOR ACCOUNTING OFFICER

FORM RB 1

REPUBLIC OF KENYA

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD

APPLICATION NOOF20
BETWEEN
APPLICANT
AND
Request for review of the decision of the (Name of the Procuring Entity) of
dated theday of20in the matter of Tender No
20
REQUEST FOR REVIEW
I/We,the above named Applicant(s), of address: Physical
address
Procurement Administrative Review Board to review the whole/part of the above mentioned
decision on the following grounds, namely:-
1.
2.
etc.
By this memorandum, the Applicant requests the Board for an order/orders that: -
1.
2.
etc
SIGNED(Applicant)
Dated onday of/20
FOR OFFICIAL USE ONLY
Lodged with the Secretary Public Procurement Administrative Review Board on day of
20
SIGNED LIOEm