



UNIVERSITY OF EMBU

REQUEST FOR TENDER NO.

UOEM/TEND/04/2024 - 2025

FOR

SUPPLY AND DELIVERY OF EQUIPMENT FOR THE ENGINEERING LABORATORY

PRE-BID CONFERENCE DATE: 8TH JANUARY 2025 TIME: 11:00AM CLOSING DATE: 15TH JANUARY, 2025 TIME: 11.00AM

1. INVITATION TO TENDER

2. **PROCURING ENTITY: UNIVERSITY OF EMBU OF P.O. BOX 6-60100 EMBU**

3. CONTRACT NAME AND DESCRIPTION: SUPPLY AND DELIVERY OF EQUIPMENT FOR

THE ENGINEERING LABORATORY

- 4. The *University of Embu* invites sealed tenders for the supply of goods i.e, supply and delivery of Engineering items which shall be awarded as one lot and shall be delivered to University of Embu Main Campus.,
- 5. Tendering will be conducted under open competitive method (National) using a standardized tender document. Tendering is open to all qualified and interested Tenderers.
- 6. Tenderers will be allowed to tender for the one lot.
- 7. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours (0800 hrs to 1700 hrs) *at* the address given below.
- 8. A complete set of tender documents may be purchased or obtained by interested tenders free of charge. Tender documents may be obtained electronically from the Website(www.embuni.ac.ke). Tender documents obtained electronically will be free of charge.
- 9. Tender documents may be viewed and downloaded for free from the website (www.embuni.ac.ke). Tenderers who download the tender document must forward their particulars immediately to **procurement@embuni.ac.ke**, **Tel: 0714243682 and P.O. Box 6-60100 Embu** to facilitate any further clarification or addendum.
- 10. All Tenders must be accompanied by a **tender Security of Six Hundred Thousand Kenya Shillings** (Kshs. 600,000.00)
- 11. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 12. Completed tenders must be delivered to the address below on or before 15th January, 2025.
- 13. Electronic Tenders will not be permitted.
- 14. Tenders will be opened immediately after the deadline date and time specified above or any deadline date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
- 15. Late tenders will be rejected.
- 16. The addresses referred to above are:

a. Address for obtaining further information and for purchasing tender documents

- i. University of Embu
- ii. Physical address: 4 Kilometers from Embu Town along the Nairobi-Meru Highway, Embu County.
- iii. Procurement Office, 1st Floor, of the Administration Block
- iv. P.O BOX 6 60100 Embu
- v. Email: procurement@embuni.ac.ke
- vi. Tel: 0714243682

A. Address for Submission of Tenders.

- i. University of Embu
- ii. Physical address: 4 Kilometers from Embu Town along the Nairobi-Meru Highway, Embu County.
- iii. Procurement Office, 1st Floor, of the Administration Block
- iv. P.O BOX 6 60100 Embu
- v. Email: procurement@embuni.ac.ke
- vi. Tel: 0714243682

B. Address for Opening of Tenders.

University of Embu

Physical address: 4 Kilometers from Embu Town along the Nairobi-Meru Highway, Embu County.

Procurement Boardroom, 1st Floor, of the University of Embu Administration Block.

Official of the Procuring Entity issuing the invitation:

Vice - Chancellor

University of Embu

P.O BOX 6 - 60100

Embu.

NB: THE UNIVERSITY OF EMBU DOES NOT LEVY ANY FEE IN ORDER TO AWARD TENDERS; BEWARE OF CONMEN WHO CALL SOLICITING FOR MONEY.

PART 1 - TENDERING PROCEDURES

SECTION I: INSTRUCTIONS TO TENDERERS

A General Provisions

1. Scope of Tender

- 1.1 The Procuring Entity as defined in the **TDS** invites tenders for supply of goods and, if applicable, any Related Services incidental thereto, as specified in Section V, Supply Requirements. The name, identification, and number of lots (contracts) of this Tender Document are specified in the **TDS**.
- 12 Throughout this tendering document:
 - a) the term "in writing" means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the **TDS**, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
 - b) if the context so requires, "singular" means "plural" and vice versa;
 - c) "Day" means calendar day, unless otherwise specified as "Business Day". A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

2 Fraud and Corruption

- 21 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.

3. Eligible Tenderers

A Tenderer may be a firm that is a private entity, an individual, a state-owned enterprise or institution subject to ITT3.7, or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a letter of intent. Public employees and their close relatives (spouses, children, brothers, sisters and uncles and aunts) are not eligible to participate in the tender.

In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the Tendering process and, in the event the JV is awarded the Contract, during contract execution. The maximum number of JV members shall be specified in the **TDS**.

- Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- A Tenderer shall not have a conflict of interest. Any Tenderer found to have a conflict of interest shall be disqualified. A Tenderer may be considered to have a conflict of interest for the purpose of this

Tendering process, if the Tenderer:

- a) directly or indirectly controls, is controlled by or is under common control with another Tenderer; or
- b) receives or has received any direct or indirect subsidy from another Tenderer; or
- c) has the same representative or ownership as another Tenderer; or
- d) has a relationship with another Tenderer, directly or through common third parties, that puts it in a position to influence the Tender of another Tenderer, or influence the decisions of the Procuring Entity regarding this Tendering process; or
- e) or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods that are the subject of the Tender; or
- f) or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity or Procuring Entity for the Contract implementation; or
- g) would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the **TDS** ITT 1.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm; or has a close business or family relationship with a professional staff of the Procuring Entity (or of the project implementing agency, who: (i) are directly or indirectly involved in the preparation of the tendering document or specifications of the Contract, and/or the Tender evaluation process of such Contract; or (ii) would be involved in the implementation or supervision of such Contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the Tendering process and execution of the Contract.
- 34 A tenderer shall not be involved in corrupt, coercive, obstructive, collusive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified.
- A firm that is a Tenderer (either individually or as a JV member) shall not submit more than one Tender, except for permitted alternative Tenders. This includes participation as a subcontractor. Such participation shall result in the disqualification of all Tenders in which the firm is involved. A firm that is not a Tenderer or a JV member, may participate as a subcontractor in more than one Tender. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender.
- A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed subcontractors or sub consultants for any part of the Contract including related Services.
- 3.7 A Tenderer that has been debarred by the PPRA from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the PPRA's website www.ppra.go.ke
- Tenderers that are state-owned enterprises or institutions may be eligible to compete and be awarded a Contract(s) only if they are (i) a legal public entity of the state Government and/or public administration, (ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enable it compete with firms in the private sector on an equal basis. Public employees and their close relatives are not eligible to participate in the tender.
- Tenderers may be ineligible if their countries of origin (a) as a matter of law or official regulations, Kenya prohibits commercial relations with that country, or(b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting for supply of goods or services from that country, or any payments to any country, person, or entity in that country. A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.
- 3.10 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity

to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.

- 311 Where the law requires tenderers to be registered with certain authorities in Kenya, such registration requirements shall be defined in the **TDS**
- 3.12 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke.
- 3.13 A Kenyan tenderer shall provide evidence of having fulfilled his/her tax obligations by producing a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

4. Eligible Goods and Related Services

- 4.1 All the Goods and Related Services to be supplied under the Contract shall have their origin in any country that is eligible in accordance with ITT 3.9.
- For purposes of this ITT, the term "goods" includes commodities, raw material, machinery, equipment, and industrial plants; and "related services" include services such as insurance, installation, training, and initial maintenance.
- The term "origin" means the country where the goods have been mined, grown, cultivated, produced, manufactured or processed; or, through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.
- A procuring entity shall ensure that the items listed below shall be sourced from Kenya and there shall be no substitutions from foreign sources. The affected items are:
 - a) motor vehicles, plant and equipment which are assembled in Kenya;
 - b) furniture, textile, foodstuffs, oil and gas, information communication technology, steel, cement, leather, agro-processed products, sanitary products, and other goods made in Kenya; or
 - c) goods manufactured, mined, extracted or grown in Kenya.
- Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

5. Sections of Tendering Document

5.1 The tendering document consist of Parts 1, 2, and 3, which include all the sections indicated below, and should be read in conjunction with any Addenda issued in accordance with ITT8.

PART 1: Tendering Procedures

- i) Section I Instructions to Tenderers (ITT)
- ii) Section II Tendering Data Sheet (TDS)
- iii) Section III Evaluation and Qualification Criteria
- iv) Section IV Tendering Forms

PART 2: Supply Requirements

v) Section V - Schedule of Requirements

PART 3: Contract

- vi) Section VI General Conditions of Contract (GCC)
- vii) Section VII Special Conditions of Contract (SCC)
- viii) Section VIII- Contract Forms

- The notice of Invitation to Tender or the notice to the prequalified Tenderers issued by the Procuring Entity is not part of the tendering document.
- Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the document, responses to requests for clarification, the minutes of the pre-tender meeting (if any), or addenda to the tendering document in accordance with ITT7.
- 54 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tendering document and to furnish with its Tender all information or documentation as is required by the tendering document.

6. Clarification of Tendering Document

- A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 6.4. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 5.3, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 7.
- The Procuring Entity shall specify in the **TDS** if a pre-tender conference will be held, when and where. The Tenderer's designated representative is invited to attend a pre-Tender meeting. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- Minutes of the pre-Tender meeting, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents in accordance with ITT 6.3. Minutes shall not identify the source of the questions asked.
- The Procuring Entity shall also promptly publish anonymized (*no names*)Minutes of the pre-Tender meeting at the web page identified **in the TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-Tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 7 and not through the minutes of the pre-Tender meeting. Nonattendance at the pre- Tender meeting will not be a cause for disqualification of a Tenderer.

7. Amendment of Tendering Document

- 7.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the tendering document by issuing addenda.
- Any addendum issued shall be part of the tendering document and shall be communicated in writing to all who have obtained the tender document from the Procuring Entity in accordance with ITT 6.3. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's web page in accordance with ITT 7.1.
- To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders, pursuant to ITT 21.2.

C. Preparation of Tenders

8. Cost of Tendering

81 The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the Tendering process.

9. Language of Tender

9.1 The Tender, as well as all correspondence and documents relating to the Tender exchanged by the Tenderer and the Procuring Entity, shall be written in English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

10. Documents Comprising the Tender

- 10.1 The Tender shall comprise the following:
 - a) Form of Tender prepared in accordance with ITT11;
 - b) Price Schedules: completed in accordance with ITT 11 and ITT 13;
 - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 18.1;
 - d) Alternative Tender: if permissible, in accordance with ITT12;
 - e) Authorization: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT19.3;
 - f) Qualifications: documentary evidence in accordance with ITT 16.2 establishing the Tenderer qualifications to perform the Contract if its Tender is accepted;
 - g) Tenderer Eligibility: documentary evidence in accordance with ITT16.1 establishing the Tenderer eligibility to tender;
 - h) Eligibility of Goods and Related Services: documentary evidence in accordance with ITT 15, establishing the eligibility of the Goods and Related Services to be supplied by the Tenderer;
 - i) Conformity: documentary evidence in accordance with ITT15.2 that the Goods and Related Services conform to the tender document; and
 - j) any other document required in the **TDS**.
- In addition to the requirements under ITT 10.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed Agreement.
- The Tenderer shall furnish in the Form of Tender information on commissions gratuities, and fees, if any, paid or to be paid to agents or any other party relating to this Tender.

11. Form of Tender and Price Schedules

11.1 The Form of Tender and Price Schedules shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed without any alterations to the text. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialise pages of all tender documents submitted.

12. Alternative Tenders

121 Unless otherwise specified in the TDS, alternative Tenders shall not be considered.

13. Tender Prices and discounts

13.1 The prices quoted by the Tenderer in the Form of Tender and in the Price, Schedules shall conform to the requirements specified below.

- All lots (contracts) and items must be listed and priced separately in the Price Schedules.
- The price to be quoted in the Form of Tender in accordance with ITT10.1 shall be the total price of the Tender, including any discounts offered.
- 13.4 The Tenderer shall quote any discounts and indicate the methodology for their application in the form of tender. Conditional discounts will be rejected.
- Prices quoted by the Tenderer shall be fixed during the performance of the Contract and not subject to variation on any account, unless otherwise specified **in the TDS.** A Tender submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to ITT 28. However, if in accordance with **the TDS**, prices quoted by the Tenderer shall be subject to adjustment during the performance of the Contract, a Tender submitted with a fixed price quotation shall not be rejected, but the price adjustment shall be treated as zero.
- If specified in ITT 1.1, Tenders are being invited for individual lots (contracts) or for any combination of lots (packages). Unless otherwise specified **in the TDS**, prices quoted shall correspond to 100 % of the items specified for each lot and to 100% of the quantities specified for each item of a lot. Tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 13.4 provided the Tenders for all lots (contracts) are opened at the same time.
- 13.7 The terms EXW, CIP, CIF, DDP and other similar terms shall be governed by the rules prescribed in the current edition of Incoterms, published by the International Chamber of Commerce.
- Prices shall be quoted as specified in each Price Schedule included in Section IV, Tendering Forms. The disaggregation of price components is required solely for the purpose of facilitating the comparison of Tenders by the Procuring Entity. This shall not in any way limit the Procuring Entity's right to contract on any of the terms offered. In quoting prices, the Tenderer shall be free to use transportation through carriers registered in any eligible country. Similarly, the Tenderer may obtain insurance services from any eligible country in accordance with ITT 3.6, Eligible Tenders. Prices shall be entered in the following manner:
 - a) For Goods manufactured in Kenya:
 - I) the price of the Goods quoted EXW (ex-works, ex-factory, ex warehouse, ex showroom, or off-the- shelf, as applicable) final destination point indicated in the **TDS**, including all customs duties and sales and other taxes already paid or payable on the components and raw material used in the manufacture or assembly of the Goods;
 - ii) any sales tax and other taxes which will be payable in Kenya on the Goods if the Contract is awarded to the Tenderer; and
 - the price for inland transportation, insurance, and other local services required to convey the Goods to their final destination specified in the TDS.
 - b) For Goods manufactured outside Kenya, to be imported:
 - i) the price of the Goods, quoted CIP named place of destination, in Kenya, as specified in the TDS;
 - ii) the price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination specified in the TDS;
 - c) For Goods manufactured outside Kenya, already imported:
 - i) the price of the Goods, including the original import value of the Goods; plus, any markup (or rebate); plus, any other related local cost, and custom duties and other import taxes already paid or to be paid on the Goods already imported;
 - ii) the custom duties and other import taxes already paid (need to be supported with documentary evidence) or to be paid on the Goods already imported;
 - iii) any sales and other taxes levied in Kenya which will be payable on the Goods if the Contract is awarded to the Tenderer; and

- iv) the price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination (Project Site) specified in the TDS.
- d) for Related Services, other than inland transportation and other services required to convey the Goods to their final destination, whenever such Related Services are specified in the Schedule of Requirements, the price of each item comprising the Related Services (inclusive of any applicable taxes).

14. Currencies of Tender and Payment

- The currency (ies) of the Tender, the currency (ies) of award and the currency (ies) of contract payments shall be the same.
- The Tenderer shall quote in Kenya shillings. If allowed in the **TDS**, the Tenderer may express the Tender price in any currency, provided it shall use no more than two foreign currencies in addition to the Kenya Shilling.
- The rates of exchange to be used by the Tenderer shall be based on the exchange rates provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening.

15. Documents Establishing the Eligibility and Conformity of the Goods and Related Services

- 15.1 To establish the eligibility of the Goods and Related Services in accordance with ITT 15, Tenderers shall complete the country of origin declarations in the Price Schedule Forms, included in Section IV, Tendering Forms.
- To establish the conformity of the Goods and Related Services to the tendering document, the Tenderer shall furnish as part of its Tender the documentary evidence that the Goods conform to the technical specifications and standards specified in Section VII, Schedule of Requirements.
- The documentary evidence may be in the form of literature, drawings or data, and shall consist of a detailed item by item description of the essential technical and performance characteristics of the Goods and Related Services, demonstrating substantial responsiveness of the Goods and Related Services to the technical specification, and if applicable, a statement of deviations and exceptions to the provisions of the Section VII, Schedule of Requirements.
- The Tenderer shall also furnish a list giving full particulars, including available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the Goods during the period **specified in the TDS** following commencement of the use of the goods by the Procuring Entity.
- 155 Standards for workmanship, process, material, and equipment, as well as references to brand names or catalogue numbers specified by the Procuring Entity in the Schedule of Requirements, are intended to be descriptive only and not restrictive. The Tenderer may offer other standards of quality, brand names, and/or catalogue numbers, provided that it demonstrates, to the Procuring Entity's satisfaction, that the substitutions ensure substantial equivalence or are superior to those specified in the Section VII, Schedule of Requirements.

16. Documents Establishing the Eligibility and Qualifications of the Tenderer

- 16.1 To establish Tenderer eligibility in accordance with ITT 4, Tenderers shall complete the Form of Tender, included in Section IV, Tendering Forms.
- The documentary evidence of the Tenderer qualifications to perform the Contract if its Tender is accepted shall establish to the Procuring Entity's satisfaction:
 - that, if required **in the TDS**, a Tenderer that does not manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in Section IV, Tendering Forms to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods in Kenya;
 - b) that, if required **in the TDS**, in case of a Tenderer not doing business within the Kenya, the Tenderer is or will be (if awarded the Contract) represented by an Agent in the country equipped and able to carry out the Supplier's maintenance, repair and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and
 - c) that the Tenderer meets each of the qualification criterion specified in Section III, Evaluation and Qualification Criteria.

17. Period of Validity of Tenders

17.1 Tenders shall remain valid for the Tender Validity period specified **in the TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 21.1). A Tender valid for a shorter period shall be rejected by the

Procuring Entity as non-responsive.

- In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 18, it shall also be extended for a corresponding period. A Tenderer may refuse the request without forfeiting its Tender Security. A Tenderer granting the request shall not be required or permitted to modify its Tender, except as provided in ITT 17.3.
- 173 If the award is delayed by a period exceeding the number of days to be specified in the **TDS** days beyond the expiry of the initial tender validity period, the Contract price shall be determined as follows:
 - a) in the case of **fixed price** contracts, the Contract price shall be the tender price adjusted by the factor specified **in the TDS**;
 - b) in the case of **adjustable price** contracts, no adjustment shall be made; or in any case, tender evaluation shall be based on the tender price without taking into consideration the applicable correction from those indicated above.

18. Tender Security

- 181 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security, as specified in the TDS, in original form and, in the case of a Tender Security, in the amount and currency specified in the TDS.
- 182 A Tender Securing Declaration shall use the form included in Section IV, Tendering Forms.
- 183 If a Tender Security is specified pursuant to ITT 18.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer option:
 - i) cash;
 - ii) a bank guarantee;
 - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority; or
 - iv) a letter of credit; or
 - v) guarantee by a deposit taking micro-finance institution, Sacco society, the Youth Enterprise Development Fund or the Women Enterprise Fund.
- 184 If an unconditional guarantee is issued by a non-Bank financial institution located outside Kenya, the issuing non-Bank financial institution shall have a correspondent financial institution located in Kenya to make it enforceable unless the Procuring Entity has agreed in writing, prior to Tender submission, that a correspondent financial institution is not required. In the case of a bank guarantee, the Tender Security shall be submitted either using the Tender Security Form included in Section IV, Tendering Forms, or in another substantially similar format approved by the Procuring Entity prior to Tender submission. The Tender Security shall be valid for thirty
 - (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 17.2.
- If a Tender Security is specified pursuant to ITT 18.1, any Tender not accompanied by a substantially responsive Tender Security shall be rejected by the Procuring Entity as non-responsive.
- If a Tender Security is specified pursuant to ITT 18.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer signing the Contract and furnishing the Performance Security pursuant to ITT 46.The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.
- 18.7 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security.
- 188 The Tender Security may be forfeited or the Tender Securing Declaration executed:
 - a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer in the Form of Tender, or any extension thereto provided by the Tenderer; or
 - b) if the successful Tenderer fails to:
 - i) sign the Contract in accordance with ITT 45; or

- ii) furnish a Performance Security in accordance with ITT 46.
- 189 Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA that PPRA debars the Tenderer from participating in public procurement as provided in the law.
- 18.10 The Tender Security or Tender- Securing Declaration of a JV must be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of Tendering, the Tender Security or Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT3.1 and ITT 10.2.
- 18.11 A tenderer shall not issue a tender security to guarantee itself.

19. Format and Signing of Tender

- 19.1 The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 12, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number **specified in the TDS** and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 192 Tenderers shall mark as "CONFIDENTIAL" information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation **as specified in the TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 19.4 In case the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by each members' legally authorized representatives.
- Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

D. Submission and Opening of Tenders

20 Sealing and Marking of Tenders

- 20.1 Depending on the sizes or quantities or weight of the tender documents, a tenderer may use an envelope, package or container. The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
 - a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
 - b) in an envelope or package or container marked "COPIES", all required copies of the Tender; and
 - c) if alternative Tenders are permitted in accordance with ITT 12, and if relevant:
 - i) in an envelope or package or container marked "ORIGINAL -ALTERNATIVE TENDER", the alternative Tender; and
 - ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.
- 202 The inner envelopes or packages or containers shall:
 - a) bear the name and address of the Procuring Entity.
 - b) bear the name and address of the Tenderer; and
 - c) bear the name and Reference number of the Tender.
- 203 Where a tender package or container cannot fit in the tender box, the procuring entity shall:
 - a) Specify in the **TDS where** such documents should be received.
 - b) maintain a record of tenders received and issue acknowledgement receipt note to each tenderer

- specifying time and date of receipt.
- c) Ensure all tenders received are handed over to the tender opening committee for opening at the specified opening place and time.
- 204 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

21. Deadline for Submission of Tenders

- 21.1 Tenders must be received by the Procuring Entity at the address and no later than the date and time specified **in the TDS**. When so specified **in the TDS**, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures **specified in the TDS**.
- The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the tendering document in accordance with ITT7, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended

22. Late Tenders

22.1 The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of Tenders. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

23. Withdrawal, Substitution, and Modification of Tenders

- A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization (the power of attorney) in accordance with ITT19.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
 - a) prepared and submitted in accordance with ITT 20 and 21 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," or "MODIFICATION;" and
 - b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.
- Tenders requested to be withdrawn in accordance with ITT 23.1 shall be returned unopened to the Tenderers.
- No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

24. Tender Opening

- Except as in the cases specified in ITT 23, the Procuring Entity shall, at the Tender opening, publicly open and read out all Tenders received by the deadline at the date, time and place specified in the TDS in the presence of Tenderers' designated representatives who choose to attend, including to attend any specific electronic tender opening procedures if electronic tendering is permitted in accordance with ITT 21.1, shall be as specified in the TDS.
- First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelope with the corresponding Tender shall not be opened, but returned to the Tenderer. If the withdrawal envelope does not contain a copy of the "power of attorney" confirming the signature as a person duly authorized to sign on behalf of the Tenderer, the corresponding Tender will be opened. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned

- to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Prices, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security, if required; and any other details as the Procuring Entity may consider appropriate.
- Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bills of Quantities are to be initialed by the members of the tender opening committee attending the opening. The number of representatives of the Procuring Entity to sign shall be specified in the **TDS**.
- 24.7 The Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 22.1).
- 248 The Procuring Entity shall prepare a record of the Tender opening that shall include, as a minimum:
 - a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
 - b) the Tender Price, per lot (contract) if applicable, including any discounts;
 - c) any alternative Tenders;
 - d) the presence or absence of a Tender Security or Tender-Securing Declaration, if one was required;
 - e) number of pages of each tender document submitted.
- 24.9 The Tenderers' representatives who are present shall be requested to sign the record. The omission of a Tenderer signature on the record shall not invalidate the contents and effect of the record. A copy of the tender opening register shall be issued to a Tenderer upon request.

E. Evaluation and Comparison of Tenders

25. Confidentiality

- 25.1 Information relating to the evaluation of Tenders and recommendation of contract award, shall not be disclosed to Tenderers or any other persons not officially concerned with the tendering process until the information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 41.
- 252 Any effort by a Tenderer to influence the Procuring Entity in the evaluation or contract award decisions may result in the rejection of its Tender.
- Notwithstanding ITT 25.2, from the time of Tender opening to the time of Contract Award, if any Tenderer wishes to contact the Procuring Entity on any matter related to the Tendering process, it should do so in writing.

26. Clarification of Tenders

To assist in the examination, evaluation, comparison of the Tenders, and qualification of the Tenderers, the Procuring Entity may, at its discretion, ask any Tenderer for a clarification of its Tender. Any clarification submitted by a Tenderer in respect to its Tender and that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the Tender shall be sought, offered, or permitted except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the Evaluation of the Tenders, in accordance with ITT 30.

If a Tenderer does not provide clarifications of its Tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

27. Deviations, Reservations, and Omissions

- 27.1 During the evaluation of Tenders, the following definitions apply:
 - a) "Deviation" is a departure from the requirements specified in the Tendering document;
 - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tendering document; and
 - c) "Omission" is the failure to submit part or all of the information or documentation required in the tendering document.

28. Determination of Responsiveness

- 28.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the Tender itself, as defined in ITT28.2.
- 28 A substantially responsive Tender is one that meets the requirements of the tendering document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that:
 - a) if accepted, would:
 - i) affect in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or
 - ii) limit in any substantial way, inconsistent with the tendering document, the Procuring Entity's rights or the Tenderer obligations under the Contract; or
 - b) if rectified, would unfairly affect the competitive position of other Tenderers presenting substantially responsive Tenders.
- The Procuring Entity shall examine the technical aspects of the Tender submitted in accordance with ITT 15 and ITT 16, in particular, to confirm that all requirements of Section VII, Schedule of Requirements have been met without any material deviation or reservation, or omission.
- 283 If a Tender is not substantially responsive to the requirements of tendering document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

29. Non-conformities, Errors and Omissions

- 29.1 Provided that a Tender is substantially responsive, the Procuring Entity may waive any non-conformities in the Tender.
- 292 Provided that a Tender is substantially responsive, the Procuring Entity may request that the Tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial non- conformities or omissions in the Tender related to documentation requirements. Such omission shall not be related to any aspect of the price of the Tender. Failure of the Tenderer to comply with the request may result in the rejection of its Tender.
- Provided that a Tender is substantially responsive, the Procuring Entity shall rectify quantifiable nonmaterial non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the TDS. The adjustment shall be based on the *average* price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its best estimate.

30. Arithmetical Errors

30.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

- Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
 - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
 - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail.
- 303 Tenderers shall be notified of any error detected in their bid during the notification of a ward.

31. Conversion to Single Currency

31.1 For evaluation and comparison purposes, the currency(ies) of the Tender shall be converted in a single currency as specified in the TDS.

32. Margin of Preference and Reservations

- 32.1 A margin of preference may be allowed on locally manufactured goods only when the contract is open to international tendering, where the tender is likely to attract foreign goods and where the contract exceeds the threshold specified in the Regulations.
- For purposes of granting a margin of preference on locally manufactured goods under international competitive tendering, a procuring entity shall not subject the items listed below to international tender and hence no margin of preference shall be allowed. The affected items are:
 - a) motor vehicles, plant and equipment which are assembled in Kenya;
 - b) furniture, textile, foodstuffs, oil and gas, information communication technology, steel, cement, leather agro-processing, sanitary products, and other goods made in Kenya; or
 - c) goods manufactured, mined, extracted or grown in Kenya.
- 323 A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 324 Contracts procured on basis of international competitive tendering shall not be subject to reservations to specific groups s as provided in ITT 32.5.
- Where it is intended to reserve a contract to a specific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender as specified in the **TDS**. No tender shall be reserved to more than one group. If not so stated in the Tender documents, the invitation to tender will be open to all interested tenderers.

33. Evaluation of Tenders

- 33.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification criteria. No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies, the Procuring Entity shall determine the Lowest Evaluated Tender. This is the Tender of the Tenderer that meets the qualification criteria and whose Tender has been determined to be:
 - a) substantially responsive to the tender documents; and
 - b) the lowest evaluated price.
- Price evaluation will be done for Items or Lots (contracts), as specified **in the TDS**; and the Tender Price as quoted in accordance with ITT 14. To evaluate a Tender, the Procuring Entity shall consider the following:
 - a) price adjustment due to unconditional discounts offered in accordance with ITT 13.4;
 - b) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 31;

- c) price adjustment due to quantifiable nonmaterial non-conformities in accordance with ITT 29.3; and
- d) any additional evaluation factors specified **in the TDS** and Section III, Evaluation and Qualification Criteria.
- 333 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 33.2. The methodology to determine the lowest evaluated tenderer or tenderers based one lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.
- 335 The Procuring Entity's evaluation of a Tender will include and consider:
 - a) in the case of Goods manufactured in Kenya, sales and other similar taxes, which will be payable on the goods if a contract is awarded to the Tenderer;
 - b) in the case of Goods manufactured outside Kenya, already imported or to be imported, customs duties and other import taxes levied on the imported Good, sales and other similar taxes, which will be payable on the Goods if the contract is awarded to the Tenderer;
- The Procuring Entity's evaluation of a Tender may require the consideration of other factors, in addition to the Tender Price quoted in accordance with ITT 14. These factors may be related to the characteristics, performance, and terms and conditions of purchase of the Goods and Related Services. The effect of the factors selected, if any, shall be expressed in monetary terms to facilitate comparison of Tenders, unless otherwise specified in the **TDS** from amongst those set out in Section III, Evaluation and Qualification Criteria. The additional criteria and methodologies to be used shall be as specified in ITT 33.2(d).

34. Comparison of Tenders

34.1 The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 33.2 to determine the Tender that has the lowest evaluated cost. The comparison shall be on the basis of total cost (place of final destination) prices for all goods and all prices, plus cost of inland transportation and insurance to place of destination, for goods manufactured within the Kenya, together with prices for any required installation, training, commissioning and other services.

35. Abnormally Low Tenders

- 35.1 An Abnormally Low Tender is one where the Tender price, in combination with other constituent elements of the Tender, appears unreasonably low to the extent that the Tender price raises material concerns with the Procuring Entity as to the capability of the Tenderer to perform the Contract for the offered Tender price.
- 352 In the event of identification of a potentially Abnormally Low Tender by the evaluation committee, the Procuring Entity shall seek written clarification from the Tenderer, including a detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, delivery schedule, allocation of risks and responsibilities and any other requirements of the tendering document.
- 353 After evaluation of the price analysis, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the contract for the offered Tender price, the Procuring Entity shall reject the Tender.

36. Abnormally High Tenders

- An abnormally high price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 36.5 In case of an abnormally high tender price, the Procuring Entity shall make a survey of the market

prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:

- i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
- ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 36.6 If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause relevant Government Agencies to institute an investigation on the cause of the compromise, before retendering.

37. Post-Qualification of the Tenderer

- 37.1 The Procuring Entity shall determine, to its satisfaction, whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- The determination shall be based upon an examination of the documentary evidence of the Tenderer qualifications submitted by the Tenderer, pursuant to ITT 15 and 16. The determination shall not take into consideration the qualifications of other firms such as the Tenderer subsidiaries, parent entities, affiliates, subcontractors (other than specialized subcontractors if permitted in the tendering document), or any other firm(s) different from the Tenderer.
- An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated cost to make a similar determination of that Tenderer qualifications to perform satisfactorily.

38. Lowest Evaluated Tender

- 38.1 Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Oualification Criteria and whose Tender has been determined to be:
 - a) most responsive to the Tender document; and
 - b) the lowest evaluated price.

39. Procuring Entity's Right to Accept Any Tender, and to Reject Any or All Tenders.

39.1 The Procuring Entity reserves the right to accept or reject any Tender, and to annul the Tendering process and reject all Tenders at any time prior to notification Award, without thereby incurring any liability to Tenderers. In case of annulment, all Tenderers shall be notified with reasons and all Tenders submitted and specifically, tender securities, shall be promptly returned to the Tenderers.

F. Award of Contract

40. Award Criteria

40.1 The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender in accordance with procedures in Section 3: Evaluation and Qualification Criteria.

41. Procuring Entity's Right to Vary Quantities at Time of Award

The Procuring Entity reserves the right at the time of Contract award to increase or decrease, by the percentage (s) for items as indicated in the TDS.

42. Notice of Intention to enter into a Contract

Upon award of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract / Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instructions on how to request a debriefing and/or submit a complaint during the standstill period;

43. Standstill Period

- 43.1 The Contract shall not be awarded earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied candidate to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- Where standstill period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract to the successful Tenderer.

44. Debriefing by the Procuring Entity

- 44.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 41, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

45. Letter of Award

Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42, upon addressing a complaint that has been filed within the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21days of the date of the letter.

46. Signing of Contract

- 46.1 Upon the expiry of the fourteen days of the Notification of Intention to enter into contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

47. Performance Security

- Within twenty-one (21) days of the receipt of Letter of Acceptance from the Procuring Entity, the successful Tenderer, if required, shall furnish the Performance Security in accordance with the GCC 18, using for that purpose the Performance Security Form included in Section X, Contract Forms. If the Performance Security furnished by the successful Tenderer is in the form of a bond, it shall be issued by a bonding or insurance company that has been determined by the successful Tenderer to be acceptable to the Procuring Entity. A foreign institution providing a bond shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent financial institution is not required.
- Failure of the successful Tenderer to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the

Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next lowest Evaluated Tender.

473 Performance security shall not be required for a contract, if so specified in the **TDS**.

48. Publication of Procurement Contract

- 48.1 Within fourteen days after signing the contract, the Procuring Entity shall publish and publicize the awarded contract at its notice boards, entity website; and on the Website of the Authority in manner and format prescribed by the Authority. At the minimum, the notice shall contain the following information:
 - a) name and address of the Procuring Entity;
 - b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
 - c) the name of the successful Tenderer, the final total contract price, the contract duration.
 - d) dates of signature, commencement and completion of contract;
 - e) names of all Tenderers that submitted Tenders, and their Tender prices as read out at Tender opening;

49. Procurement Related Complaints and Administrative Review

- 49.1 The procedures for making a Procurement-related Complaint are as specified in the TDS.
- 492 A request for administrative review shall be made in the form provided under contract forms.

SECTION II – TENDER DATA SHEET (TDS)

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

ITT Reference	Particulars Of Appendix To Instructions To Tenders								
A. General									
ITT 1.1	The reference number of the Invitation for Tenders is: Supply and Delivery of Engineering Equipment The Procuring Entity is: University of Embu The name of the Contract is: Supply and Delivery of Engineering Equipment								
	The number and identification of lots (contracts) comprising this Invitation for Tenders is: UoEm/Tend/04/2024-2025								
ITT 2.3	The Information made available on competing firms is as follows: University of Embu's Representatives and officers.								
	The firms that provided consulting services for the contract being tendered for are: None								
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be: Four								
ITT 3.7	A list of debarred firms and individuals is available on the PPRA's website: www.ppra.go.ke								
ITT 3.11	Tenderers shall be required to be to be registered with: N/A								
	B. Contents of Tendering Document								
ITT 6.1	(a) Address where to send enquiries is University of Embu, P.O. Box 6-60100 Embu, procurement@embuni.ac.ke. to reach the Procuring Entity not later than six days before closing date.								
	(b) The Procuring Entity publish its response at the website www.embuni.ac.ke .								
ITT 6.2	A pre-tender conference will be held on 8th January, 2025 at University of Embu, Procurement Boardroom								
ITT 6.3	The questions to reach the Procuring Entity not later than 7 th January, 2025 by 5:00pm.								
ITT 6.5	The Minutes of the Pre-Tender meeting shall be published on the at the website www.embuni.ac.ke								
	C. Preparation of Tenders								
ITT 10 (j)	The Tenderer shall submit the following additional documents in its Tender: <i>Brochures for the equipment</i>								
ITT 12.1	Alternative Tenders <i>shall not be</i> considered.								
ITT 13.5	The prices quoted by the Tenderer shall not be subject to adjustment during the performance of the Contract.								
ITT 13.6	Prices quoted for each lot (contract) shall correspond at least to 100 percent of the items specified for each lot (contract). Prices quoted for each item of a lot shall correspond at least to 100 percent of the quantities specified for this item of a lot.								
ITT 13.8 (a) (i) and (iii)	Place of final destination: <i>University of Embu</i>								
ITT 13.8 (a) (iii)	Final Destination (Project Site): <i>University of Embu</i>								
ITT 13.8 (b) (i)	Named place of destination, in Kenya is _University of Embu								
ITT 13.8 (b) (ii)	The price for inland transportation, insurance, and other local services required to convey the Goods from the named place of destination to their final destination which is University of Embu								

ITT Reference	Particulars Of Appendix To Instructions To Tenders							
	TP .							
13.8 (c) (iv)	The place of final destination (Project Site) is University of Embu							
ITT 14.2	Foreign currency requirements not allowed.							
ITT 15.4	Period of time the Goods are expected to be functioning (for the purpose of spare parts): <i>one year.</i>							
ITT 16.2 (a)	Manufacturer's authorization is: <i>required</i>							
ITT 16.2 (b)	After sales service is: <i>required</i>							
ITT 17.1	The Tender validity period shall be 119 days.							
ITT 17.3	(a) The Number of days beyond the expiry of the initial tender validity period will be 30 days.							
	b) The Tender price shall be adjusted by the following percentages of the tender price:							
	(i) By 1% of the local currency portion of the Contract price adjusted to reflect local inflation during the period of extension, and							
	(ii) By 1% the foreign currency portion of the Contract price adjusted to reflect the international inflation during the period of extension.							
ITT 18.1	A Tender Security shall be required. A Tender-Securing Declaration shall not be required. The amount and currency of the Tender Security shall be Six Hundred Thousand Kenya shillings (Kshs. 600,000.00)							
ITT 19.1	In addition to the original of the Tender, the number of copies is: <i>One</i>							
ITT 19.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: <i>Details of the person authorized to represent the company.</i>							
	D. Submission and Opening of Tenders							
ITT 20.3	A tender package or container that cannot fit in the tender box shall be received as follows: Dropped at University of Embu Main Reception							
ITT 21.1	For <u>Tender submission purposes</u> only, the Procuring Entity's address is:							
	 i. University of Embu ii. Physical address: 4 Kilometers from Embu Town along the Nairobi-Meru Highway, Embu County. iii. Procurement Office, 1st Floor, of the Administration Block iv. P.O BOX 6 – 60100 Embu v. Email: procurement@embuni.ac.ke vi. Tel: 0714243682 							
	The deadline for Tender submission is: Date: 15 th January, 2025 Time: 11:00am							
TTT 24 1	Tenderers <i>shall not</i> have the option of submitting their Tenders electronically.							
ITT 24.1	 i. University of Embu ii. Physical address: 4 Kilometers from Embu Town along the Nairobi-Meru Highway, Embu County. iii. Procurement Office, 1st Floor, of the Administration Block iv. P.O BOX 6 – 60100 Embu v. Email: procurement@embuni.ac.ke vi. Tel: 0714243682 							

Tenders. The currency that shall be used for Tender evaluation and comparison p convert at the selling exchange rate all Tender prices expressed in various curra a single currency is: *Kenya Shillings** The source of exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The date for the exchange rate shall be: *The Central Bank in Kenya.* The adjustments of the sextended to the following group that qualify for Renyl.* Additional evaluation factors are brochures of equipment, delivery period, manuthorizations and warranties. The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: *Irefer to Section III, and Qualification Criteria: *Irefer to Se	TT Reference	Particulars Of Appendix To Instructions To Tenders						
The electronic Tender opening procedures shall be: N/A The number of representatives of the Procuring Entity to sign is all tend committee members E. Evaluation and Comparison of Tenders ITT 29.3 The manner of rectify quantifiable nonmaterial nonconformities described be Average price of the item or component as quoted in other substantially to Tenders. ITT 31.1 The currency that shall be used for Tender evaluation and comparison pronvert at the selling exchange rate all Tender prices expressed in various currency is: Kenya Shillings The source of exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The adjustment of tender is extended to the following group that qualify for Remains and the contract of the performance and productivity of the equipment offered; Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract The maximum percentage by which quan								
TTT 24.6 The number of representatives of the Procuring Entity to sign is all tend committee members E. Evaluation and Comparison of Tenders ITT 29.3 The manner of rectify quantifiable nonmaterial nonconformities described be Average price of the item or component as quoted in other substantially. Tenders. ITT 31.1 The currency that shall be used for Tender evaluation and comparison pronvert at the selling exchange rate all Tender prices expressed in various currance as ingle currency is: Kenya Shillings The source of exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: Adae of the tender evaluation ITT 32.3 A margin of preference and/or reservation shall not apply and specify the detail in invitation to tender is extended to the following group that qualify for Residual invitation and warranties. The invitation to tender is extended to the following group that qualify for Residual invitations and warranties. The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: Inference Section III, and Qualification Criteria; insert complementary details if necessary! (a) Deviation in Delivery schedule: No. (c) the cost of major replacement component, mandatory spare parts, and ser (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract TTT 41.1 The maximum percentage by which quantities may be increased is: [100% policion 30% of the total lot cost] The maximum percentage by which quantities may be increased is: [100% policion 30% of the total lot cost] The procuring Entity shall increase or decrease the quantity of Goods and Services by an amount not exceed 30% and without any change in the unother terms an								
E. Evaluation and Comparison of Tenders ITT 29.3 The manner of rectify quantifiable nonmaterial nonconformities described be Average price of the item or component as quoted in other substantially! Tenders. ITT 31.1 The currency that shall be used for Tender evaluation and comparison p convert at the selling exchange rate all Tender prices expressed in various currency is: Kenya Shillings The source of exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: the Central Bank in Kenya. The invitation to tender is extended to the following group that qualify for Renylation of preference and/or reservation shall not apply and specify the detail of the tender evaluation. ITT 33.2 The invitation to tender is extended to the following group that qualify for Renylation of the tender evaluation factors are brochures of equipment, delivery period, manuthorizations and warranties. ITT 33.2 The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: [refer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximiterial in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and ser (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract ITT 41.1 The maximum percentage by which quantities may be increased is: [100% policy 30% of the total lot cost] The maximum percentage by which quantities may be increased is: [100% policy 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods and Services by an amount not exceed 30% and without any chang								
TTT 29.3 The manner of rectify quantifiable nonmaterial nonconformities described be Average price of the item or component as quoted in other substantially in Tenders. The currency that shall be used for Tender evaluation and comparison pronvert at the selling exchange rate all Tender prices expressed in various currency is: Kenya Shillings The source of exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: date of the tender evaluation TTT 32.3 A margin of preference and/or reservation shall not apply and specify the detail of the tender evaluation to tender is extended to the following group that qualify for Responsive to the invitation to tender is extended to the following group that qualify for Responsive to the invitation will be done for THE ONE LOT TTT 33.2 Price evaluation will be done for THE ONE LOT Additional evaluation factors are brochures of equipment, delivery period, manuforizations and warranties. The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: Irefer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximate to the cost of major replacement component, mandatory spare parts, and serior (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract TTT 41.1 The maximum percentage by which quantities may be decreased is: [100% p. below 30% of the total lot cost] The maximum percentage by which quantities may be decreased in the unother terms and conditions of the Tender and the tendering document.								
Average price of the item or component as quoted in other substantially thenders. The currency that shall be used for Tender evaluation and comparison pronvert at the selling exchange rate all Tender prices expressed in various currance a single currency is: Kenya Shillings The source of exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: Attender evaluation ITT 32.3 A margin of preference and/or reservation shall not apply and specify the detail price evaluation to tender is extended to the following group that qualify for Renya. The invitation to tender is extended to the following group that qualify for Renya. The invitation will be done for THE ONE LOT TTT 33.2 Price evaluation will be done for THE ONE LOT TTT 33.6 The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: Irefer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximents of the control of the cost of major replacement component, mandatory spare parts, and series (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract TTT 41.1 The maximum percentage by which quantities may be increased is: [100% p. below 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [1100% p. below 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods and Services by an amount not exceed 30% and without any change in the un other terms and conditions of the Tender and the tendering document.	E. Evaluation and	d Comparison of Tenders						
convert at the selling exchange rate all Tender prices expressed in various curra single currency is: Kenya Shillings The source of exchange rate shall be: The Central Bank in Kenya. The date for the exchange rate shall be: date of the tender evaluation ITT 32.3 A margin of preference and/or reservation shall not apply and specify the det N/A ITT 33.2 Price evaluation will be done for THE ONE LOT Additional evaluation factors are brochures of equipment, delivery period, ma authorizations and warranties. ITT 33.6 The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: [refer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximate University (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and series (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract TTT 41.1 The maximum percentage by which quantities may be increased is: [100% publelow 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [1100% publelow 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [100% publelow 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods and Services by an amount not exceed 30% and without any change in the un other terms and conditions of the Tender and the tendering document.		Average price of the item or component as quoted in other substantially responsive						
ITT 32.5 The invitation to tender is extended to the following group that qualify for Re N/A ITT 33.2 Price evaluation will be done for THE ONE LOT ITT 33.2 (d) Additional evaluation factors are brochures of equipment, delivery period, ma authorizations and warranties. ITT 33.6 The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: [refer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximate University (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and ser (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract ITT 41.1 The maximum percentage by which quantities may be increased is: [100% p. below 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [100% p. below 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods and Services by an amount not exceed 30% and without any change in the un other terms and conditions of the Tender and the tendering document.		The source of exchange rate shall be: The Central Bank in Kenya.						
N/A ITT 33.2 Price evaluation will be done for THE ONE LOT Additional evaluation factors are brochures of equipment, delivery period, ma authorizations and warranties. The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: [refer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximately (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and seried) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract The maximum percentage by which quantities may be increased is: [100% publow 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [1100% publow 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods at Services by an amount not exceed 30% and without any change in the unother terms and conditions of the Tender and the tendering document.		A margin of preference and/or reservation <i>shall not apply</i> and specify the details.						
ITT 33.2 (d) Additional evaluation factors are brochures of equipment, delivery period, ma authorizations and warranties. ITT 33.6 The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: [refer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximate University (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and ser (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract ITT 41.1 The maximum percentage by which quantities may be increased is: [100% public w 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [1100% public w 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods and Services by an amount not exceed 30% and without any change in the un other terms and conditions of the Tender and the tendering document.		The invitation to tender is extended to the following group that qualify for Reservations N/A						
The adjustments shall be determined using the following criteria, from among out in Section III, Evaluation and Qualification Criteria: [refer to Section III, and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approximate University (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and ser (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract The maximum percentage by which quantities may be increased is: [100% pobelow 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [100% pobelow 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods at Services by an amount not exceed 30% and without any change in the un other terms and conditions of the Tender and the tendering document.		Price evaluation will be done for THE ONE LOT						
out in Section III, Evaluation and Qualification Criteria: [refer to Section III, I and Qualification Criteria; insert complementary details if necessary] (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approx University (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and ser (d) the availability in Kenya of spare parts and after-sales services for the offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes F. Award of Contract The maximum percentage by which quantities may be increased is: [100% p. below 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [1100% p. below 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods at Services by an amount not exceed 30% and without any change in the unother terms and conditions of the Tender and the tendering document.		Additional evaluation factors are brochures of equipment, delivery period, manufacturer authorizations and warranties.						
The maximum percentage by which quantities may be increased is: [100% polelow 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [[100% polelow 30% of the total lot cost] ITT 41.1 The Procuring Entity shall increase or decrease the quantity of Goods at Services by an amount not exceed 30% and without any change in the untother terms and conditions of the Tender and the tendering document. ITT 47.3 Performance security if so required shall be in the sum of Kenya Shillings Six		 (a) Deviation in Delivery schedule: Yes, 10% of delivery time after approval by the University (b) Deviation in payment schedule: No. (c) the cost of major replacement component, mandatory spare parts, and service: No. (d) the availability in Kenya of spare parts and after-sales services for the equipment offered in the Tender Yes (e) Life cycle costs: the costs during the life of the goods or equipment Yes (f) the performance and productivity of the equipment offered; Yes 						
The maximum percentage by which quantities may be increased is: [100% pobelow 30% of the total lot cost] The maximum percentage by which quantities may be decreased is: [[100% pobelow 30% of the total lot cost] The Procuring Entity shall increase or decrease the quantity of Goods at Services by an amount not exceed 30% and without any change in the unother terms and conditions of the Tender and the tendering document. ITT 47.3 Performance security if so required shall be in the sum of Kenya Shillings Six		F. Award of Contract						
The Procuring Entity shall increase or decrease the quantity of Goods at Services by an amount not exceed 30% and without any change in the un other terms and conditions of the Tender and the tendering document. ITT 47.3 Performance security if so required shall be in the sum of Kenya Shillings Six		The maximum percentage by which quantities may be decreased is: [[100% per item but						
· · · · · · · · · · · · · · · · · · ·	TT 41.1	The Procuring Entity shall increase or decrease the quantity of Goods and Related Services by an amount not exceed 30% and without any change in the unit prices or						
		Performance security if so required shall be in the sum of Kenya Shillings Six Hundred Thousand (Kshs. 600,000.00)						
of Intention to Award the Contract" herein and are also available from the PPR www.ppra.go.ke . If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer		The procedures for making a Procurement-related Complaint are detailed in the "Notice of Intention to Award the Contract" herein and are also available from the PPRA Website www.ppra.go.ke . If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means						

ITT Reference	Particulars Of Appendix To Instructions To Tenders							
	vailable, that is either by email or fax), to:							
	i. Vice Chancellor							
	ii. University of Embu							
	iii. Physical address: 4 Kilometers from Embu Town along the Nairobi-Meru							
	Highway, Embu County.							
	iv. P.O BOX 6 – 60100 Embu							
	v. Email: vc@embuni.ac.ke							
	vi. Tel: 0714243682							
	In summary, a Procurement-related Complaint may challenge any of the following:							
	1. the terms of the Tendering Documents; and							
	2. the Procuring Entity's decision to award the contract.							

SECTION III - EVALUATION AND QUALIFICATION CRITERIA

1. General Provisions

- Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
 - a) For business turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
 - b) Value of single contract Exchange rate prevailing on the date of the contract signature.
 - c) Exchange rates shall be taken from the publicly available source identified in **the ITT 14.3.** Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.
- This section contains the criteria that the Procuring Entity Procuring Entity shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than those specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use the Standard Tender Evaluation Report for Goods and Works for evaluating Tenders.

2. Evaluation of Tenders (ITT 33)

21 Successful Tender or Tenders

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate Tenders. By applying these criteria and methodologies, the Procuring Entity shall determine the successful Tender or Tenders which has/have been determined to:

- a) be substantially responsive to the tender documents;
- b) offer the lowest evaluated cost to the Procuring Entity for all items of Goods to be procured based on either a single Contract or all multiple Contracts combined, as the case may be, in accordance with the ITT 13.6 inviting Tender prices and discounts, and provisions made of the Tender Document for evaluation of tenders and award of contract (s); and
- c) be offered by Tenderer or Tenderers that substantially meet the qualification criteria applicable for Contract or combined Contracts for which they are selected.

22 Evaluation of Tenders

Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other mandatory requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements provided for in the preliminary evaluation criteria outlined below. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered non-responsive and will not be considered further.

S/No	Item Description		YES/NO
1.	Copy of Certificate of Registration/Incorporation	Attach	
2.	Copy of a Valid Tax Compliance Certificate.	Attach	
3.	Duly filled and completed Tenderer's Eligibility – Form of Tender filled in the bidder's letterhead	Duly filled, signed and stamped and in bidder's letterhead	
4.	Duly filled and completed Tenderer's Eligibility - Confidential Business Questionnaire form	Duly filled, signed and stamped	
5.	Duly filled, signed and stamped Certificate of Independent Tender Determination form	Duly filled, signed and stamped	
6.	Duly filled, signed and stamped Self-Declaration of the Tenderer form	Duly filled, signed and stamped	
7.	Duly filled, signed and stamped self-Declaration that the person/Tenderer is not debarred in the matter of the PPADA 2015	Duly filled, signed and stamped	
8.	Duly filled, signed and stamped self-Declaration that the person/Tenderer will not engage in any corrupt/fraudulent practice	Duly filled, signed and stamped	
9.	Duly filled, signed and stamped declaration and commitment to the code of ethics	Duly filled, signed and stamped	
10.	A pre-bid visit certificate that shall be issued by the University during the pre-bid conference	Attach	
	Provide an original bid bond/tender security of Ksh 600,000.00 from a reputable commercial bank valid for 149 days	Attach	
12.	Provide power of Attorney authorizing the legal representative to commit the tenderer, duly filled and stamped by a commissioner of oath.	Attach	
13.	Must Submit Certified and signed audited accounts for the years 2021,2022 & 2023. For purposes of the evaluation, the accounts are considered to be certified if issued by a registered CPA firm recognized by ICPAK and signed by the company's Directors. (Bidders are required to attach a valid ICPAK practicing license for the Auditing firm)	Attach	

14.	The bid document {Original and Copy} must be	Must meet	
	sequentially paginated/serialized. Bidders must have the		
	set of documents paginated (Serialized) ensuring		
	compliance with section 78 (5) of the Public Procurement		
	and Asset Disposal Act, 2015 (From the first page in		
	format 1, 2, 3, 4, 5,to the last page)		

NOTE: Failure to comply with Mandatory requirements will lead to disqualification. Only bidders who are successful at this stage will proceed to the next stage of evaluation

B) Technical Evaluation Criteria

This section (Technical Evaluation) will access the bidder's capability and only bidders with all the responsive attributes will proceed to the financial analysis.

No.	Evaluation Attribute	Responsiveness (Yes/NO)
TS1	Attach Product Brochures for the brand being quoted for indicating the Technical Specification the supplier will supply from the Manufacture.	
TS2	Attach a current Manufacturer's Authorization That, in the case of a Tenderer offering to supply goods under the contract, which the Tenderer did not manufacture or otherwise produce, the Tenderer has been duly authorized by the goods' manufacturer or producer to supply the goods. NOTE: Any Tenderer found to have submitted a fake Manufacturer's Authorization shall be disqualified	
TS3	The Bid submitted must comply with technical requirement as outlined in the Technical Specification the bid Document.	
TS4	Copies of the following documents as proof of access to liquid assets of not less than Kshs.20 million or capacity to have a minimum cash flow of Kshs. 20 million . This shall be evidenced by any of the following: 1. Letter showing line of credit from an approved financial institution specific to this project and indicating the amount available. 2. Overdraft facility from a commercial bank specifically for this project and indicating the amount to be availed. 3. Current bank statement for the last six months Or a combination of the above	
TS5	Average annual turnover of not less than Kshs.75 Million for the last three consecutive years as demonstrated by the submitted Audited Accounts for the years (2021, 2022 and 2023).	

	Company past works experience in the last 5 years Proof of at least Three (3) similar completion of supplies of such materials as requested, costing not less than Kshs. 24 million (Kenya Shillings Twenty Four Million) on average previously undertaken in the last Five years (2019 to date)	
	The bidder shall attach evidences of award (award letter, LPO, E.T.C) that shall indicate the amount and the materials and evidences of successful delivery (delivery note, completion certificates, payment voucher, e.t.c) failure to which the project shall not be considered	
TS6	Duly filled, signed and stamped delivery schedule committing that upon issuance of an award, the goods will be delivered without fail within the stated delivery period the bidder shall state.	

PRICE EVALUATION

Consistent with and in addition to the criteria listed in ITT 33.3 and ITT 29.3; and ITT 34 and its subparagraphs the following criteria shall apply:

Evaluation of Technical aspects of the Tender

The Procuring Entity shall evaluate the Technical aspects of the Tender to determine compliance with the Procuring Entity's requirements under Section V 'Schedule of Requirement' and whether the Tenders are substantially responsive to the Technical Specifications and other Requirements.

222 Evaluation of Commercial Terms and Conditions of the Tender (ITT 33.1(a)):

The Procuring Entity shall determine whether the Tenders are substantially responsive to the Commercial and Contractual Terms and Conditions (e.g. Performance securities, Payment and delivery schedules).

Evaluation Criteria (Other Factors) (ITT 33.6)

The Procuring Entity's evaluation of a Tender may take into account, in addition to the Tender Price quoted in accordance with ITT 13.8, one or more of the following factors as specified in ITT 33.2(d) and in TDS ITT 33.6, using the following criteria and methodologies.

a) Delivery schedule.

The Goods specified in the List of Goods are required to be delivered within the acceptable time range (after the earliest and before the final date, both dates inclusive) specified in Section V, Schedule of Requirements. No credit will be given to deliveries before the earliest date, and Tenders offering delivery after the final date shall be treated as non-responsive. Within this acceptable period, an adjustment of [insert the adjustment factor], will be added, for evaluation purposes only, to the Tender price of Tenders offering deliveries later than the "Earliest Delivery Date" specified in Section V, Schedule of Requirements.

b) Deviation in payment schedule

i. tenderers shall state their Tender price for the payment schedule outlined in the SCC. Tenders shall be evaluated on the basis of this base price, tenderers are, however, permitted to state an alternative payment schedule and indicate the reduction in Tender price they wish to offer for such alternative payment schedule. The Procuring Entity may consider the alternative payment schedule and the reduced Tender price offered by the tenderer selected on the basis of the base price for the payment schedule outlined in the SCC.

c) Cost of major replacement components, mandatory spare parts, and service.

Tenderer shall provide along with its Tender, the list of recommended spare parts for Goods offered indicating for each item of spare part the recommended quantity and unit, and total CIP final destination prices required during the initial period of operation specified in the TDS 15.4. The prices offered shall not exceed the prevailing prices charged to other parties by the Tenderer. The cost of such spare parts will not be taken into account for tender evaluation. The Procuring Entity may award the contract for spare parts to the Tenderer that is successful for the supply of Goods, by selecting at its option, from the Tender's list of recommended spare parts, such items and quantities against each as the Procuring Entity may deem appropriate at the unit prices indicated by the Tenderer but not exceeding ----% (present) of the cost of Goods [normally not more than 10% or 15%.]

d) Availability in Kenya of spare parts and after sales services for equipment offered in the Tender.

An adjustment equal to the cost to the Procuring Entity of establishing the minimum service facilities and parts inventories if quoted separately, shall be added to the Tender price, for evaluation purposes only.

e) Life Cycle Costs

If specified in TDS 33.6, an adjustment to consider the additional life cycle costs for the period specified below, such as the operating and maintenance costs of the Goods, will be added to the Tender price, for evaluation purposes only. The adjustment will be evaluated in accordance with the methodology specified below and the following information:

- i) number of years for life cycle cost determination *Three*
- ii) the discount rate to be applied to determine the net present value of the life-cycle-cost is 0.5%
- the annual operating and maintenance costs (recurrent costs) shall be determined on the basis of the following methodology: a factor of the costs of operation and maintenance, residual value at the end of economic life of Goods, major elements that will be used for determination of cost of operation and maintenance such as fuel, power, labor, spare parts, etc. unit prices of elements such as fuel, power, etc., quantity of annual usage such as Hours of operation against the initial cost of the product;
- iv) and the following information is required from tenderers Guaranteed fuel and/or power consumption, cost of labour, spare parts, and any other that is unique to individual products

f) Performance and productivity of the equipment: [insert one of the followings]

i) Performance and productivity of the equipment. An adjustment representing the capitalized cost of additional operating costs over the life of the goods will be added to the Tender price, for evaluation purposes if specified in the TDS 33.6. The adjustment will be evaluated based on the drop in the guaranteed performance or efficiency offered in the Tender below the norm of 100, using the methodology specified below.

The Following aspects shall be considered in the formulation of this methodology and criteria: (i) Tender price for the equipment; ii) Price of spare parts required for AAA years of operations, iii) Adjustments to tender price for omissions, deviations and exceptions to technical and commercial conditions in the tender documents; iv) Capitalized cost savings due to the equipment efficiency at the rate of XXX (specify currency and amount) for each YYY % (percent) above the minimum ZZZ % (percent) efficiency; v) Capitalized cost for the auxiliary power consumption at PPP (specify currency and amount) per KW for AAA

g) Specific additional criteria

[Other specific additional criteria to be considered in the evaluation, and the evaluation method shall be detailed in TDS 34.6][If specific **sustainable procurement technical requirements** have been specified in Section VII-Specification, **either** state that (i) those requirements will be evaluated on a pass/fail (compliance basis) **or** otherwise (ii) in addition to evaluating those requirements on a pass/fail (compliance basis), if applicable, specify the monetary adjustments to be applied to Tender Prices for comparison purposes on account of Tenders that exceed the specified minimum sustainable procurement technical requirements.]

224. Multiple Contracts (ITT 33.4)

Multiple contracts will be permitted in accordance with ITT 33.4. Tenderers are evaluated on basis of Lots and the lowest evaluated tenderer identified for each Lot.

The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

OPTION 1

- i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.
- ii) If a tenderer wins more than one Lot, the tender will be awarded contracts for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the Lots. The tenderer will be awarded the combination of Lots for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

225. Alternative Tenders

(ITT 13.1) An alternative if permitted under

This is not permitted and shall not apply

"A Tenderer may submit an alternative Tender only with a Tender for the base case. The Procuring Entity shall only consider the alternative Tenders offered by the Tenderer whose Tender for the base case was determined to be the Lowest Evaluated Tender." or

"A Tenderer may submit an alternative Tender with or without a Tender for the base case. The Procuring Entity shall consider Tenders offered for alternatives as specified in the Technical Specifications of Section V, Schedule of Requirements. All Tenders received, for the base case, as well as alternative Tenders meeting the specified requirements, shall be evaluated on their own merits in accordance with the same procedures, as specified in the ITT 33."

3. MARGIN OF PREFERENCE

- 31 If the TDS so specifies, the Procuring Entity will grant a margin of preference of 15% (fifteen percent) to Tenderers offering goods manufactured, mined, extracted, grown, assembled or semi-processed in Kenya. Goods assembled or semi-processed in Kenya shall have a local content of not less than 40%.
- 3.2 The margin of preference will be applied in accordance with, and subject to, the following provisions:
 - a) Tenderers applying for such preference on goods offered shall provide, as part of the data for qualification, such information, including details of the goods

- produced in Kenya, so as to determine whether, according to the classification established by the Procuring Entity, a particular category of goods or group of goods qualifies for a margin of preference.
- b) After Tenders have been received and reviewed by the Procuring Entity, goods offered in the responsive Tenders shall be assessed to ascertain they are manufactured, mined, extracted, grown, assembled or semi- processed in Kenya. Responsive tenders shall be classified into the following groups:
 - i) Group A: Tenders offering goods manufactured in Kenya, for which (a) labour, raw materials, and components from within Kenya account for more than forty (40) percent of the Ex-Works price; and (b) the production facility in which they will be manufactured or assembled has been engaged in manufacturing or assembling such goods at least since the date of Tender

Submission date;

- ii) Group B: All other Tenders offering Goods manufactured in Kenya;
- *iii)* **Group C:** Tenders offering Goods manufactured outside Kenya that have been already imported or that will be imported.
- c) To facilitate this classification by the Procuring Entity, the Tenderer shall complete whichever version of the Price Schedule furnished in the Tender Documents is appropriate. Incorrect classification may render the Tender non-responsive as no reclassification will be permitted after Tender opening. Tenderers shall provide correct information especially with respect to duties, taxes etc. paid on previously imported Goods and percentage of local labour, materials and components for Goods manufactured in Kenya as any false information which cannot be supported by documentation may render the Tender non-responsive besides other sanctions for providing falsified information.
- **d)** The Procuring Entity will first review the Tenders to confirm the appropriateness of the Tender group classification to which Tenderers assigned their Tenders in preparing their Tender Forms and Price Schedules.
- e) All evaluated Tenders in each group will then be compared to determine the lowest evaluated Tender of each group. Such lowest evaluated Tenders shall be compared with each other and if as a result of this comparison a Tender from Group A or Group B is the lowest, it shall be selected for the award.
- f) If as a result of the preceding comparison, the lowest evaluated Tender is a Tender from Group C, all Tenders from Group C shall be further compared with the lowest evaluated Tender from Group A after adding to the evaluated price of goods offered in each Tender from Group C, for the purpose of this further comparison only, an amount equal to 15% (fifteen percent) of the respective CIP Tender price for goods to be imported and already imported goods. Both prices shall include unconditional discounts and be corrected for arithmetical errors. If the Tender from Group A is the lowest, it shall be selected for award. If not, the lowest evaluated Tender from Group C shall be selected as per paragraph (e) above."

4. Post-Qualification of Tenderers (ITT 37)

4.1 Post-Qualification Criteria (ITT 37.1)

In case the tender <u>was not subject to pre-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions (post qualification Criteria applied on a GO/NO GO basis). The Procuring Entity shall carry out the post-qualification of the Tenderer in accordance with ITT 37, using only the requirements specified herein. Requirements not included in the text below shall not be used in the evaluation of the Tenderer's qualifications. The minimum qualification requirements for multiple contracts will be the sum of the minimum requirements for respective individual contracts, unless otherwise specified.

42 If the Tenderer is a manufacturer

a) Financial Capability

- i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the supply cash flow of Kenya Shillings Twenty Million (Kshs. 20,000,000.00) million [or equivalent].
- ii) Minimum average annual supply turnover of Kenya Shillings 75 million or equivalent calculated as total certified payments received for contracts of goods manufactured and supplied within the last three years. In case of multiple contracts, limitation will be placed on the number of item(s) that will be awarded to the Tenderer.

b) Experience and Technical Capacity

The Tenderer shall furnish documentary evidence to demonstrate that it meets the following experience requirement(s) using the form provided in Section IV. In case the Tenderer is a JV, experience and demonstrated technical capacity of only the JV shall be taken into account and not of individual members nor their individual experience/capacity will be aggregated unless all members of the JV have been manufacturing and supplying Goods offered in the Tender to the same technology, processing, design, materials, specifications, model number, etc. in all respects such that Goods manufactured have the same functional characteristics, performance parameters, outputs and other guarantees and fully interchangeable which shall be documented along with other required documents demonstrating capacity to the satisfaction of the Procuring Entity in case individual members claim experience. Otherwise, documents evidencing experience and technical capacity shall be in the name of the JV that submitted the Tender. Wherever the Words "Similar Goods" have been used it includes upgrades, latest and improved versions or models of similar specifications and technology. Refer to Form Exp-1 to provide the required information.

- i) The Tenderer shall be manufacturing similar Goods for the last 3 years
- *ii*) The Tenderer shall furnish documentary evidence to demonstrate successful completion of at least 3 of contracts of similar Goods in the last five years each contract costing at least Kenya shillings 24 million equivalent and involving a supply of at least 80 percentage of required quantity

iii)	(Optional) The installed capacity to manufacture	number of
	items (specify the relevant item number) shall not be less than	units per _
		(specify
	week or month)	

c) (Optional) Documentary Evidence of Usage of Goods (When appropriate)

The Tenderer shall furnish documentary evidence satisfactory to the Procuring Entity to demonstrate that similar Goods as offered in the Tender have been in successful use or operation for the last <u>five</u> years. If the Tenderer is a JV, the evidence of demonstrated usage of Goods supplied in the past shall be in the name of the JV.

43 If Tenderer is a Supplier:

If a Tenderer is a Supplier offering the Goods on behalf of or from a Manufacturer under Manufacturer's Authorization Form (Section IV, Tendering Forms), the Manufacturer shall demonstrate the above qualifications 4.2 (b) (i), (ii), and (iii) and the Tenderer shall demonstrate it meets the following criteria.

i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the supply cash flow of Kenya Shillings Twenty Million (Kshs. 20,000,000.00)

- **ii)** Minimum average annual supply turnover of Kenya Shillings_Seventy Five Million (Kshs. 75,000,000.00) or equivalent calculated as total certified payments received for contracts in progress and/or completed within the last three (3) years, divided by 3 years.
- iii) Has satisfactorily and substantially completed at least three (3) contract(s) of a similar nature either within Kenya, the East African Community or abroad, as a prime supplier or a joint venture member, each of a minimum value in Kenya shillings Twenty Four Million (Kshs. 24,000,000.00) or equivalent.

44 History of non-performing contracts:

Tenderer (Supplier or/and manufacturer, and each member of JV in case the Tenderer is a JV, shall demonstrate that Non-performance of a contract did not occur as a result of the default of the Tenderer, manufacturer or the member of JV as the case may be, in the last <u>Five(5) years</u>. The required information shall be furnished as per form CON-2].

45 Pending Litigation

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under paragraph I (i) above assuming that all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations as per Form CON-2.

4.6. Litigation History

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the lastFive (5) Years. All parties to the contract shall furnish the information on the related Form (CON-2) about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

SECTION IV - TENDERING FORMS

Form of Tender Tenderer Information Form Tenderer JV Members Information Form

Price Schedule: Goods Manufactured Outside Kenya, to be Imported Price Schedule: Goods

Manufactured Outside Kenya, already imported Price Schedule: Goods Manufactured in Kenya

Price and Completion Schedule – Related Services Form of Tender Security – Demand

Guarantee Form of Tender Security (Tender Bond)

Form of Tender-Securing Declaration Manufacturer's Authorization Form

FORM OF TENDER

(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

INSTRUCTIONS TO TENDERERS

- i) All italicized text is to help the Tenderer in preparing this form.
- ii) The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.
- iii) Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (s) below.

Date of this	Tender submis	ssion:[1	insert da	te (as day, mo	onth d	and	year) of	Te	nder sub	missi	ion]
Tender	Name	and	Ide	ntification:		[inser	rt		ident	ificati	ion]
Alternative	No.:		[insert	identification	No	if	this	is	а	Tender	for	an
alternative]												
То:	[Ins	sert complete n	ame of P	rocuring Entity	,]							

- a) No reservations: We have examined and have no reservations to the Tendering document, including
- b) **Eligibility**: We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3;

Addenda issued in accordance with Instructions to tenderers (ITT 7);

- c) **Tender/Proposal-Securing Declaration**: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing Declaration. Or Proposal-Securing Declaration in Kenya in accordance with ITT 3.6;
- d) **Conformity:** We offer to supply in conformity with the Tendering document and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods: [insert a brief description of the Goods and Related Services];
- e) Tender Price: The total price of our Tender, excluding any discounts offered in item (f) below is:
 - Option 1, in case of one lot: Total price is: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies];

or

- Option 2, in case of multiple lots: (a) Total price of each lot [insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]; and (b) Total price of all lots (sum of all lots) [insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies];
- f) Discounts: The discounts offered and the methodology for their application are:
- i) The discounts offered are: [Specify in detail each discount offered.]
- ii) The exact method of calculations to determine the net price after application of discounts are shown below: [Specify in detail the method that shall be used to apply the discounts];
- g) **Tender Validity Period**: Our Tender shall be valid for the period specified in TDS 17.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 21.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;

- h) **Performance Security**: If our Tender is accepted, we commit to obtain a performance security in accordance with the Tendering document;
- i) One Tender per tenderer: We are not submitting any other Tender(s) as an individual tenderer, and we are not participating in any other Tender(s) as a Joint Venture member, or as a subcontractor, and meet the requirements of ITT 3.9, other than alternative Tenders submitted in accordance with ITT 12;
- j) **Suspension and Debarment**: We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Procuring Entity. Further, we are not ineligible under the Kenya laws or official regulations or pursuant to a decision of the United Nations Security Council;
- k) **State-owned enterprise or institution**: [select the appropriate **option** and delete the other] [We are not a state-owned enterprise or institution] / [We are a state-owned enterprise or institution but meet the requirements of ITT 3.7];
- 1) **Commissions, gratuities, fees:** We have paid, or will pay the following commissions, gratuities, or fees with respect to the Tendering process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- m) **Binding Contract**: We understand that this Tender, together with your written acceptance thereof included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- n) **Procuring Entity Not Bound to Accept**: We understand that you are not bound to accept the lowest evaluated cost Tender, the Best Evaluated Tender or any other Tender that you may receive; and
- o) **Fraud and Corruption**: We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption.
- p) **Code of Ethical Conduct**: We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from______(specify website) during the procurement process and the execution of any resulting contract.
- q) Collusive practices: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent tender Determination" attached below.
- r) **Beneficial Ownership Information:** We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- s) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
 - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any conflict to interest;
 - b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers;

- c) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption; and
- d) Declaration and Commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1- Fraud and Corruption" attached to the Form of Tender.

Name of the tenderer: *[insert complete name of the tenderer]

Name of the person duly authorized to sign the Tender on behalf of the tenderer: **[insert complete name of person duly authorized to sign the Tender]

Title of the person signing the Tender: [insert complete title of the person signing the Tender] Signature of the person named above: [insert signature of person whose name and capacity are shown above] Date signed [insert date of signing] day of [insert month], [insert year]

*: In the case of the Tender submitted by a Joint Venture specify the name of the Joint Venture as tenderer.

**: Person signing the Tender shall have the power of attorney given by the tenderer. The power of attorney shall be attached with the Tender Schedules.

CERTIFICATE OF INDEPENDENT TENDER DETERMINATION

I, the undersigned, in submitting the accompanying Letter of Tender to the		
	[Name	of
Procuring Entity] for:	_[Name	and
number of tender] in response to the request for tenders made by:	[Name	of
Tenderer] do hereby make the following statements that I certify to be tru every respect:	e and comple	te in
I certify, on behalf of	[Na	те

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
- 4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
 - a) has been requested to submit a Tender in response to this request for tenders;
 - b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
- 5. The Tenderer discloses that [check one of the following, as applicable]:
 - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
 - b) the Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
- 6. In particular, without limiting the generality of paragraphs (5)(a) or (5)(b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - a) prices;
 - b) methods, factors or formulas used to calculate prices;
 - c) the intention or decision to submit, or not to submit, a tender; or
 - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5)(b) above;
- 7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5)(b) above;
- 8. the terms of the Tender have not been, and will not be, knowingly disclosed by the Tenderer, directly or indirectly, to any competitor, prior to the date and time of the official tender opening, or of the awarding of the Contract, whichever comes first, unless otherwise required by law or as specifically disclosed pursuant to paragraph (5)(b) above.

Name

Title							
Date							
[Name,	title and	signature	of authori	ized agent	of Tendere	r and Date)	1

SELF-DECLARATION FORMS

FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

a res		of Post Office Box	
1.	Officer/Director of	Secretary/ Chief Executive/Mana	the Company) who is(insert tender
2.		es Directors and subcontractors hant proceeding under Part IV of the	
3.	THAT what is deponed to herei and belief.	n above is true to the best of my	knowledge, information
 (Title		(Signature)	(Date)

Bidder Official Stamp

FORM SD2

SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE

of	tement as follows:-		
1.	of	f Executive/Managing Direct respect of Tender No	. (insert name of the
2.	corrupt or fraudulent practice member of the Board, M	servants and/or agents /subcontrand has not been requested to Management, Staff and/or en e of the Procuring entity) which	pay any inducement to any nployees and/or agents of
3.		s servants and/or agents /subcorthe Board, Management, Staff and f the procuring entity).	
4.	THAT the aforesaid Bidder wi other bidders participating in the	Il not engage/has not engaged in subject tender.	in any corrosive practice with
5.	THAT what is deponed to he and belief.	rein above is true to the best of	of my knowledge information
	(Title)	(Signature)	(Date)

Bidder's Official Stamp

DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I
of the Business/ Company/Firm)
and the Code of Ethics for persons participating in Public Procurement and Asset Disposal and my
responsibilities under the Code.
I do hereby commit to abide by the provisions of the Code of Ethics for persons participating in
Public Procurement and Asset Disposal.
Name of Authorized signatory
Sign
Position
Office address
E-mail.
Name of the Firm/Company
Date
(Company Seal/ Rubber Stamp where applicable)
Witness
Name
Sign
Date

APPENDIX 1- FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

1. Purpose

1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (no. 33 of 2015) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

2. Requirements

- 2.1 The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Subcontractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.
- 22 Kenya's public procurement and asset disposal act (no. 33 of 2015) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:
 - 1) a person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or asset disposal proceeding;
 - A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
 - 3) Without limiting the generality of the subsection (1) and (2), the person shall be
 - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
 - b) if a contract has already been entered into with the person, the contract shall be voidable:
 - 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
 - 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity who has a conflict of interest with respect to a procurement:
 - a) shall not take part in the procurement proceedings;
 - b) shall not, after a procurement contract has been entered into, take part in any decision relating to the procurement or contract; and
 - c) shall not be a subcontractor for the bidder to whom was awarded contract, or a member of the group of bidders to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
 - An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflict of interest to the procuring entity;
 - 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.

- In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:
 - a) Defines broadly, for the purposes of the above provisions, the terms set forth below as follows:
 - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii) "fraudulent practice" is any act or omission, including misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
 - iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;
 - iv) "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - v) "obstructive practice" is:
 - deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
 - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
 - b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
 - "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal process or the exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
 - c) Rejects a proposal for award¹ of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its subconsultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
 - d) Pursuant to the Kenya's above stated Acts and Regulations, may sanction or debar or recommend to appropriate authority (ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
 - e) Requires that a clause be included in Tender documents and Request for Proposal documents requiring (i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect² all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other

- appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

¹For the avoidance of doubt, a party's ineligibility to be awarded a contract shall include, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

² Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, such as evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copy or electronic format) deemed relevant for the investigation/audit, and making copies thereof as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

TENDERER INFORMATION FORM

[The tenderer shall fill in this Form in accordance with the instructions indicated below. No alterations to its format shall be permitted and no substitutions shall be accepted.]
Date: [insert date (as day, month and year) of Tender submission]
Tender Name and Identification: [Insert identification
Alternative No.: [insert identification No if this is a Tender for an alternative]
Pageofpages
1. Tenderer's Name [insert Tenderer's legal name]
2. In case of JV, legal name of each member: [insert legal name of each member in JV]
3. Tenderer's actual or intended country of registration: [insert actual or intended country of registration]
4. Tenderer's year of registration: [insert Tenderer's year of registration]
5. Tenderer's Address in country of registration: [insert Tenderer's legal address in country of registration]
6. Tenderer's Authorized Representative Information
Name: [insert Authorized Representative's name]
Address: [insert Authorized Representative's Address]
Telephone/Fax numbers: [insert Authorized Representative's telephone/fax numbers]
Email Address: [insert Authorized Representative's email address]
7. Attached are copies of original documents of [check the box(es) of the attached original documents]
☐ For Kenyan Tenderers a current tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority in accordance with ITT 3.14.
□Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITT 3.4.
☐ In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.1.
☐ In case of state-owned enterprise or institution, in accordance with ITT 4.6 documents establishing:
(i) Legal and financial autonomy
(ii) Operation under commercial law
(iii) Establishing that the tenderer is not under the supervision of the Procuring Entity
2. Included are the organizational chart and a list of Board of Directors

TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

Instruction to Tenderer a)

Tender is instructed to complete the particulars required in this Form, one form for each entity if Tender is a JV. Tenderer is further reminded that it is an offence to give false information on this Form.

Tenderer's details A.

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Name of the Tenderer	
3	Full Address and Contact Details of the Tenderer.	 Country City Location Building Floor Postal Address Name and email of contact person.
4	Reference Number of the Tender	
5	Date and Time of Tender Opening	
6	Current Trade License No and Expiring date	
7	Maximum value of business which the Tenderer handles.	
8		

Gen	eral	and Specific Details			
b)	Sc	ole Proprietor, provide th	e following details.		
Nam	e in	full			
Age_				Nationality	
Cou	ntry	of Origin		Citizenship	
c)	Pa	artnership, provide the fo	llowing details.		
		Names of Partners	Nationality	Citizenship	% Shares owned
	1				
	2				
	3				
(d)	Re	egistered Company, prov	vide the following de	etails.	

i) Private or public Company ____ ii) State the nominal and issued capital of the Company-

Nominal Kenya Shillings (Equivalent)	
Issued Kenya Shillings (Equivalent)	

	ii)	ors as follow	of	details	Give	iii)
--	-----	---------------	----	---------	------	------

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

(e)	DISCLOSURE O	FINTEREST-	Interest of the	Firm in the	Procuring	Entity
-----	--------------	------------	-----------------	-------------	-----------	--------

(i)	Are there any person/persons in (Name of Procurity	ng Entity) who	has an interest
	or relationship in this firm? Yes/No		

If yes, provide details as follows.

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

(ii) Conflict of interest disclosure

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract specified in this Tender		

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
	Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract?		

On behalf of the Tenderer, I certify that the inform	ation given above is correct.
Full Name	
Title or Designation	
(Signature)	(Date)

TENDERER'S JV MEMBERS INFORMATION FORM

[The tenderer shall fill in this Form in accordance with the instructions indicated below. The following table shall be filled in for the tenderer and for each member of a Joint Venture]].
Date:[insert date (as day, month and year) of Tender submission].
Tender Name and Identification :
Pageofpages
1. Tenderer's Name: [insert Tenderer's legal name]
2. Tenderer's JV Member's name: [insert JV's Member legal name]
3. Tenderer's JV Member's country of registration: [insert JV's Member country of registration]
4. Tenderer's JV Member's year of registration: [insert JV's Member year of registration]
5. Tenderer's JV Member's legal address in country of registration: [insert JV's Member legal address in country of registration]
6. Tenderer's JV Member's authorized representative information
Name: [insert name of JV's Member authorized representative]
Address: [insert address of JV's Member authorized representative]
Telephone/Fax numbers: [insert telephone/fax numbers of JV's Member authorized representative]
Email Address: [insert email address of JV's Member authorized representative]
7. Attached are copies of original documents of [check the box(es) of the attached original documents]
\square Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 4.4.
☐ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 4.6.
8. Included are the organizational chart and a list of Board of Directors

Price Schedule Forms

[The tenderer shall fill in these Price Schedule Forms in accordance with the instructions indicated.

S/No	Item	Qty	Unit Price	Total Price	Remarks							
	Hydraulic Equipment S)ne Hydraulic I	Bench								
1.	Fluid Friction In Pipes	1										
2.	Hydraulic Bench	1										
3.	Orifice Discharge	1										
4.	Free & Forced Vortex	1										
5.	Orifice and Free Jet Flow	1										
6.	Pitot Tube	1										
7.	Metacentric Height Apparatus	1										
8.	Flow Meter Demonstration	1										
9.	Weir Flow	1										
10.	U-Shaped Manometer	1										
Multifunctional Equipment												
11.	Universal Material Testing Unit	1										
10	Deflection measurement devices											
12.	(Beams, trusses and frames)		• ,									
12	Hand Held GPS	TÎ TÎ	uipment									
-		2										
	Aggregate Crushing Value Apparatus Air Entrainment Meter	1										
		1										
17.	Automatic Laboratory Mixer Automatic Level	1										
	Beam Bending Machine	1										
		 										
	Carbonation test apparatus Concrete Hammer (Schmidt Hammer)	1 1										
20.	Crack Detection Microscope	1										
	Digital Level	1										
	Digital Planimeter	1										
		+ -										
-	Drawing Technical Sets	8										
	Gauging Trowel	8										
	Length Elongation Gauge	6										
-	Levelling Staff	8										
	Los Angeles Abrasion Machine	1										
	Measuring Tapes	5										
	Permeability test Apparatus	1										
	Poker Vibrator	2										
	Portable Hand Level (Abney)	3										
	Ranging Rods Slumm Test Amountus	1	-									
	Slump Test Apparatus	1										
	Strut Buckling Unit	1										
	Tamping Rod - Bar	1	+									
-	Theodolite	4										
	Thickness Gauge	3										
-	Surveying Tripod Stand	4										
	Twist and Bend Machine	1										
	Vibrating Tables	1										
42.	Vicat Apparatus	1										
Total												

Price Schedule: Goods Manufactured Outside Kenya, to be Imported

				nders, goods to be imported accordance with ITT 15	ed)	Date: ITT No:		
							Alternative No: of	
1	2	3	4	5	6	7	8	9
Line Item N°	Description of Goods	Country of Origin	Delivery Date as defined by Incoterm s	Quantity and physical unit	Unit price CIP [insert place of destination] in accordance with ITT 14.8(b)(i)	_	Price per line item for inland transportation and other services required in Kenya to convey the Goods to their final destination specified in TDS	_
[inser t numb er of the item]	[insert name of good]	[insert country of origin of the Good]		[insert number of units to be supplied and name of the physical unit]	[insert unit price CIP per unit]		[insert the corresponding price per line item]	[insert total price of the line item]
<u> </u>		•	Total Price					

Name of tenderer [insert complete name of tenderer] Signature of tenderer [signature of person signing the Tender] Date [Insert Date]

Price Schedule: Goods Manufactured Outside Kenya, already imported*

Currencies in accordance with ITT 15 Currencies in accordance with ITT 15 Alternative No:									Date:	·	
1	2	3	4	5	6	7	8	9	10	11	12
Line Item N°		Country of Origin	Delivery Date as defined by Incoterms	Quantity and physical unit	including Custom Duties and Import Taxes paid, in accordance	and Import Taxes paid per unit in accordance with ITT 14.8(c)(ii), [to be supported	of custom duties and import taxes, in accordance with ITT 14.8 (c) (iii) (Col. 6 minus	item net of Custom Duties and Import Taxes paid, in accordance	Price per line item for inland transportation and other services required in Kenya to convey the goods to their final destination, as specified in TDS in accordance with ITT 14.8 (c)(v)	Sales and other taxes paid or payable per item if Contract is awarded (in accordance with ITT 14.8(c)(iv)	per line item (Col. 9+10)
[insert number of the item]	[insert name of Goods]	[insert country of origin of the Good]	[insert quoted Delivery Date]	[insert number of units to be supplied and name of the physical unit]	price per		price net of	per line item net of custom	other services required	other taxes payable per item if Contract is awarded]	price per line item]
										Total Tender Price	

Name of tenderer [insert complete name of tenderer] Signature of tenderer [signature of person signing the Tender] Date [insert date]

^{* [}For previously imported Goods, the quoted price shall be distinguishable from the original import value of these Goods declared to customs and shall include any rebate or mark-up of the local agent or representative and all local costs except import duties and taxes, which have been and/or have to be paid by the Procuring Entity. For clarity, the tenderers are asked to quote the price including import duties, and additionally to provide the import duties and the price net of import duties which is the difference of those values.]

Price Schedule: Goods Manufactured in Kenya

Kenya					d B Tenders) n accordance v	Date:			
1	2	3	4	5	6	7	8	9	10
Line Item N°	Description of Goods	Delivery Date as defined by Incoterms	•	Unit price EXW		inland transportation and other services	components from with origin in Kenya % of Col.	payable per line item if Contract is awarded (in	per line item
[insert numbe r of the item]	[insert name of Good]	[insert quoted Delivery Date]	[insert number of units to be supplie d and name of the physica l unit]				[Insert cost of local labor, raw material and components from within the Purchase's country as a % of the EXW price per line item]	taxes payable per line item if Contract is	price per
								Total Price	

Name of tenderer [insert complete name of tenderer] Signature of tenderer [signature of person signing the Tender] Date [insert date]

Price and Completion Schedule - Related Services

	Currencies in acc	ordance with	ITT 15		Date:	
					ITT	No:
					Alternative	No:
					Page N°	of
1	2	3	4	5	6	7
Service N°	Description of Services (excludes inland transportation and other services required in Kenya to convey the goods to their final destination)	Country of Origin	Delivery Date at place of Final destination	Quantity and physical unit	Unit price	Total Price per Service (Col. 5*6 or estimate)
[insert number of the Service]	[insert name of Services]	[insert country of origin of the Services]	[insert delivery date at place of final destination per Service]	[insert number of units to be supplied and name of the physical unit]	[insert unit price per item]	[insert total price per item]
				Total Tender Price		

Name of tenderer [insert complete name of tenderer] Signature of tenderer [signature of person signing the Tender] Date [insert date]

FC	ORM OF TENDER SECURITY-[Option 1–Demand Bank Guarantee]
Bei	neficiary:
	quest forTenders No:
Da	te:
TE	NDER GUARANTEE No.:
Gu	arantor:
1.	We have been informed that(here inafter called "the Applicant") has submitted of will submit to the Beneficiary its Tender (here inafter called "the Tender") for the execution ofunder Request for Tenders No("the ITT").
2.	Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
3.	At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of() upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
(a)	has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
b)	having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
4.	This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
5.	Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.
	$\overline{[signature(s)]}$

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]

	[Witness]		
	[Date]	[Signature of the Guarantor]	
5.	Consequently, any demand for paym above on or before that date.	ent under this guarantee must be received by us	at the office indicated
4.	the contract agreement signed by the is not the successful Tenderer, upon to the Applicant of the results of Tender Validity Period.	e Applicant is the successful Tenderer, upon our e Applicant and the Performance Security and, or the earlier of (i) our receipt of a copy of the Be the Tendering process; or (ii)twenty-eight days	r (b) if the Applicant neficiary's notification after the end of the
	receipt of the Procuring Entity's first its demand, provided that in its der	amediately pay to the Procuring Entity up to the at written demand, without the Procuring Entity and the Procuring Entity shall state that the departs, specifying which event(s) has occurred.	having to substantiate
	Validity Period or any extensi agreement; or (ii) has failed to	acceptance of its Tender by the Procuring Entity on thereto provided by the Principal; (i) failed to furnish the Performance Security, in accordance recuring Entity's Tendering document.	execute the Contract
		ng the period of Tender validity set forth in the Period"), or any extension thereto provided by t	
3.	NOW, THEREFORE, THE CONDI	ΓΙΟΝ OF THIS OBLIGATION is such that if the	e Applicant:
	Sealed with the Common Seal of the s	aid Guarantor thisday of 20	
2.	having our registered office at	ts that WE of	of
		n ofunder Request for Tenders No	
	[Date of submission of tender	for the [Name and/or description of t	omitted its tender dated he tenderl (hereinafter

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

FORM OF TENDER-SECURING DECLARATION

[The Bio	dder shall complete this Form in accordance with the instructions indicated]
Date:	[insert date (as day, month and year) of Tender Submission]
Tender N	No.:[Insert number of tendering process]
То:	[insert complete name of
Purchase	er] I/We, the undersigned, declare that:
	We understand that, according to your conditions, bids must be supported by a Tender-Securing eclaration.
cor sta be the du	We accept that I/we will automatically be suspended from being eligible for tendering in any intract with the Purchaser for the period of time of[insert number of months or years] arting on[insert date], if we are in breach of our obligation(s) under the bid conditions, cause we – (a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser aring the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail refuse to furnish the Performance Security, in accordance with the instructions to tenders.
	We understand that this Tender Securing Declaration shall expire if we are not the successful enderer(s), upon the earlier of:
a)	our receipt of a copy of your notification of the name of the successful Tenderer; or
b)	thirty days after the expiration of our Tender.
the	We understand that if I am/we are/in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally instituted at the time of bidding, the Tender Securing Declaration shall be in the names of all ture partners as named in the letter of intent.
Signed:	
	/ title (director or partner or sole proprietor, etc.)
Name: .	
Duly aut	thorized to sign the bid for and on behalf of:[insert complete name of
Tenderer	r]. Dated on
signing].	

Seal or stamp.

MANUFACTURER'S AUTHORIZATION FORM

Title:.....[Insert title]

The tenderer shall include it in its Tender, if so indicated in the TDS.] Date:.....[insert date (as day, month and year) of Tender submission] ITT number ITTof process] Alternative No:......[insert identification No if this is a Tender for an alternative] To: [Insert complete name of Procuring Entity] WHEREAS We...... [insert complete name of Manufacturer], who official manufacturers factories], do hereby authorize [insert complete name of tenderer] to submit a Tender the purpose of description of the Goods], and to subsequently negotiate and sign the Contract. We hereby extend our full guarantee and warranty in accordance with Clause 28 of the General Conditions of Contract, with respect to the Goods offered by the above firm.

Dated on ______day of _______, ____[insert date of signing]

[The tenderer shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer.



Section V - Schedule of Requirements

Notes for Preparing the Schedule of Requirements

The Schedule of Requirements shall be included in the Tendering document by the Procuring Entity, and shall cover, at a minimum, a description of the goods and services to be supplied and the delivery schedule.

The objective of the Schedule of Requirements is to provide sufficient information to enable tenderers to prepare their Tenders efficiently and accurately, in particular, the Price Schedule, for which a form is provided in Section IV. In addition, the Schedule of Requirements, together with the Price Schedule, should serve as a basis in the event of quantity variation at the time of award of contract pursuant to ITT 42.1.

The date or period for delivery should be carefully specified, taking into account (a) the implications of delivery terms stipulated in the Instructions to tenderers pursuant to the *Incoterms* rules that "delivery" takes place when goods are delivered to the final place of delivery, and (b) the date prescribed herein from which the Procuring Entity's delivery obligations start (i.e., notice of award, contract signature, opening or confirmation of the letter of credit).

1. List of Goods and Delivery Schedule

[The Procuring Entity shall fill in this table, with the exception of the column "Tenderer's offered Delivery date" to be filled by the tenderer]

Line	Description of Goods	Quantity	Physical	Final	Delivery (as per Incoterms) Date		
Item N°			unit	Destination as specified in TDS	Earliest Delivery Date	Latest Delivery Date	Tenderer's offered Delivery date [to be provided by the tenderer]
[insert item No]	[insert description of Goods]	[insert quantity of item to be supplied]	[insert physical unit for the quantity]	[insert place of Delivery]	[insert the number of days following the date of effectiveness the Contract]	[insert the number of days following the date of effectiveness the Contract]	[insert the number of days following the date of effectiveness the Contract]
1.	Fluid Friction In Pipes	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
2.	Hydraulic Bench	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
3.	Orifice Discharge	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
4.	Free & Forced Vortex	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
5.	Orifice and Free Jet Flow	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
6.	Pitot Tube	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
7.	Metacentric Height Apparatus	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
8.	Flow Meter Demonstration	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
9.	Weir Flow	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
10.	U-Shaped Manometer	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	
11.	Universal Material Testing Unit	1	No.	University of Embu	One Week after Contract Signing	Three months after Contract Signing	

12.	Deflection measurement	1	No.	11:	One Week after	Three months after	
12.		1	NO.	University of			
	devices (Beams, trusses			Embu	Contract Signing	Contract Signing	
10	and frames)		3.7	T	O W 1 C	TEN 11 C:	
13.	H 1H 11 CDG	4	No.	University of	One Week after	Three months after	
	Hand Held GPS	4		Embu	Contract Signing	Contract Signing	
14.	Aggregate Crushing Value		No.	University of	One Week after	Three months after	
	Apparatus	2		Embu	Contract Signing	Contract Signing	
15.			No.	University of	One Week after	Three months after	
	Air Entrainment Meter	1		Embu	Contract Signing	Contract Signing	
16.	Automatic Laboratory		No.	University of	One Week after	Three months after	
	Mixer	1		Embu	Contract Signing	Contract Signing	
17.			No.	University of	One Week after	Three months after	
	Automatic Level	1		Embu	Contract Signing	Contract Signing	
18.			No.	University of	One Week after	Three months after	
	Beam Bending Machine	1		Embu	Contract Signing	Contract Signing	
19.	_		No.	University of	One Week after	Three months after	
	Carbonation test apparatus	1		Embu	Contract Signing	Contract Signing	
20.	Concrete Hammer		No.	University of	One Week after	Three months after	
	(Schmidt Hammer)	1		Embu	Contract Signing	Contract Signing	
21.	Crack Detection		No.	University of	One Week after	Three months after	
	Microscope	1		Embu	Contract Signing	Contract Signing	
22.	•		No.	University of	One Week after	Three months after	
	Digital Level	1		Embu	Contract Signing	Contract Signing	
23.			No.	University of	One Week after	Three months after	
	Digital Planimeter	1		Embu	Contract Signing	Contract Signing	
24.			No.	University of	One Week after	Three months after	
	Drawing Technical Sets	8		Embu	Contract Signing	Contract Signing	
25.			No.	University of	One Week after	Three months after	
	Gauging Trowel	8		Embu	Contract Signing	Contract Signing	
26.			No.	University of	One Week after	Three months after	
	Length Elongation Gauge	6		Embu	Contract Signing	Contract Signing	
27.			No.	University of	One Week after	Three months after	
	Levelling Staff	8		Embu	Contract Signing	Contract Signing	
28.	Los Angeles Abrasion		No.	University of	One Week after	Three months after	
	Machine	1		Embu	Contract Signing	Contract Signing	
29.			No.	University of	One Week after	Three months after	
	Measuring Tapes	5		Embu	Contract Signing	Contract Signing	
30.			No.	University of	One Week after	Three months after	
	Permeability test Apparatus	1		Embu	Contract Signing	Contract Signing	
		l '	1				

31.			No.	University of	One Week after	Three months after
31.	Poker Vibrator	2	IVO.	Embu	Contract Signing	Contract Signing
22		2	3.7		<u> </u>	5 5
32.	Portable Hand Level		No.	University of	One Week after	Three months after
	(Abney)	3		Embu	Contract Signing	Contract Signing
33.			No.	University of	One Week after	Three months after
	Ranging Rods	1		Embu	Contract Signing	Contract Signing
34.			No.	University of	One Week after	Three months after
	Slump Test Apparatus	1		Embu	Contract Signing	Contract Signing
35.			No.	University of	One Week after	Three months after
	Strut Buckling Unit	1		Embu	Contract Signing	Contract Signing
36.			No.	University of	One Week after	Three months after
	Tamping Rod - Bar	1		Embu	Contract Signing	Contract Signing
37.			No.	University of	One Week after	Three months after
	Theodolite	4		Embu	Contract Signing	Contract Signing
38.			No.	University of	One Week after	Three months after
	Thickness Gauge	3		Embu	Contract Signing	Contract Signing
39.			No.	University of	One Week after	Three months after
	Surveying Tripod Stand	4		Embu	Contract Signing	Contract Signing
40.			No.	University of	One Week after	Three months after
	Twist and Bend Machine	1		Embu	Contract Signing	Contract Signing
41.			No.	University of	One Week after	Three months after
	Vibrating Tables	1		Embu	Contract Signing	Contract Signing
42.			No.	University of	One Week after	Three months after
	Vicat Apparatus	1		Embu	Contract Signing	Contract Signing

2. List of Related Services and Completion Schedule

[This table shall be filled in by the Procuring Entity. The Required Completion Dates should be realistic, and consistent with the required Goods Delivery Dates (as per Incoterms)].

Servic e	Description of Service	Quantity ¹	Physical Unit	Place where Services shall be performed	Final Completion Date(s) of Services
[insert Service No]	[insert description of Related Services]	[insert quantity of items to be supplied]	[insert physical unit for the items]	[insert name of the Place]	[insert required Completion Date(s)]
1.	Fluid Friction In Pipes	1	No.	University of Embu	Within a Month After Award
2.	Hydraulic Bench	1	No.	University of Embu	Within a Month After Award
3.	Orifice Discharge	1	No.	University of Embu	Within a Month After Award
4.	Free & Forced Vortex	1	No.	University of Embu	Within a Month After Award
5.	Orifice and Free Jet Flow	1	No.	University of Embu	Within a Month After Award
6.	Pitot Tube	1	No.	University of Embu	Within a Month After Award
7.	Metacentric Height Apparatus	1	No.	University of Embu	Within a Month After Award
8.	Flow Meter Demonstration	1	No.	University of Embu	Within a Month After Award
9.	Weir Flow	1	No.	University of Embu	Within a Month After Award
10.	U-Shaped Manometer	1	No.	University of Embu	Within a Month After Award
11.	Universal Material Testing Unit	1	No.	University of Embu	Within a Month After Award
12.	Deflection measurement devices (Beams, trusses and frames)	1	No.	University of Embu	Within a Month After Award

13.			No.	University of Embu	Within a Month
	Hand Held GPS	4			After Award
<i>14</i> .			No.	University of Embu	Within a Month
	Aggregate Crushing Value Apparatus	2			After Award
<i>15</i> .			No.	University of Embu	Within a Month
	Air Entrainment Meter	1			After Award
<i>16</i> .			No.	University of Embu	Within a Month
	Automatic Laboratory Mixer	1			After Award
<i>17</i> .	A	1	No.	University of Embu	Within a Month
10	Automatic Level	1			After Award
18.			No.	University of Embu	Within a Month
10	Beam Bending Machine	1		77.1	After Award
19.		1	No.	University of Embu	Within a Month
•	Carbonation test apparatus	1		77.1	After Award
20.			No.	University of Embu	Within a Month
	Concrete Hammer (Schmidt Hammer)	1		77.1	After Award
21.		1	No.	University of Embu	Within a Month
22	Crack Detection Microscope	1	3.7	TI CE I	After Award
22.	D: :: 11 1	1	No.	University of Embu	Within a Month
2.2	Digital Level	1	3.7	TI CE I	After Award
23.	Distral Dissipators	1	No.	University of Embu	Within a Month
2.4	Digital Planimeter	1	27	II. '. CE I	After Award
24.	Duovina Tashninal Cata	0	No.	University of Embu	Within a Month
25.	Drawing Technical Sets	8	7.7	II. '. CE I	After Award Within a Month
23.	Gauging Trowel	8	No.	University of Embu	After Award
26.	Gauging Howel	0	No.	University of Ember	Within a Month
20.	Length Elongation Gauge	6	IVO.	University of Embu	After Award
27.	Length Elongation Gauge	0	No.	University of Embu	Within a Month
27.	Levelling Staff	8	IVO.	University of Embu	After Award
28.	Levening Start	0	No.	University of Embu	Within a Month
20.	Los Angeles Abrasion Machine	1	140.	Oniversity of Emou	After Award
29.	Los Angeles Ablasion Machine	1	No.	University of Embu	Within a Month
49.	Measuring Tapes	5	140.	Oniversity of Emou	After Award
30.	Measuring rapes	3	No.	University of Embu	Within a Month
50.	Permeability test Apparatus	1	110.	omversity of Linou	After Award
31.	1 crimewority test rippuratus	1	No.	University of Embu	Within a Month
51.	Poker Vibrator	2	110.	omversity of Linou	After Award
32.	1 one i i i i i i i i i i i i i i i i i i i		No.	University of Embu	Within a Month
	1		110.	Shive ishiy of Linou	THE COURT OF THE COURT

33.			No.	University of Embu	Within a Month
	Ranging Rods	1			After Award
34.			No.	University of Embu	Within a Month
	Slump Test Apparatus	1			After Award
<i>35</i> .			No.	University of Embu	Within a Month
	Strut Buckling Unit	1			After Award
<i>36</i> .			No.	University of Embu	Within a Month
	Tamping Rod - Bar	1			After Award
<i>37</i> .			No.	University of Embu	Within a Month
	Theodolite	4			After Award
<i>38</i> .			No.	University of Embu	Within a Month
	Thickness Gauge	3			After Award
39.			No.	University of Embu	Within a Month
	Surveying Tripod Stand	4			After Award
40.			No.	University of Embu	Within a Month
	Twist and Bend Machine	1			After Award
41.			No.	University of Embu	Within a Month
	Vibrating Tables	1			After Award
42.			No.	University of Embu	Within a Month
	Vicat Apparatus	1			After Award

¹If applicable

3. Technical Specifications

- 3.1 The purpose of the Technical Specifications (TS), is to define the technical characteristics of the Goods and Related Services required by the Procuring Entity. The Procuring Entity shall prepare the detailed TS consider that:
 - i) The TS constitute the benchmarks against which the Procuring Entity will verify the technical responsiveness of Tenders and subsequently evaluate the Tenders. Therefore, well-defined TS will facilitate preparation of responsive Tenders by tenderers, as well as examination, evaluation, and comparison of the Tenders by the Procuring Entity.
 - ii) The TS shall require that all goods and materials to be incorporated in the goods be new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided for otherwise in the contract.
 - iii) The TS shall make use of best practices. Samples of specifications from successful similar procurements in the same country or sector may provide a sound basis for drafting the TS.
 - iv) The PPRA encourages the use of metric units.
 - v) Standardizing technical specifications may be advantageous, depending on the complexity of the goods and the repetitiveness of the type of procurement. Technical Specifications should be broad enough to avoid restrictions on workmanship, materials, and equipment commonly used in manufacturing similar kinds of goods.
 - vi) Standards for equipment, materials, and workmanship specified in the Tendering document shall not be restrictive. Recognized international standards should be specified as much as possible. Reference to brand names, catalogue numbers, or other details that limit any materials or items to a specific manufacturer should be avoided as far as possible. Where unavoidable, such item description should always be followed by the words "or substantially equivalent." When other particular standards or codes of practice are referred to in the TS, whether from the Procuring Entity's or from other eligible countries, a statement should follow other authoritative standards that ensure at least a substantially equal quality, then the standards mentioned in the TS will also be acceptable.
 - vii) Reference to brand names and catalogue numbers should be avoided as far as possible; where unavoidable the words "or at least equivalent" shall always follow such references.
 - viii) Technical Specifications shall be fully descriptive of the requirements in respect of, but not limited to, the following:
 - a) Standards of materials and workmanship required for the production and manufacturing of the Goods.
 - b) Any sustainable procurement technical requirements shall be clearly specified.
- 3.2 To encourage tenderers' innovation in addressing sustainable procurement requirements, as long as the Tender evaluation criteria specify the mechanism for monetary

adjustments for the purpose of Tender comparisons, tenderers may be invited to offer Goods that exceeds the specified minimum sustainable procurement requirements.

- i) Detailed tests required (type and number).
- ii) Other additional work and/or Related Services required to achieve full delivery/completion.
- iii) Detailed activities to be performed by the Supplier, and participation of the Procuring Entity thereon.
- iv) List of detailed functional guarantees covered by the Warranty and the specification of the liquidated damages to be applied in the event that such guarantees are not met.
- 3.3 The TS shall specify all essential technical and performance characteristics and requirements, including guaranteed or acceptable maximum or minimum values, as appropriate. Whenever necessary, the Procuring Entity shall include an additional adhoc Tendering form (to be an Attachment to the Letter of Tender), where the tenderer shall provide detailed information on such technical performance characteristics in respect to the corresponding acceptable or guaranteed values.
- 3.4 When the Procuring Entity requests that the tenderer provides in its Tender a part or all of the Technical Specifications, technical schedules, or other technical information, the Procuring Entity shall specify in detail the nature and extent of the required information and the manner in which it has to be presented by the tenderer in its Tender.
- 3.5 If a summary of the Technical Specifications(TS) has to be provided, the Procuring Entity shall insert information in the table below. The tenderer shall prepare a similar table to justify compliance with the requirements.

Summary of Technical Specifications: The Goods and Related Services shall comply with following Technical Specifications and Standards:

Item description QTY General requirements 1. Each equipment must be supplied with a warranty of one year from the manufacturer 2. The quotation must provide for installation as applicable 3. All equipment should have operation and repair/maintenance manual The equipment must be compatible with Kenyan power/ electric installation in voltage and wattage Hydraulic Bench Structural Specifications: Stainless frame. Screws, nuts, plates and all the metallic elements in stainless steel. Diagram in the front panel with distribution of the elements similar to the real one. Quick connections for adaptation to feed hydraulics source. Technical Data: Mobile hydraulic bench, made of fibreglass reinforced polyester, and mounted on wheels for its mobility. Centrifugal pump, 0.37 KW, 30 – 80 l/min at 20.1 – 12.8 m, single-phase 200 VAC – 240 VAC/50 Hz or 110 VAC - 127 VAC/60 Hz. Runner made of stainless steel. Sump tank capacity: 165 l. Small channel: 8 l. Flow measurement: volumetric tank, gauged from 0-7 1 for low flow values and from 0-40I for high flow values. Control valve for regulating the flow. Open channel to place the test unit. Measuring cylinder is provided for the measurement of small flow rates. Remote hand-operating dump valve in the base of the volumetric tank. Rapid and easy interchange of the different units. The hydraulic bench should have tubes and connectors to work with the following apparatus identified below (should be all from the same manufacturers or compatible) a) Fluid Friction Pipes b) Orifice Discharge c) Orifice and free jet flow d) Static Pitot tube e) Flow meter demonstration f) Free and forced vortex Fluid Friction In Pipes 1 **Specifications**

Fluid Friction in Pipes Base Unit, "AFT-UB":

Anodized aluminum frame and panels made of painted steel.

The unit includes wheels to facilitate its mobility.

Main metallic elements made of stainless steel.

Diagram in the front panel with distribution of the elements similar to the real one.

Six pipes of different diameter, material and roughness:

Rough pipe (PVC). External diameter: 25 mm and internal diameter: 17 mm.

Rough pipe (PVC). External diameter: 32 mm and internal diameter: 23 mm.

Smooth pipe (PMMA). External diameter: 10 mm and internal diameter: 6.5 mm.

Smooth pipe (PVC). External diameter: 20 mm and internal diameter: 16.5 mm.

Smooth pipe (PVC). External diameter: 32 mm and internal diameter: 26.5 mm.

Smooth pipe (PMMA). External diameter: 25 mm and internal diameter: 17 mm with measuring elements.

Types of valves:

Angle-seat valve. Internal diameter: 20 mm. Gate valve. Internal diameter: 20 mm. Diaphragm valve. Internal diameter: 20 mm.

Ball valve. Internal diameter: 20 mm.

Types of couplings:

In-line strainer. Internal diameter: 20 mm.

Sudden widening. Its section changes from 25 mm to 40 mm. Sudden contraction. Its section changes from 40 mm to 25 mm.

90° elbow. Internal diameter: 20 mm. "T" junction. Internal diameter: 20 mm. 45° elbow. Internal diameter: 20 mm. 45° "T" junction. Internal diameter: 20 mm.

Symmetrical "Y" branch. Internal diameter of each pipe: 20 mm.

Double 90° elbow. Internal diameter: 20 mm.

Special couplings (PMMA):

Pitot tube. Length: 30 mm, external diameter: 4 mm and internal diameter: 2.5 mm. Venturi tube. Length: 180 mm, larger section: 32 mm and smaller section: 20 mm.

Diaphragm with measuring plate. Larger diameter: 25 mm and smaller diameter: 20 mm.

The unit includes several ball valves to conduct the water flow through a certain pipe of the circuit and a regulation valve to regulate the flow that runs through such pipe.

Thirty four pressure tappings with quick action connections.

Two water manometers, range: 0 - 1000 mm. Two Bourdon manometers, range: 0 - 2.5 bar.

Flowmeter 600-6000l/min,

Exercises And Practical Possibilities

- 1. Determination of pressure loss due to friction in a rough pipe with an internal diameter of 17
- Determination of pressure loss due to friction in a rough pipe with an internal diameter of 23 mm.
- Determination of pressure loss due to friction in a smooth pipe with an internal diameter of 6.5 mm.
- Determination of pressure loss due to friction in a smooth pipe with an internal diameter of 16.5 mm.
- Determination of pressure loss due to friction in a smooth pipe with an internal diameter of 26.5 mm.
- 6. Study of the influence of the diameter in the pressure loss due to friction in rough pipes.
- 7. Study of the influence of the diameter in the pressure loss due to friction in smooth pipes.
- 8. Study of the influence of the roughness in the pressure loss.
- 9. Determination of the friction coefficient in a rough pipe with an internal diameter of 17 mm.
- 10. Determination of the friction coefficient in a rough pipe with an internal diameter of 23 mm.
- 11. Determination of the friction coefficient in a smooth pipe with an internal diameter of 6.5 mm.
- 12. Determination of the friction coefficient in a smooth pipe with an internal diameter of 16.5 mm.

- 13. Determination of the friction coefficient in a smooth pipe with an internal diameter of 26.5 mm.
- 14. Study of the influence of the diameter in the friction coefficient in rough pipes.
- 15. Study of the influence of the diameter in the friction coefficient in smooth pipes.
- 16. Comparison of the friction coefficient in smooth and rough pipes.
- 17. Determination of pressure loss in an angle-seat valve.
- 18. Determination of pressure loss in a gate valve.
- 19. Determination of pressure loss in a diaphragm valve.
- 20. Determination of pressure loss in a ball valve.
- 21. Comparison of pressure loss in different types of valves.
- 22. Determination of pressure loss in an in-line strainer.
- 23. Determination of pressure loss in a 90° elbow.
- 24. Determination of pressure loss in a double 90° elbow.
- 25. Determination of pressure loss in a 45° elbow.
- 26. Determination of pressure loss in a 45° "T".
- 27. Determination of pressure loss in a symmetrical "Y" branch.
- 28. Determination of pressure loss in a narrowing.
- 29. Determination of pressure loss in a gradual widening.
- 30. Determination of pressure loss in a diaphragm.
- 31. Comparison of pressure loss in the different fittings.
- 32. Measurement of the flow with the Venturi tube.
- 33. Determination of the discharge coefficient, Cd, in the Venturi tube.
- 34. Measurement of the flow with the Pitot tube.
- 35. Determination of the discharge coefficient, Cd, in the Pitot tube.
- 36. Comparison between the flow measured in the Venturi and Pitot tubes.
- 37. Study of the relationship between pressure losses due to fluid friction and the water flow rate.
- Determining the relationship between the pipe friction coefficients and Reynolds number for flow through a pipe with roughened bore.
- 39. Determining of the resistance coefficients for bends, enlargements and contractions.
- 40. Determining of characteristic curves of valves and fittings.

Should be compatible with the hydraulic bench

Orifice Discharge

Structural Specifications:

Stainless frame.

Screws, nuts, plates and all the metallic elements in stainless steel.

Diagram in the front panel with distribution of the elements similar to the real one.

Quick connections for adaptation to feed hydraulics source.

Technical Data:

Transparent cylindrical tank.

Five type of mouthpieces: diaphragm, colloidal, two of Venturi and cylindrical.

Height of maximum load: 400 mm.

Easy and quick coupling system built-in.

Anodized aluminum structure.

Exercises And Practical Possibilities

- 1. Determination of the discharge coefficient for the mouthpiece of thin wall, Venturi type.
- 2. Determination of the velocity coefficient for the mouthpiece of thin wall, Venturi type.
- 3. Determination of the contraction coefficient for the mouthpiece of thin wall, Venturi type.
- 4. Determination of the discharge coefficient for the mouthpiece of thin wall, diaphragm type.

1

- 5. Determination of the velocity coefficient for the mouthpiece of thin wall, diaphragm type.
- 6. Determination of the contraction coefficient for the mouthpiece of thin wall, diaphragm type.
- 7. Determination of the discharge coefficient for the mouthpiece of thin wall, colloidal type.
- 8. Determination of the velocity coefficient for the mouthpiece of thin wall, colloidal type.
- 9. Determination of the contraction coefficient for the mouthpiece of thin wall, colloidal type.
- 10. Determination of the discharge coefficient for the mouthpiece of thick wall, cylindrical type.
- 11. Determination of the velocity coefficient for the mouthpiece of thick wall, cylindrical type.
- 12. Determination of the contraction coefficient for the mouthpiece of thick wall, cylindrical type.
- 13. Determination of the discharge coefficient for the mouthpiece of thick wall, Venturi type.
- 14. Determination of the velocity coefficient for the mouthpiece of thick wall, Ventury type.
- 15. Determination of the contraction coefficient for the mouthpiece of thick wall, Ventury type. Must be compatible with the hydraulic bench

Free and Forced Vortex Apparatus

Structural Specifications:

Stainless frame.

Screws, nuts, plates and all the metallic elements in stainless steel.

Diagram in the front panel with distribution of the elements similar to the real one.

Quick connections for adaptation to feed hydraulics source.

Technical Data:

- Tank diameter: 300 mm.
- Tank height: 300 mm.
- Mouthpieces orifice diameters: 8, 16 and 24 mm.
- Distance between centers: 0, 30, 50, 70, 90 and 110 mm.
- Pitot tube with measuring points at: 15, 20, 25 and 30 mm radius and a scale.
- Measurement bridge.
- Inlet pipes: 9 and 12.5 mm diameter.
- Diameter measurement system by Nonius.
- Blind mouthpiece with X-shaped crosses.
- Easy and quick coupling system built-in.
- Anodized aluminum structure.

Exercises And Practical Possibilities

- 1. Study of forced vortex without discharge orifice.
- 2. Study of forced vortex with discharge orifice.
- 3. Study of free vortex.
- 4. Analysis of the influence of the jet inlet direction.
- 5. Analysis of the influence of the vortex on the discharge velocity.

Should be compatible with the hydraulic bench

Orifice and Free Jet Flow

Structural Specifications

- Stainless frame.
- Screws, nuts, plates and all the metallic elements in stainless steel.
- Diagram in the front panel with distribution of the elements similar to the real one.
- Quick connections for adaptation to feed hydraulics source.

Technical Data:

- Orifices with diameters of 3.5 and 6 mm.
- Jet trajectory Probes: 8.

ı

1

• Maximum height: 500 mm. Easy and quick coupling system built-in. Anodized aluminum structure. **Exercises And Practical Possibilities** 1.- Determination of the orifice velocity coefficient. 2.- Obtaining of the orifice discharge coefficient in permanent regime. 3.- Obtaining of the orifice discharge coefficient in variable regime. 4.- Obtaining of the tank discharge time. Should be compatible with the hydraulic bench Pitot Tube Structural Specifications: Stainless frame. Screws, nuts, plates and all the metallic elements in stainless steel. Diagram in the front panel with distribution of the elements similar to the real one. Quick connections for adaptation to feed hydraulics source. Technical Data: Pitot static tube: Head diameter: 2.5 mm. Transparent pipe: 32 mm internal diameter and 430 mm length approx. Hose connections. Water manometer, 500 mm length. Easy and quick coupling system built-in. Anodized aluminum structure and panel of painted steel. **Exercises and Practical Possibilities** 1. Study of the function of a pitot static tube. 2. To use a pitot static tube. 3. Determination of tube flow speed profiles. 4. Demonstration that the flow speed is proportional to the pressure difference between the total pressure and the static pressure. 5. Error determination in flow measurements using the Pitot tube as measurement instrument. 6. Factor C_d determination in the Pitot tube. Should be compatible with the hydraulic bench Metacentric Height Demonstration Apparatus Structural Specifications: Stainless frame. Screws, nuts, plates and all the metallic elements in stainless steel. Diagram in the front panel with distribution of the elements similar to the real one. Quick connections for adaptation to feed hydraulics source. Technical Data: Maximum angle: +/- 13°. Corresponding lineal dimension: +/- 90 mm. Dimension of the float: • Length: 353 mm. • Width: 204 mm.

• Total height: 475 mm.

Exercises and Practical Possibilities			
1. Study of the stability of a floating body. Angular displacements.			
2. Study of the stability of a floating body. Different positions of the center of gravity.			
3. Determination of the metacentric height.			
Should be compatible with the hydraulic bench			
Flow Meter Demonstration	1		
Structural Specifications:			
Stainless frame.			
Screws, nuts, plates and all the metallic elements in stainless steel.			
Diagram in the front panel with distribution of the elements similar to the real one.			
Quick connections for adaptation to feed hydraulics source.			
Quick connections for adaptation to recally draules source.			
Technical Data:			
Manometer range: 0 to 500 mm. of water column.			
Number of manometric tubes: 8.			
Orifice plate diameter: 25 mm.			
Flowmeter: 2 to 30 l/min.			
Venturi dimensions :			
Throat diameter: 20 mm.			
Upstream pipe diameter: 32 mm.			
Downstream taper: 21°.			
 Upstream taper: 14°. 			
Orifice Plate dimensions :			
 Upstream pipe diameter: 35 mm. 			
Downstream orifice diameter: 19 mm.			
Easy and quick coupling system built-in.			
Anodized aluminum structure and panel of painted steel.			
Exercises and Practical Possibilities			
1 Filling of the manometric tubes.			
2 Determination of the error in flow measurements using the Venturi.			
3 Determination of the Cd factor in the Venturi.			
4 Determination of the strangulation in the Venturi.			
5 Determination of the strangulation in the venturi. 5 Determination of the error in flow measurements using the orifice plate.			
,			
6 Determination of the Cd factor in the orifice plate.			
7 Determination of the effective area in an orifice plate.			
8 Comparison of the energy loss in the three different elements.			
9 Comparison among the Venturi, the orifice plate and the flowmeter			
Should be compatible with the hydraulic bench			
Weir Flow	1		
Structural Specifications:			
• Stainless frame.			
 Screws, nuts, plates and all the metallic elements in stainless steel. 			
 Diagram in the front panel with distribution of the elements similar to the real one. 			
 Quick connections for adaptation to feed hydraulics source. 			
Technical Data:			
Dimensions of the weirs: 230 x 4 x 160 mm.			
Difficulties of the Wells, 250 A. LA 100 Hills			

 Neckline angle in the V-shape weir: 90°. 			
Dimension of rectangular notch: 30 x 82 mm.			
Scale of the level meter: 0 to 160 mm.			
Proceedings And J. Donatt and Day of Market			
Exercises And Practical Possibilities			
1 Study of the flow characteristics through a weir with a rectangular neckline, made on a thin			
wall.			
2 Study of the flow characteristics through a weir with a V-shape neckline, made on a thin			
wall.			
Should be compatible with hydraulic bench			
U-Shaped Manometer	1		
Technical Specifications			
Designed for wall assembly.			
Anodized aluminum frame and panels made of painted steel.			
Main metallic elements made of stainless steel.			
U-shape manometer of 1000 mm length.			
Millimeter precision rules of 1000 mm length.			
Should have an Upper collector, Lower collector and a Drain valve.			
Exercises and Practical Possibilities			
Pressure measurements and measurement of the friction loss in a pipe using manometry			
Universal Material Testing Unit	1		
Technical Specifications			
Base Unit with Hardware and Software for Data Acquisition:			
Main metallic elements made of stainless steel.			
Base unit with feet.			
Upper crosspiece.			
Lower crosspiece.			
Frame pillars.			
Test load should be generated using a hand operated hydraulic system.			
Maximum stroke: 45 mm.			
Maximum test force: 20 kN.			
Dynamometer: 0 – 20 kN. Graduations: 0.5 kN.			
Elongation gauge: 0 – 10 mm. Graduations: 0.01 mm.			
Fastening elements for accessories.			
Methacrylate protective covering.			
Force sensor.			
Deformation displacement sensor, range: 0 – 50 mm.			
Computer Data Acquisition System:			
Data Acquisition Console:			
Metallic box.			
Connections for the force and deformation displacement sensors.			
USB connection to computer.			
Data Acquisition and Calculations Software:			
Compatible with actual Windows operating systems.			
Compatible with the industry standards.			
Processing, comparison and storage of data.			
Graphics and curves representation.			
Measurement of the force applied.			
Measurement of displacement generated by deformation.			

Shear strength calculation. Diameter of the imprint for Brinell test. Brinell hardness calculation. Compression strength calculation. Tensile strength calculation. Drawing depth (cupping) calculation. Bending strength calculation. Elastic constant for a helical spring. Elastic constant for a disc spring. Cables and accessories, for normal operation. Manuals: This unit is supplied with the following manuals: Required services, Assembly and Installation, Starting-up, Safety, Maintenance & Practices manuals. Exercises And Practical Possibilities 1. Learning how to use the instrumentation required to perform the main tests on materials. 2. Study and familiarization with universal material testing machines. 3. Tensile strength tests. 4. Compressive strength tests. 5. Brinell hardness tests. 6. Bending tests. 7. Shear tests. 8. Deep draw (cupping) tests. 9. Tests with disc springs. 10. Tests with helical springs either in series or in parallel. 11. Recording stress-strain diagrams. Using the computer data acquisition system. Deflection measurement devices (Beams, trusses and frames) 1 Main Body 1397 mm long • Probe Beam Aluminum, 2.4 m long • Open Length 3.7 m • long Weight 15.9 kg • Excitation: 5 to 10 VDC recommended, 12 VDC or VAC max. • Output: 2 to 4 mV/V, nominal, depending on model • Linearity: ≤0.25% of full scale measuring range • Temperature Range: Standard (-ST) is -40 °C to +100 °C (-40 °F to 210°F) Cable: Integral, ultra-flexible cable, 2.5 m (8 ft) standard Operating Force: 50 g typical Exercises And Practical Possibilities 1. Measurements of elastic deformation of determinate beams 2. Measurements of elastic deformation of determinate trusses 3. Measurements of elastic deformation of determinate frames Hand Held GPS **Specifications** Model: Garmin Montana 680 Or Equivalent 2.9" X 5.7" X 1.4" (7.48 X 14.42 X 3.64 Cm) Dimension Touchscreen Display Size 2"W X 3.5"H (5.06 X 8.93 Cm); 4" Diag (10.2 Cm) Display Resolution 272 X 480 Pixels Display Type Bright, Transflective 65k Color Tft, Dual-Orientation Touchscreen;

Sunlight Readable	
• Weight 10.2 Oz (289 G) With Included Lithium-Ion Battery Pack; 11.7 Oz (333 G)	
With 3 Aa Batteries	
Battery Type Rechargeable Lithium-Ion (Included) Or 3 Aa Batteries; NIMH Or Lithium	
Battery Life Up to 16 Hours (Lithium-Ion)	
Up to 22 Hours (Aa Batteries)	
Waterproof Ipx7	
Interface High Speed Mini USB and NMEA 0183 Compatible	
Memory/History 4 Gb	
Exercises And Practical Possibilities	
1. Chain and compass surveying	
2. Leveling and adjustment of levels and theodolite	
3. Tachometry and traversing	
4. Plotting contours, profiles and sections	
Aggregate Crushing Value Apparatus	2
Model: Veekay or equivalent	
 Cylindrical Container size: 150mm +/-0.5mm dia x130mm to 140mm high 	
Base plate: 200 to 230mm/sqr x 6mm thick	
 Plunger: 148mm +/-0.5mm dia x 100 to 115mm high 	
Tamping Rod: 16mm dia x 600mm long	
Exercises And Practical Possibilities	
Aggregate hardness testing	
Air Entrainment Meter	1
Model: Tamilnadu or equivalent	'
Capacity: 7 I	
Air content range 0-15%	
Graduations 0.1% up to 6% and 0.2% from 6 to 8% and 0.5% from 8 to 15%	
0.1 /6 up to 0 /6 and 0.2 /6 from 0 to 0 /6 and 0.5 /6 from 0 to 15 /6	
Experiment	
To determine the air content in fresh mix concrete	
Automatic Laboratory Mixer	1
Mixing paddle revolutions: Low speed: rotation 140±2r/min, revolution 62±2r/min; High	•
speed: rotation 285±3r/min, revolution 125±3r/min	
Movement trajectory: Same as ISO679-1989(E)	
Working mode: Manual and automatic modes	
Mixing paddle: Overall width: 135mm; effective length: 130mm; thickness: 6±2mm	
Mixing paddle connection: Quick-connect (the paddle can be disassembled at any time, which is	
convenient for cleaning the paddle)	
Mixing bowl: Capacity: 5L; depth: 180mm; inner diameter: 200mm; thickness 3mm	
Mixing bowl installation: Magnetic locking structure	
Working gap: The working gap between the paddle and the bowl is 3±1mm	
Motor: Stepper motor soft transmission (power 0.75kW)	
Dimensions: Length 400×width 560×height 900(mm)	

Automatic Loval	1	
Automatic Level	1	
Technical Data		
Datum or equivalent		
Accuracy (per double km run) ±1.0mm		
Magnification 32x		
Telescope Erect		
Objective Aperture 40mm		
Focusing Distance From 0.5m		
Multiplication Factor 100		
Additive Factor O		
Waterproof Yes		
Working Range ±15'		
Setting Accuracy ±0.3"		
Bubble Sensitivity 8' / 2mm		
Circle Graduation 1 Degree		
Exercises And Practical Possibilities		
1. Chain and compass surveying		
2. Leveling and adjustment of levels and theodolite		
3. Tachometry and traversing.		
4. Plotting contours, profiles and sections		
Beam Bending Machine	1	
Force Transducer 2248lbf (10kN)		
Specimen Transducer Range ± 0.04" (1mm)		
Actuator Stroke 0.4" (10mm)		
Frequency 0.1 to 30 Hz		
Electrical Supply 110/260V 50/60Hz, 1 Ph		
Compressed Air 100-145psi (7-10 bar) @ 600 L/min (21cfm)		
Test Frame Dimensions 18" x 7.5" x 22.5" (440 x 190 x 570mm)		
Data Acquisition Enclosure 15" x 11" x 5.5" (360 x 280 x 140mm)		
Working Space Required (WxDxH) 32.5" x 65" x 83" (826 x 1650 x 2100mm)		
Desktop PC should Included		
Exercises and Practical Possibilities		
Study of bending due to loading of simply supported beams.		
Study of the defection of members of a truss upon loading.		
Carbonation test apparatus	1	
Description:		
Concrete carbonation testing cabinet should be a sealed box allowing for placing the specimen		
on four cabinets partitions, with set temperature ((5°C-30°C (adjustable)), relative humidity		
((50%-90%(adjustable)), adjustable carbon dioxide concentration (0%-20%) by controller to		
ensure the box constant temperature and humidity, and constant carbon dioxide concentration.		
Approximate main Specification:		
Outside Dimension: 120×62×152cm or larger		
• Inside Dimension: 74×52×110cm		
Heating power: 1KW Cooling power: 220V/		
• Cooling power: 230W		
Humidification Power: 50w A COOK 50 LT		
Electricity: AC220V, 50HZ		
The unit to be accompanied by a test kit with		
1 no. picker to collect the powder.		

25 no. test tubes 1 no. measuring ruler 1 no. bottle of 1% solution of phenolphthalein 1 no. Pasteur pipette 1 no. cartridge Exercises And Practical Possibilities Determining the extend of carbonation of concrete cubes/ slabs			
1 no. bottle of 1% solution of phenolphthalein 1 no. Pasteur pipette 1 no. cartridge Exercises And Practical Possibilities			
1 no. Pasteur pipette 1 no. cartridge Exercises And Practical Possibilities			
1 no. cartridge Exercises And Practical Possibilities			
Exercises And Practical Possibilities			
Determining the extend of carbonation of concrete cubes, stabs			
Con	\dashv		
Concrete Hammer (Schmidt Hammer)			
Model: Sino Age or equivalent			
Digital Concrete Rebound Test Hammer			
• Accuracy: +/-0.1r			
Measuring Range: 10-100n/mm2			
Memory: 4000 Data			
Exercises And Practical Possibilities			
Determination of concrete Compaction			
Crack Detection Microscope	-		
Model: Veekay or equivalent			
Magnification 40 x			
Measuring Range (including concrete/mortar internal range): 4 mm			
Subdivision 0.02 mm			
Exercises And Practical Possibilities			
Detection of internal cracks in concrete and mortar			
Digital Level,			
Datum or equivalent			
Accuracy 5 Second			
Minimum Display 1 Second			
Display Dual Backlit LCD			
• Compensator Range ±4'			
Magnification 30x			
NU. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.			
Power Supply Internal Battery (Rechargeable) Aliana			
Minimum Focus 1.4m Franciscs And Breakiel Beskibilities			
Exercises And Practical Possibilities			
1. Chain and compass surveying			
2. Leveling and adjustment of levels and theodolite			
3. Tachometry and traversing.			
4. Plotting contours, profiles and sections Digital Planimeter 1			
Harbin or equivalent Macausian manage (Whiteh 200 can accoming to a risk free disc.)			
Measuring range - Width 300mm maximum, Length free size The appropriate of the appropriate of the 200 and the control of			
• The error of measurement - < ±0.3%			
Display - 8-digit LCD - Power - AC 220V 50Hz; DC7.2V Evereign And Practical Possibilities			
Exercises And Practical Possibilities 1. Chain and compass surveying			
Chain and compass surveying Leveling and adjustment of levels and the adelite			
2. Leveling and adjustment of levels and theodolite			
3. Tachometry and traversing.			
4. Plotting contours, profiles and sections			

Drawing Technical Set	8
Technical drawing set	
Geometry drawing tools kit for technical and engineering students	
Cased	
Material: Plastic	
Package Includes:	
✓ 10 Detachable head 60cm T square with soft case	
✓ 20 Mechanical pencil	
✓ 20 Mini pencil sharpener	
✓ 10 cases of 0.5mm HB leads	
✓ 5 swing bar for the compass extension	
✓ 5 connecting fittings	
✓ 5 30 degrees plot pen	
✓ 5 60 degrees plot pen	
Gauging Trowel	8
8 pieces of each 5", 6", 8", 9",11" with Wood Handle, polished finish made of high carbon steel	
with TPR or wooden with flat balde edge, arch teeth shape and 1.5mm blade thickness	
Length Elongation Gauge	6
Three pieces set of dimensions - 370x70x70 mm or larger	
Must be made of stainless steel and compliant with BS 812 – 105.2 for testing the elongation index	
of aggregates capable of separating aggregate into six sieve fractions from 6.3 to 50 mm.	
1 112 C1 . CC	
Levelling Staff.	8
Made in aluminum.	
A folding joint is provided to connect the two pieces together with a locking device at the back.	
The joint provided is such that:	
(1) the staff may be folded to a length of 2 meters;	
(2) the two pieces may be easily detached from one another when required to facilitate easy	
handling and manipulation;	
(3) and when the two pieces are locked together, the staff is quite rigid at the joint and perfectly	
straight.	
Exercises And Practical Possibilities	
Chain and compass surveying Availage and adjustment of levels	
Leveling and adjustment of levels	1
Los Angeles Abrasion Machine Internal dimension: 710mm×510mm(±5mm)	ı
` <i>'</i>	
Rotate speed: 30-33 r.p.m Outside dimension: 1100×780×100mm	
Abrasive charges: Set of 12 abrasive charges: 1.7/8" (EN) or Φ47.6 (8 pcs) Φ45 (3 pcs) Φ44.445	
(1 pc) Power: AC 220-240V 50HZ, 750W	
FOWEI. AC 220-2407 JUIL, 130W	
i e e e e e e e e e e e e e e e e e e e	
Exercises And Practical Possibilities	
Exercises And Practical Possibilities To determine the resistance to wear of small sized aggregates and crushed rocks	
Exercises And Practical Possibilities To determine the resistance to wear of small sized aggregates and crushed rocks	

Measuring Tapes	5
Model – Stanley or equivalent	
Product Width - 19 cm	
Blade Color - Yellow	
Product Height - 26 cm	
Product Weight - 598 g	
Unit of Measure - Metric	
Blade Length - 30 m	
Permeability test Apparatus	1
The working mode should produce automatic constant pressure (digital display type): automatic	
constant pressure and automatic boost) that can also work manually, with automatic water level	
control device. The apparatus should have at least six test pieces at a time. The apparatus should	
allow for testing of different concrete The geometric dimensions of the molding die (sub-mold)	
should be upper opening diameter: 175mm; lower opening diameter: 185mm; height: 150mm	
(to be supplied with six molds). Piston pump parameters of at least working stroke: 10mm; flow	
rate: 0.16L/min. A standard laboratory apparatus of about 950 $ imes$ 620 $ imes$ 1000mm is adequate	
Experiment	
Determination of permeability of concrete	
Poker Vibrator	2
Model: Liaocheng or equivalent	
Type&Shaft Ø22x350 mm tip-2 m shaft	
Dimensions 160x850x360 mm	
Weight (approx) 15 kg	
Power for Electric Model 220-240 V 50-60 Hz	
Power for Gasoline Model 2 Hp	
Encoders And Described Describitions	
Exercises And Practical Possibilities	
Compaction of concrete and mortar slabs, floors, beams and columns	3
Portable Hand Level (Abney)	5
Brand harbin optical or equivalent Adams Natural	
Material Metal Me	
• Markings Abney level Graduated 0 to $\pm 90^{\circ}$, 0 to $\pm 100\%$ on arc, vernier reads to	
10'.	
• Item Dimensions LxWxH 5.25 x 0.75 x 2.25 inches or better	
Style Standard	
Level, Portable Level, Hand Level	
Circle Diameter 30mm	
Measuring Range Angle: +90°~0~-90° (Min. Grad.1°)	
• Incline: +45~0°35'; 1:1~1:100	
Vernier Graduation 10'	
Plate Vial 20'/2mm	
MINI Instrument Size 130mm (5-1/4")×56mm×29mm	
Encoders And Decoded Decoded the	
Exercises And Practical Possibilities	
Chain and compass surveying	
2. Leveling and adjustment of levels and theodolite	
 Leveling and adjustment of levels and theodolite Tachometry and traversing Plotting contours, profiles and sections 	

Ranging rods Made of metal or fibreglass. The rods should be about 30 mm in diameter and 3 m long, painted with alternating bands, such as red and white, red and yellow, or black and white Exercises And Practical Possibilities 1. Chain and compass surveying 2. Leveling and adjustment of levels Siump Test Apparatus Models Sino Age or equivalent • The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. • The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. • Bottom diameter 20 cm • The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. • The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. • The base plate is provided with cleats & swivel handle. • Accessories to included: • Concrete scoop. • Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities 1. Workability test 2. Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consi		
painted with alternating bands, such as red and white, red and yellow, or black and white Exercises And Practical Possibilities 1. Chain and compass surveying 2. Leveling and adjustment of levels Slump Test Apparatus Model: Sino Age or equivalent • The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. • The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. • Bottom diameter 20 cm • Top diameter 10 cm • The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. • The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. • The base plate is provided with cleats & swivel handle. • Accessories to included: • Concrete scoop. • Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities 1. Workability test 2. Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to silde the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob shou		5
1. Chain and compass surveying 2. Leveling and adjustment of levels Slump Test Apparatus Model: Sino Age or equivalent ■ The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. ■ The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. ■ Bottom diameter 20 cm ■ The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. ■ The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. ■ The base plate is provided with cleats & swivel handle. ■ Accessories to included: ■ Concrete scoop. ■ Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities 1. Workability test 2. Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions accor		
2. Leveling and adjustment of levels Slump Test Apparatus Model: Sino Age or equivalent • The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. • The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. ✓ Bottom diameter 20 cm ✓ Top diameter 10 cm • The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. • The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. • The base plate is provided with cleats & swivel handle. • Accessories to included: ✓ Concrete scoop. ✓ Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities 1. Workability test 2. Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a cra	Exercises And Practical Possibilities	
Slump Test Apparatus Model: Sino Age or equivalent • The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. • The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. ✓ Bottom diameter 20 cm ✓ Top diameter 10 cm • The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. • The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. • The base plate is provided with cleats & swivel handle. • Accessories to included: ✓ Concrete scoop. ✓ Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities 1. Workability test 2. Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is	, , , ,	
 Model: Sino Âge or equivalent The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. Bottom diameter 20 cm To diameter 10 cm The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. The base plate is provided with cleats & swivel handle. Accessories to included:	• ,	
 The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. ✓ Bottom diameter 20 cm ✓ Top diameter 10 cm The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. The base plate is provided with cleats & swivel handle. Accessories to included: ✓ Concrete scoop. ✓ Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities Workability test Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired practical exercise. Fixed clamp, should have several functions. The knob sho		ı
 The Cone's should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. The base plate is provided with cleats & swivel handle. Accessories to included: Concrete scoop. Funnel for pouring concrete in cone straight edge Exercises And Practical Possibilities Workability test Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression.<!--</td--><td> The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. ✓ Bottom diameter 20 cm </td><td></td>	 The apparatus should comprise of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod of 16 mm diameter X 600 mm long, rounded off at one end, with a scale marked on it and a steel base plate with a carrying handle. The mould for the test specimen will be in the form of frustum of a cone having the following internal dimensions as follows. ✓ Bottom diameter 20 cm 	
1. Workability test 2. Concrete consistency Strut Buckling Unit Specifications Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their	 The Cone should be constructed of metal of at least 1.6 mm thickness and the top and bottom are open and at right angles to the axis of the cone. The mould have a smooth internal surface and provided with suitable foot pieces to a base plate and also handles to facilitate lifting it from the molded concrete test specimen in a vertical direction as required by the test. The base plate is provided with cleats & swivel handle. Accessories to included: Concrete scoop. 	
Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their	1. Workability test	
Anodized aluminum frame and panels made of painted steel. Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their		1
Main metallic elements made of stainless steel. The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their		
The unit should consists of: Two guides to slide the movable clamp, made of stainless steel, that allow to test pieces up to 650 mm long. Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their	, , ,	
Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their		
Universal supports to fasten the test piece, according to the required end conditions. Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their	· · · · · · · · · · · · · · · · · · ·	
Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to the desired practical exercise. Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their		
Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right. Differential screw to allow the system compression. Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their	Movable clamp located at one end. It should have a crank to adjust the test piece to the desired length. Besides, and a system to measure the applied force, by measuring the deformation of an elastic ring. The clamp should be placed in pinned end or fixed end position, according to	
Dial gauge, range: 0 – 5 mm; accuracy: 0.01 mm; to determine the compression load to which the test piece is subjected. Nine test pieces of different length should be included, made of tempered steel and their	Fixed clamp, should have several functions. The knob should have two positions according to the desired end conditions for the clamp. The system must be able to apply the force to the test piece, consisting of a crank, that compress the frame when it is turned to the right.	
Nine test pieces of different length should be included, made of tempered steel and their	Dial gauge, range: $0-5$ mm; accuracy: 0.01 mm; to determine the compression load to which	
	Nine test pieces of different length should be included, made of tempered steel and their	

Test piece 300 mm long.			
Test piece 350 mm long.			
Test piece 400 mm long.			
Test piece 450 mm long.			
Test piece 500 mm long.			
Test piece 550 mm long.			
Test piece 600 mm long. Test piece 615 mm long.			
Test piece 625 mm long.			
From the cond Donath of Donath States			
Exercises and Practical Possibilities			
1. Study of deformation in beams.			
2. Determination of the critical buckling load of a flat test piece, pinned at both ends.			
3. Determination of the critical buckling load of a flat test piece, with one fixed end and one			
pinned end.			
4. Determination of the critical buckling load of a flat test piece with both ends fixed.			
5. Demonstration of the Euler theory for beams.			
6. Determination of the relationship between buckling load and slenderness modulus for axial			
loads.			
	1		
Tamping Rod - Bar A chrome plated steel rod of 16 mm diameter X 600 mm long, rounded off at one end, with a	١		
scale marked on it and a steel base plate with a carrying handle.			
Theodolite	4		
Specifications for Theodolite and its components	7		
Telescope			
Image - Erect			
Magnification - 30x			
Aperture - 45 mm (1.7 in)			
Focus Distance - 1.35 m to ∞ (4.43 ft) to ∞			
Field of View - 1° 30'			
Stadia Ratio / Constant - 100 / 0			
Optical Plummet			
Image - Erect			
Magnification - 3X			
Angle of view - 5°			
Focusing range - 0.5 m $\sim \infty$ (1.6 ft $\sim \infty$)			
Reticle type - Crosshair Angle Measuring System			
Minimum Reading - 1" or 5"			
Precision - 2"			
Units - Deg / mil / gon / V %			
Display - Dual, Large Character, Backlit LCD			
Tilt Sensor			
Automatic Compensation: ±3' Range			
User set On/Off			
Vials			
Tubular - 30"/2 mm			
Circular - 8'/2 mm			
One Touch Button Functions			
ON / OFF - Power			

Backlight / Illumination On / Off			
HOLD - Angle Hold			
R/L - Clockwise/Counterclockwise Measurement			
OSET - Zero Reset of Horizontal Angle			
V% - Convert Vertical Degrees to Percent			
Dust/Water - IP-54			
Operating Temperature20°C to +50°C (-4°F to 122°F) Size - Instrument - 164 x 154 x 340			
mm (6.4 x 6.1 x 13.4 in) Weight - Instrument - 4.5 kg (9.9 lb)			
Exercises And Practical Possibilities			
1. Chain and compass surveying			
2. Leveling and adjustment of levels and theodolite			
3. Tachometry and traversing			
4. Plotting contours, profiles and sections			
Thickness Gauge	3		
Precision ultrasonic transducers provide fast, accurate readings			
Impact resistant color touchscreen with keypad for quick menu navigation			
Weatherproof, dustproof, and water-resistant			
Pre-programmed velocities for selecting list of common materials or allows entry of own			
material			
Min Scan mode to take continuous readings and record min/max thicknesses,			
Interchangeable platfor allowing for attachment of probe to a single gage body			
Accessories to include three different probes			
USB, WiFi, and Bluetooth connectivity to PC, and Smartphone software			
·			
Exercises And Practical Possibilities			
Determine thickness of concrete and pipes (non-destructive method)			
Surveying Tripod Stand	ł		
Material – Aluminium			
Tube Section – 4 sections			
Max tube diameter – 30 mm			
Folded length – 71.5 cm			
Max height – 206 cm			
Head - 2 way panhead, changeable handel series,			
medium size			
Load capacity – 5 kg			
Twist and Bend Machine			
Technical Specifications			
Max distance between supports 600 mm Assume as of bonding 0.01 mm.			
Accuracy of bending 0.01 mm Accuracy of twicting 0.01 mm (degrees)			
Accuracy of twisting 0.01 mm (degrees) Prince 700, 225, 245			
Dimensions 790x225x345 mm			
- Twist and Bend Testing Machine			
- Two loading devices (0.25 Kg)			
- Two 1 kg weights			
- Four 0.5 kg weights			
One dial gauge			
Seven steel test pieces of rectangular cross-section			
One wood test piece of rectangular cross-section Three test pieces diameter 2 mm of resp. steel aluminium and busss.			
Three test pieces, diameter 8 mm, of resp. steel, aluminium, and brass			

Two end fixtures **Exercises and Practical Possibilities** Study of bending due to loading of simply supported beams Vibrating Table ✓ Model: KARP or equivalent ✓ 1250mm Long x 625mm Wide x 525mm High ✓ Table Top Wight approx 64kg excluding vibrator ✓ Load capacity 225kg ✓ Single Phase 240v ✓ Manufactured using high gauge metal/ plates ✓ Vibration should be provided by electric external vibrators ✓ Anti Vibration mountings should be incorporated ✓ Variable Speed Drive Exercises And Practical Possibilities Compaction of concrete and mortar cubes Vicat Apparatus Model: Hanzhou Givit or equivalent for hydraulic cement Standards: EN 196-3, 480-2; ASTM C187, C191; AASHTO T129, T131 Standards: IS 4031, 2645, 2542 (PART-1), 1727, 5513 & 712. BS 12, 146, 915, 1370, 4027, 4246, 4248, AASHTO T 129, E 131. The apparatus should consist of a metallic frame bearing a freely movable and with a cap at top, one vicat mould and glass base plate and one set of needles of initial setting time needle, final setting time needle and consistency plunger. It should have that facilities gentle lowering of the needles. Accessories: Mild steel base plate 5 inches x 5 inches. Fulcrum mould, brass, 80 mm i.d.

Exercises And Practical Possibilities

- 1. Initial and final setting time determination
- 2. Determination of mortar consistency

Detailed Technical Specifications and Standards

base dia x 70 mm i.d. top dia, 40 mm height.

4. Drawings

This Tendering document includes no drawings

5. Inspections and Tests

The following inspections and tests shall be performed: tests on the performance and output of the equipment

PART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS

SECTION VI - GENERAL CONDITIONS OF CONTRACT

1. Definitions

In the Conditions of Contract ("these Conditions"), which include Special Conditions, Parts A and B, and these General Conditions, the following words and expressions shall have the meanings stated. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

- a) "Contract" means the Contract Agreement entered into between the Procuring Entity and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.
- b) "Contract Documents" means the documents listed in the Contract Agreement, including any amendments thereto.
- c) "Contract Price" means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.
- d) "Day" means calendar day.
- e) "Completion" means the fulfilment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
- f) "GCC" means the General Conditions of Contract.
- g) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Procuring Entity under the Contract.
- h) "Procuring Entity" means the Procuring Entity purchasing the Goods and Related Services, as specified in the SCC.
- i) "Related Services" means the services incidental to the supply of the goods, such as insurance, delivery, installation, commissioning, training and initial maintenance and other such obligations of the Supplier under the Contract.
- j) "SCC" means the Special Conditions of Contract.
- k) "Subcontractor" means any person, private or government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier.
- 1) "Supplier" means the person, private or government entity, or a combination of the above, whose Tender to perform the Contract has been accepted by the Procuring Entity and is named as such in the Contract Agreement.
- m) "Base Date" means a date 30 day prior to the submission of tenders.
- n) "Laws" means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.
- o) "Letter of Acceptance" means the letter of formal acceptance, signed by the contractor. Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.
- p) "Procuring Entity" means the Entity named in the Special Conditions of Contract.

2. Interpretation

21. If the context so requires it, singular means plural and vice versa.

2.2. Incoterms

- a) Unless inconsistent with any provision of the Contract, the meaning of any trade term and the rights and obligations of parties thereunder shall be as prescribed by Incoterms **specified** in the SCC.
- b) The terms EXW and CIP and other similar terms, when used, shall be governed by the rules prescribed in the current edition of Incoterms specified in the SCC and published by the International Chamber of Commerce in Paris, France.

3. Contract Documents

Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Contract Agreement shall be read as a whole. The documents forming the Contract shall be interpreted in the following order of priority:

- a) the Contract Agreement,
- b) the Letter of Acceptance,
- c) the General Conditions of Contract
- d) Special Conditions of Contract
- e) the Form of Tender,
- f) the Specifications and Schedules of the Drawings (if any), and
- g) the Schedules of Requirements, Price Schedule and any other documents forming part of the Contract.

4. Fraud and Corruption

- 3.1 The supplier shall comply with anti-corruption laws and guidelines and the prevailing sanctions, policies and procedures as set forth in the Laws of Kenya.
- 32 The Supplier shall disclose any commissions, gratuity or fees that may have been paid or are to be paid to agents or any other person with respect to the Tendering process or execution of the Contract. The information disclosed must include at least the name and address of the agent or other party, the amount and currency, and the purpose of the commission, gratuity or fee.

4.1 Entire Agreement

4.3.1 The Contract constitutes the entire agreement between the Procuring Entity and the Supplier and supersedes all communications, negotiations and agreements (whether written or oral) of the parties with respect thereto made prior to the date of Contract.

4.2 Amendment

No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto.

4.3 Non-waiver

- a) Subject to GCC Sub-Clause 4.5(b) below, no relaxation, forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- b) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.

4.4 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

5. Language

- 5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Procuring Entity, shall be written in the **English Language**. Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate and certified translation of the relevant passages in the **English Language**, in which case, for purposes of interpretation of the Contract, the English language is translation shall govern.
- 5.2 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Supplier.

6. Joint Venture, Consortium or Association

6.1 If the Supplier is a joint venture, consortium, or association, all of the parties shall be jointly and severally liable to the Procuring Entity for the fulfilment of the provisions of the Contract and shall designate one member of the joint venture, consortium, or association to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior written consent of the Procuring Entity.

7. Eligibility

- 7.1 The Supplier and its Subcontractors shall have the nationality of an eligible country. A Supplier or Sub- contractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country.
- All Goods and Related Services to be supplied under the Contract shall have their origin in Eligible Countries. For the purpose of this Clause, origin means the country where the goods have been grown, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its components.
- 73 The Tenderer, if a Kenyan firm, must submit with its tender a valid tax compliance certificate from the Kenya Revenue Authority.

8. Notices

- Any notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the **SCC**. The term "in writing" means communicated in written form with proof of receipt.
- 82 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

9. Governing Law

- 9.1 The Contract shall be governed by and interpreted in accordance with the laws of Kenya.
- Throughout the execution of the Contract, the Supplier shall comply with the import of goods and services prohibitions in Kenya:
 - a) where, as a matter of law, compliance or official regulations, Kenya prohibits commercial relations with that country or any import of goods from that country or any payments to any country, person, or entity in that country; or
 - b) by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods from that country or any payments to any country, person, or entity.

10. Settlement of Disputes

- 10.1 The Procuring Entity and the Supplier shall make every effort to resolve amicably by direct negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 102 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.

102 Arbitration proceedings shall be conducted as follows:

- 1021 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 10.1 shall be finally settled by arbitration.
- 1022 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within thirty days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 1023 Notwithstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 1024 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and award any sums which ought to have been the subject of or included in any due payments.
- Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for the dispute given in its notice of a claim or dispute.
- 1026 Arbitration may be commenced prior to or after delivery of the goods. The obligations of the Parties shall not be altered by reason of any arbitration being conducted during the progress of the delivery of goods.
- 1027 The terms of the remuneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

103 Arbitration Proceedings

- 103.1 Arbitration proceedings with national suppliers will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person or persons to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
 - i) Kenya National Chamber of Commerce
 - ii) Chartered Institute of Arbitrators (Kenya Branch)
 - iii) The Law Society of Kenya
- 1032 The institution written to first by the aggrieved party shall take precedence over all other institutions.

1033 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

10.4 Arbitration with Foreign Suppliers

- 1041 Arbitration with foreign suppliers shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- 1042 The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause 1.4 [Law and Language].

10.5 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

10.6 Failure to Comply with Arbitrator's Decision

- 1061 The award of such Arbitrator shall be final and binding upon the parties.
- 10.6.1 In the event that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

10.7 Contract operations continue

Notwithstanding any reference to arbitration herein,

- a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
- b) the Procuring Entity shall pay the Supplier any monies due the Supplier.

11. Inspections and Audit by the Procuring Entity

- 11.1 The Supplier shall keep, and shall cause its Subcontractors to keep, accurate and systematic accounts and records in respect of the Goods in such form and details as will clearly identify relevant time, changes and costs.
- Pursuant to paragraph 2.2 of Instruction to Tenderers, the Supplier shall permit and shall cause its subcontractors to permit, the Procuring Entity and/or persons appointed by the Procuring Entity or by other statutory bodies of the Government to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity. The Supplier's and its Subcontractors' attention is drawn to Sub- Clause 3.1 which provides, inter alia, that acts intended to materially impede the exercise of the Procuring Entity's inspection and audit rights constitute a prohibited practice subject to contract termination, as well as to a determination of ineligibility.

12. Scope of Supply

12.1 The Goods and Related Services to be supplied shall be as specified in the Schedule of Requirements.

13. Delivery and Documents

13.1 Subject to GCC Sub-Clause 33.1, the delivery of the Goods and completion of the Related Services shall be in accordance with the List of Goods and Delivery Schedule specified in the Supply Requirements. The details of shipping and other documents to be furnished by the Supplier are specified in the SCC.

14. Supplier's Responsibilities

14.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 12, and the Delivery and Completion Schedule, as per GCC Clause 13.

15. Contract Price

- Prices charged by the Supplier for the Goods supplied and the Related Services performed under the Contract shall not vary from the prices quoted by the Supplier in its Tender, with the exception of any price adjustments authorized in the SCC.
- Where the contract price is different from the corrected tender price, in order to ensure the supplier is not paid less or more relative to the contract price (*which would be the tender price*), any partial payment valuation based on rates in the schedule of prices in the Tender, will be adjusted by a <u>plus or minus</u> percentage. The percentage already worked out during tender evaluation is worked out as follows: (*corrected tender price tender price*)/tender price X 100.

16. Terms of Payment

- The Supplier shall request for payment by submitting invoice(s), delivery note(s) and any other relevant documents as specified in the SCC to the Procuring Entity.
- Payments shall be made promptly by the Procuring Entity, but not later than thirty (30) days after submission of an invoice by the Supplier, and after the Procuring Entity has accepted it.
- Where a Procuring Entity rejects Goods and Related Services, in part or wholly, the procuring Entity shall promptly inform the Supplier to collect, replace or rectify as appropriate and give reasons for rejection. The Supplier shall submit a fresh invoice, delivery note and any other relevant documents as specified in the SCC.
- The currencies in which payments shall be made to the Supplier under this Contract shall be those in which the Tender price is expressed.
- In the event that the Procuring Entity fails to pay the Supplier any payment by its due date or within the period set forth in the SCC, the Procuring Entity may pay to the Supplier interest on the amount of such delayed payment at the rate shown in the SCC, for the period of delay until payment has been made in full, whether before or after judgment or arbitrage award.

17. Taxes and Duties

- 17.1 The Supplier shall be entirely responsible for all taxes, duties, license fees, and other such levies incurred to deliver the Goods and Related Services to the Procuring Entity at the final delivery point.
- 17.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in Kenya, the Supplier shall inform the Procuring Entity and the Procuring Entity shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.

18. Performance Security

- 18.1 If required as specified in the SCC, the Supplier shall, within twenty-eight (28) days of the notification of contract award, provide a performance security for the performance of the Contract in the amount specified in the SCC.
- The proceeds of the Performance Security shall be payable to the Procuring Entity as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- As specified in **the SCC**, the Performance Security, if required, shall be denominated in the currency(ies) of the Contract, or in a freely convertible currency acceptable to the Procuring Entity; and shall be in one of the formats stipulated by the Procuring Entity in **the SCC**, or in another format acceptable to the Procuring Entity.

18.4 The Performance Security shall be discharged by the Procuring Entity and returned to the Supplier not later than thirty (30) days following the date of Completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in the SCC.

19. Copyright

19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Procuring Entity by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Procuring Entity directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.

20. Confidential Information

- 20.1 The Procuring Entity and the Supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Sub-Supplier such documents, data, and other information it receives from the Procuring Entity to the extent required for the Sub Supplier to perform its work under the Contract, in which event the Supplier shall obtain from such Sub Supplier undertaking of confidentiality similar to that imposed on the Supplier under GCC Clause 20.
- 20.2 The Procuring Entity shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Procuring Entity for any purpose other than the performance of the Contract.
- 20.3 The obligation of a party under GCC Sub-Clauses 20.1 and 20.2 above, however, shall not apply to information that:
 - a) the Procuring Entity or Supplier need to share with other arms of Government or other bodies participating in the financing of the Contract; such parties shall de disclosed in **the SCC**;
 - b) now or hereafter enters the public domain through no fault of that party;
 - c) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or
 - d) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.
- 20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.
- 20.5 The provisions of GCC Clause 20 shall survive completion or termination, for whatever reason, of the Contract.

21. Subcontracting

- 21.1 The Supplier shall notify the Procuring Entity in writing of all subcontracts awarded under the Contract if not already specified in the Tender. Such notification, in the original Tender or later shall not relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.
- 21.2 Subcontracts shall comply with the provisions of GCC Clauses 3 and 7.

22. Specifications and Standards

- 22.1 Technical Specifications and Drawings
 - a) The Goods and Related Services supplied under this Contract shall conform to the technical

- specifications and standards mentioned in Section VI, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods' country of origin.
- b) The Supplier shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any modification thereof provided or designed by or on behalf of the Procuring Entity, by giving a notice of such disclaimer to the Procuring Entity.
- c) Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Procuring Entity and shall be treated in accordance with GCC Clause 33.

23. Packing and Documents

- 23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified **in the SCC**, and in any other instructions ordered by the Procuring Entity.

24. Insurance

24.1 Unless otherwise specified in the **SCC**, the Goods supplied under the Contract shall be fully insured—in a freely convertible currency from an eligible country—against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the **SCC**.

25. Transportation and Incidental Services

- 25.1 Unless otherwise specified in the **SCC**, responsibility for arranging transportation of the Goods shall be in accordance with the specified Incoterms.
- The Supplier may be required to provide any or all of the following services, including additional services, if any, specified **in SCC:**
 - a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
 - b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
 - c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
 - d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
 - e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.
- Prices charged by the Supplier for incidental services, if not included in the Contract Price for the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services

26. Inspections and Tests

26.1 The Supplier shall at its own expense and at no cost to the Procuring Entity carry out all such tests and/or inspections of the Goods and Related Services as are specified in the SCC.

- The inspections and tests may be conducted on the premises of the Supplier or its Subcontractor, at point of delivery, and/or at the Goods' final destination, or in another place in Kenya as specified in the SCC. Subject to GCC Sub-Clause 26.3, if conducted on the premises of the Supplier or its Subcontractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity.
- The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Sub-Clause 26.2, provided that the Procuring Entity bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all travelling and board and lodging expenses.
- Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Procuring Entity. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Procuring Entity or its designated representative to attend the test and/or inspection.
- The Procuring Entity may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the Contract, provided that the Supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.
- 26.6 The Supplier shall provide the Procuring Entity with a report of the results of any such test and/or inspection.
- 26.7 The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to GCC Sub- Clause 26.4.
- The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, nor the issue of any report pursuant to GCC Sub-Clause 26.6, shall release the Supplier from any warranties or other obligations under the Contract.

27. Liquidated Damages

27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the Procuring Entity may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in those SCC. Once the maximum is reached, the Procuring Entity may terminate the Contract pursuant to GCC Clause 35.

28. Warranty

- 28.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- Subject to GCC Sub-Clause 22.1(b), the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the country of final destination.
- Unless otherwise specified in the SCC, the warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted

- at the final destination indicated in the SCC, or for eighteen (18) months after the date of shipment from the port or place of loading in the country of origin, whichever period concludes earlier.
- 28.4 The Procuring Entity shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Procuring Entity shall afford all reasonable opportunity for the Supplier to inspect such defects.
- Upon receipt of such notice, the Supplier shall, within the period specified in the SCC, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Procuring Entity.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the SCC, the Procuring Entity may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity may have against the Supplier under the Contract.

29. Patent Indemnity

- 29.1 The Supplier shall, subject to the Procuring Entity's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Procuring Entity and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Procuring Entity may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of:
 - a) the installation of the Goods by the Supplier or the use of the Goods in the country where the Site is located; and
 - b) the sale in any country of the products produced by the Goods.
 - Such indemnity shall not cover any use of the Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, neither any infringement resulting from the use of the Goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the Supplier, pursuant to the Contract.
- If any proceedings are brought or any claim is made against the Procuring Entity arising out of the matters referred to in GCC Sub-Clause 29.1, the Procuring Entity shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Procuring Entity's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- If the Supplier fails to notify the Procuring Entity within twenty-eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Procuring Entity shall be free to conduct the same on its own behalf.
- 29.4 The Procuring Entity shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.
- The Procuring Entity shall indemnify and hold harmless the Supplier and its employees, officers, and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Procuring Entity.

30. Limitation of Liability

- 30.1 Except in cases of criminal negligence or willful misconduct,
 - a) the Supplier shall not be liable to the Procuring Entity, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Procuring Entity, and
 - b) the aggregate liability of the Supplier to the Procuring Entity, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the supplier to indemnify the Procuring Entity with respect to patent infringement.

31. Change in Laws and Regulations

31.1 Unless otherwise specified in the Contract, if after the date of 30 days prior to date of Tender submission, any law, regulation, ordinance, order or bylaw having the force of law is enacted, promulgated, abrogated, or changed in Kenya (which shall be deemed to include any change in interpretation or application by the competent authorities) that subsequently affects the Delivery Date and/or the Contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Supplier has thereby been affected in the performance of any of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 15.

32. Force Majeure

- 32.1 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 323 If a Force Majeure situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

33. Change Orders and Contract Amendments

- 33.1 The Procuring Entity may at any time order the Supplier through notice in accordance GCC Clause 8, to make changes within the general scope of the Contract in any one or more of the following:
 - a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Procuring Entity;
 - b) the method of shipment or packing;
 - c) the place of delivery; and
 - d) the Related Services to be provided by the Supplier.
- If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this Clause must be asserted within twenty-eight (28) days from the date of the Supplier's receipt of the Procuring Entity's change order.

- Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
- Value Engineering: The Supplier may prepare, at its own cost, a value engineering proposal at any time during the performance of the contract. The value engineering proposal shall, at a minimum, include the following;
 - a) the proposed change(s), and a description of the difference to the existing contract requirements;
 - b) a full cost/benefit analysis of the proposed change(s) including a description and estimate of costs (including life cycle costs) the Procuring Entity may incur in implementing the value engineering proposal; and
 - c) a description of any effect(s) of the change on performance/functionality.
- The Procuring Entity may accept the value engineering proposal if the proposal demonstrates benefits that:
 - a) accelerates the delivery period; or
 - b) reduces the Contract Price or the life cycle costs to the Procuring Entity; or
 - c) improves the quality, efficiency or sustainability of the Goods; or
 - d) yields any other benefits to the Procuring Entity, without compromising the necessary functions of the Facilities.
- 33.6 If the value engineering proposal is approved by the Procuring Entity and results in:
 - a) a reduction of the Contract Price; the amount to be paid to the Supplier shall be the percentage specified **in the SCC** of the reduction in the Contract Price; or
 - b) an increase in the Contract Price; but results in a reduction in life cycle costs due to any benefit described in
 - (a) to (d) above, the amount to be paid to the Supplier shall be the full increase in the Contract Price.
- 33.7 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.

34. Extensions of Time

- 34.1 If at any time during performance of the Contract, the Supplier or its subcontractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to GCC Clause 13, the Supplier shall promptly notify the Procuring Entity in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Procuring Entity shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.
- Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 26, unless an extension of time is agreed upon, pursuant to GCC Sub-Clause 34.1.

35. Termination

- 35.1 Termination for Default
 - a) The Procuring Entity, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part:
 - i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Procuring Entity pursuant to GCC Clause 34;
 - ii) if the Supplier fails to perform any other obligation under the Contract; or
 - iii) if the Supplier, in the judgment of the Procuring Entity has engaged in Fraud and Corruption, as defined in paragraph 2.2 a of the Appendix to the GCC, in competing for or in executing the Contract.

b) In the event the Procuring Entity terminates the Contract in whole or in part, pursuant to GCC Clause 35.1(a), the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Procuring Entity for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

352 Termination for Insolvency.

The Procuring Entity may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Procuring Entity

352 Termination for Convenience.

- a) The Procuring Entity, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Procuring Entity's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the Supplier's receipt of notice of termination shall be accepted by the Procuring Entity at the Contract terms and prices. For the remaining Goods, the Procuring Entity may elect:
 - i) to have any portion completed and delivered at the Contract terms and prices; and/or
 - ii) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

36. Assignment

36.1 Neither the Procuring Entity nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.

37. Export Restriction

37.1 Notwithstanding any obligation under the Contract to complete all export formalities, any export restrictions attributable to the Procuring Entity, to Kenya, or to the use of the products/goods, systems or services to be supplied, which arise from trade regulations from a country supplying those products/goods, systems or services, and which substantially impede the Supplier from meeting its obligations under the Contract, shall release the Supplier from the obligation to provide deliveries or services, always provided, however, that the Supplier can demonstrate to the satisfaction of the Procuring Entity that it has completed all formalities in a timely manner, including applying for permits, authorizations and licenses necessary for the export of the products/goods, systems or services under the terms of the Contract. Termination of the Contract on this basis shall be for the Procuring Entity's convenience pursuant to Sub-Clause 35.3.

SECTION VII - SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC) shall supplement and/or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

[The Procuring Entity shall select insert the appropriate wording using the samples below or other acceptable wording, and delete the text in italics].

SECTION VII - SPECIAL CONDITIONS OF CONTRACT

The following Special Conditions of Contract (SCC) shall supplement and / or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

[The Procuring Entity shall select insert the appropriate wording using the samples below or other acceptable wording, and delete the text in italics]

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract
GCC 1.1(h)	The Procuring Entity is: [Insert complete legal name of the Procuring Entity]
GCC 4.2 (a)	The meaning of the trade terms shall be as prescribed by Incoterms. If the meaning of any
	trade term and the rights and obligations of the parties thereunder shall not be as prescribed
	by Incoterms, they shall be as prescribed by: [exceptional; refer to other internationally
	accepted trade terms]
GCC 4.2 (b)	The version edition of Incoterms shall be <i>INCOTERMS 2015</i>
GCC 8.1	For <u>notices</u> , the Procuring Entity's address shall be:
	Attention: [insert full name of person, if applicable]
	Postal address (full postal address)
	Physical Address (full Location Address- insert city, street name, Building named floor
	number, room number)
	Telephone: [include telephone number, including country and city codes]
	Electronic mail address: [insert e-mail address, if applicable]
GCC 10.4.2	The place of arbitration shall be (specify City and Country).
GCC 13.1	Details of Shipping and other Documents to be furnished by the Supplier are [insert the required documents, such as a negotiable bill of lading, a non-negotiable sea way bill, an airway bill, a railway consignment note, a road consignment note, insurance certificate, Manufacturer's or Supplier's warranty certificate, inspection certificate issued by nominated inspection agency, Supplier's factory shipping details etc.].
	The above documents shall be received by the Procuring Entity before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses.
GCC 15.1	The prices charged for the Goods supplied and the related Services performed [insert "shall" or "shall not," as appropriate] be adjustable.
	If prices are adjustable, the following method shall be used to calculate the price adjustment [see attachment to these SCC for a sample Price Adjustment Formula]
GCC 16.1	Sample provision
	GCC 16.1—The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:
	A. Payment for Goods supplied from abroad:
	Payment of foreign currency portion shall be made in [insert currency of the Contract
	Price] in the following manner:
	(i) Advance Payment: Ten (10) percent of the Contract Price shall be paid within thirty (30) days of signing of the Contract, and upon submission of claim and a bank guarantee for equivalent amount valid until the Goods are delivered and, in the form, provided in the Tendering document or another form acceptable to the Procuring Entity.

(ii) On Shipment: Eighty (80) percent of the Contract Price of the Goods shipped shall be paid through irrevocable confirmed letter of credit opened in favour of the Supplier in a bank in its country, upon submission of documents specified in GCC Clause 12. (iii) On Acceptance: Ten (10) percent of the Contract Price of Goods received shall be paid within thirty (30) days of receipt of the Goods upon submission of claim supported by the acceptance certificate issued by the Procuring Entity. B. Payment of local currency portion of a foreign Supplier shall be made in Kenya shillings within thirty (30) days of presentation of claim supported by a certificate from the Procuring Entity declaring that the Goods have been delivered and that all other contracted Services have been performed. C. Payment for Goods and Services supplied from within Kenya: Payment for Goods and Services supplied from within Kenya shall be made in		
paid within thirty (30) days of receipt of the Goods upon submission of claim supported by the acceptance certificate issued by the Procuring Entity. B. Payment of local currency portion of a foreign Supplier shall be made in Kenya shillings within thirty (30) days of presentation of claim supported by a certificate from the Procuring Entity declaring that the Goods have been delivered and that all other contracted Services have been performed. C. Payment for Goods and Services supplied from within Kenya: Payment for Goods and Services supplied from within Kenya shall be made in		be paid through irrevocable confirmed letter of credit opened in favour of the Supplier in a
Shillings within thirty (30) days of presentation of claim supported by a certificate from the Procuring Entity declaring that the Goods have been delivered and that all other contracted Services have been performed. C. Payment for Goods and Services supplied from within Kenya: Payment for Goods and Services supplied from within Kenya shall be made in		paid within thirty (30) days of receipt of the Goods upon submission of claim supported by
[currency], as follows: (i) Advance Payment: Ten (10) percent of the Contract Price shall be paid within thirty (30) days of signing of the Contract against an invoice and a bank guarantee for the equivalent amount and in the form provided in the Tendering document or another form acceptable to the Procuring Entity. (ii) On Delivery: Eighty (80) percent of the Contract Price shall be paid on receipt of the Goods and upon submission of the documents specified in GCC Clause 13. The bank guarantee shall then be released. (iii)On Acceptance: The remaining ten (10) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Procuring Entity. GCC 16.5 The payment-delay period after which the Procuring Entity shall pay interest to the supplier shall be [insert number] days. The interest rate that shall be applied is [insert number] % A Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] GCC 18.3 If required, the Performance Security shall be in the form of: [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price."] GCC 18.4 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] The insurance coverage shall be as specified in the Incoterms. [in out in accordance with Incoterms, insurance shall be as follows: [ins		shillings within thirty (30) days of presentation of claim supported by a certificate from the Procuring Entity declaring that the Goods have been delivered and that all other contracted Services have been performed.
(30) days of signing of the Contract against an invoice and a bank guarantee for the equivalent amount and in the form provided in the Tendering document or another form acceptable to the Procuring Entity. (ii) On Delivery: Eighty (80) percent of the Contract Price shall be paid on receipt of the Goods and upon submission of the documents specified in GCC Clause 13. The bank guarantee shall then be released. (iii) On Acceptance: The remaining ten (10) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Procuring Entity. GCC 16.5 The payment-delay period after which the Procuring Entity shall pay interest to the supplier shall be [insert number] days. The interest rate that shall be applied is [insert number] % A Performance Security [insert "shall" or "shall not" be required] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] GCC 18.3 If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Security shall be enominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] The insurance coverage shall be as specified in the Incoterms. [in out a		•
Goods and upon submission of the documents specified in GCC Clause 13. The bank guarantee shall then be released. (iii)On Acceptance: The remaining ten (10) percent of the Contract Price shall be paid to the Supplier within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Procuring Entity. GCC 16.5 The payment-delay period after which the Procuring Entity shall pay interest to the supplier shall be [insert number] days. The interest rate that shall be applied is [insert number] % GCC 18.1 A Performance Security [insert "shall" or "shall not" be required] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] GCC 18.3 If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Bond"] If required, the Performance Security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. [In tot in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		(30) days of signing of the Contract against an invoice and a bank guarantee for the equivalent amount and in the form provided in the Tendering document or another form
the Supplier within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Procuring Entity. The payment-delay period after which the Procuring Entity shall pay interest to the supplier shall be [insert number] days. The interest rate that shall be applied is [insert number] % GCC 18.1 A Performance Security [insert "shall" or "shall not" be required] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] GCC 18.3 If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Bond"] If required, the Performance security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		Goods and upon submission of the documents specified in GCC Clause 13. The bank
shall be [insert number] days. The interest rate that shall be applied is [insert number] % A Performance Security [insert "shall" or "shall not" be required] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] GCC 18.3 If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Bond"] If required, the Performance security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		the Supplier within thirty (30) days after the date of the acceptance certificate for the respective delivery issued by the Procuring Entity.
GCC 18.1 A Performance Security [insert "shall" or "shall not" be required] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] [GCC 18.3] If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Bond"] If required, the Performance security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] [GCC 18.4] Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] [GCC 23.2] The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] [GCC 24.1] The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]	GCC 16.5	
GCC 18.1 A Performance Security [insert "shall" or "shall not" be required] [If a Performance Security is required, insert "the amount of the Performance Security shall be: [insert amount] [The amount of the Performance Security is usually expressed as a percentage of the Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] [GCC 18.3] If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Bond"] If required, the Performance security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] [GCC 18.4] Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] [GCC 23.2] The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] [GCC 24.1] The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		The interest rate that shall be applied is [insert number] %
Shall be: [insert amount]	GCC 18.1	
Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal circumstances] GCC 18.3 If required, the Performance Security shall be in the form of: [insert "a Demand Guarantee" or" a Performance Bond"] If required, the Performance security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		
Guarantee" or" a Performance Bond"] If required, the Performance security shall be denominated in [insert "a freely convertible currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		Contract Price. The percentage varies according to the Procuring Entity's perceived risk and impact of non-performance by the Supplier. A 10% percentage is used under normal
currency acceptable to the Procuring Entity" or "the currencies of payment of the Contract, in accordance with their portions of the Contract Price"] GCC 18.4 Discharge of the Performance Security shall take place: [insert date if different from the one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]	GCC 18.3	
one indicated in sub clause GCC 18.4] GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]		currency acceptable to the Procuring Entity" or "the currencies of payment of the
GCC 23.2 The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation required] GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]	GCC 18.4	Discharge of the Performance Security shall take place: [insert date if different from the
GCC 24.1 The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and amount]	GCC 23.2	The packing, marking and documentation within and outside the packages shall be: [insert in detail the type of packing required, the markings in the packing and all documentation
GCC 25.1 Responsibility for transportation of the Goods shall be as specified in the Incoterms.	GCC 24.1	The insurance coverage shall be as specified in the Incoterms. If not in accordance with Incoterms, insurance shall be as follows: [insert specific insurance provisions agreed upon, including coverage, currency and
	GCC 25.1	Responsibility for transportation of the Goods shall be as specified in the Incoterms.

	If not in accordance with Incoterms, responsibility for transportations shall be as follows: [insert "The Supplier is required under the Contract to transport the Goods to a specified place of final destination within Kenya, defined as the Project Site, transport to such place of destination in Kenya, including insurance and storage, as shall be specified in the		
	Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price"; or any other agreed upon trade terms (specify the respective		
	responsibilities of the Procuring Entity and the Supplier)]		
GCC 25.2	Incidental services to be provided are: [Selected services covered under GCC Clause 25.2 and/or other should be specified with the desired features. The price quoted in the Tender price or agreed with the selected Supplier shall be included in the Contract Price.]		
GCC 26.1	The inspections and tests shall be: [insert nature, frequency, procedures for carrying out the inspections and tests]		
GCC 26.2	The Inspections and tests shall be conducted at: [insert name(s) of location(s)]		
GCC 27.1	The liquidated damage shall be: [insert number] % per week		
GCC 27.1	The maximum amount of liquidated damages shall be: [insert number] %		
GCC 28.3	, <u> </u>		
	The period of validity of the Warranty shall be: [insert number] days For purposes of the Warranty, the place(s) of final destination(s) shall be: [insert name(s) of location(s)]		
	Sample provision		
	GCC 28.3—In partial modification of the provisions, the warranty period shall be hours of operation or months from date of acceptance of the Goods or () months from the date of shipment, whichever occurs earlier. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the Contract. If, for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall, at its discretion, either:		
	(a) make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests in accordance with GCC 26.7,		
	or		
	(b) pay liquidated damages to the Procuring Entity with respect to the failure to meet the contractual guarantees. The rate of these liquidated damages shall be ().		
	[The rate should be higher than the adjustment rate used in the Tender evaluation under $TDS\ 34.6(f)$]		
GCC 28.5, GCC 28.6	The period for repair or replacement shall be: [insert number(s)] days.		
GCC 33.6	If the value engineering proposal is approved by the Procuring Entity the amount to be paid to the Supplier shall be% (insert appropriate percentage.		
	The percentage is normally up to 50%) of the reduction in the Contract Price.		

SECTION VIII - CONTRACT FORMS

This Section contains forms which, once completed, will form part of the Contract. The forms for Performance Security and Advance Payment Security, when required, shall only be completed by the successful tenderer after contract award.

FORM No. 1: NOTIFICATION OF INTENTION TO AWARD

This Notification of Intention to Award shall be sent to each Tenderer that submitted a Tender. Send

FOR	IAT	
1.	For the attention of Tenderer's Authorized Representative	
	I) Name:[insert Authorized Representative's name]	
	ii) Address:[insert Authorized Representative's Address]	
	iii) Telephone:[insert Authorized Representative's telephone/fax numbers]	
	iv) Email Address:[insert Authorized Representative's email address]	
	[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]	
2	Date of transmission: [email] on [date] (local time)	
	This Notification is sent by(Name and designation)	_
3.	Notification of Intention to Award	
	I) Employer:[insert the name of the Employer]	
	ii) Project:[insert name of project]	
	iii) Contract title:[insert the name of the contract]	
	iv) Country:[insert country where ITT is issued]	
	v) ITT No:[insert ITT reference number from Procurement Plan]	
	This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:	
4.	Request a debriefing in relation to the evaluation of your tender	
	Submit a Procurement-related Complaint in relation to the decision to award the contract.	
	a) The successful tenderer	
	i) Name of successful Tender	
	ii) Address of the successful Tender	
	iii) Contract price of the successful Tender Kenya Shillings(in	words
	b) Other Tenderers	

reason the Tender was unsuccessful.

evaluated price as well as the Tender price as read out. For Tenders not evaluated, give one main

S/No.	Name of Tender	Tender Price	Tender's evaluated	One Reason Why Not Evaluated
		as read out	price (Note a)	
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

- 5. How to request a debriefing
 - a) DEADLINE: The deadline to request a debriefing expires at midnight on [insert date] (local time).
 - b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
 - c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:

I)	Attention:	[insert full name of person, if applicable]
ii)	Title/position:	[insert title/position]
ii)	Agency:	_[insert name of Employer]
iii)	Email address:	[insert email address]

- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.
- 6. How to make a complaint
 - a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).
 - b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:

I)	Attention:	[insert full name of person, if applicable]
ii)	Title/position:	[insert title/position]
iii)	Agency:	[insert name of Employer]
iv)	Email address:	[insert email address]

- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website www.ppra.go.ke or email complaints@ppra.go.ke.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
- i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process, and is the recipient of a Notification of Intention to Award.
- ii) The complaint can only challenge the decision to award the contract.
- iii) You must submit the complaint within the period stated above.
- iv) You must include, in your complaint, all of the information required to support your complaint.

7. <u>Standstill</u> Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [insert date] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5 (d) above.

If you have any questions regarding this Notification please do not hesitate to contact us.

On behalf of the Employer:			
Signature:			_
Name:			
Title/position:			
Telephone:			
Email:			

FORM NO. 2 - REQUEST FOR REVIEW

Board Secretary

FORM FOR REVIEW(r.203(1))

PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD
APPLICATION NOOF20
BETWEEN
APPLICANT
AND
Request for review of the decision of the
REQUEST FOR REVIEW
I/Wethe above named Applicant(s), of address: Physical addressP. O. Box NoTel. NoEmail, hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds , namely:
1.
2.
By this memorandum, the Applicant requests the Board for an order/orders that:
1.
2.
SIGNED(Applicant) Dated onday of/20
FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board onday of
SIGNED

FORM NO. 3 LETTER OF AWARD

[Use letter head paper of the Procuring Entity]				
	_[Date]			
To:	[name and address of the Supplier]			
Subject:	Notification of Award Contract No.			
of the for the Accepted Co	you that your Tender dated	fication number, as given in the SCC] unt in numbers and words and name		
You are requested to furnish the Performance Security within 30 days in accordance with the Conditions of Contract, using for that purpose the of the Performance Security Form included in Section X, Contract Forms, of the Tendering document.				
Authorized Signature:_				
Name and Title of Sign	atory:			
Name of Agency:				

Attachment: Contract Agreement

FORM NO. 4 - CONTRACT AGREEMENT

[The	succe	ssful	tenderer shall fill in this form in accordance with the instructions indicated]
year] princi Entity laws	BET pal p '"), of [in	WEI lace of the sert:	ENT made the[insert: number] day of[insert: month], [insert: EN (1)[insert complete name of Procuring Entity and having its of business at [insert: address of Procuring Entity] (hereinafter called "Procuring he one part; and (2)[insert name of Supplier], a corporation incorporated under the country of Supplier] and having its principal place of business at[insert: address ereinafter called "the Supplier"), of the other part.
1.	WHE	EREA	S the Procuring Entity invited Tenders for certain Goods and ancillary services, viz.,
			ief description of Goods and Services] and has accepted a Tender by the Supplier for the those Goods and Services, the Procuring Entity and the Supplier agree as follows:
	i)		his Agreement words and expressions shall have the same meanings as are ectively assigned to them in the Contract documents referred to.
	ii)		following documents shall be deemed to form and be read and construed as part of this eement. This Agreement shall prevail over all other contract documents.
		a)	the Letter of Acceptance
		b)	the Letter of Tender
		c)	the Addenda Nos(if any)
		d)	Special Conditions of Contract
		e)	General Conditions of Contract
		f)	the Specification (including Schedule of Requirements and Technical Specifications)
		g)	the completed Schedules (including Price Schedules)
		h)	any other document listed in GCC as forming part of the Contract
	iii)	spec the	consideration of the payments to be made by the Procuring Entity to the Supplier as cified in this Agreement, the Supplier hereby covenants with the Procuring Entity to provide Goods and Services and to remedy defects therein in conformity in all respects with the visions of the Contract.
2.	Good may	ls an	aring Entity hereby covenants to pay the Supplier in consideration of the provision of the d Services and the remedying of defects therein, the Contract Price or such other sum as me payable under the provisions of the Contract at the times and in the manner prescribed ontract.
3.			ESS whereof the parties hereto have caused this Agreement to be executed in accordance laws of Kenya on the day, month and year indicated above.
<u>For</u> a	nd on	beha	alf of the Procuring Entity
Signe	d:		[insert signature]
in the	e capa	acity	of[insert title or other appropriate designation] In the presence of
			[insert identification of official witness] For and on behalf of the Supplier
Signe	d:		[insert signature of authorized representative(s) of the Supplier] in the capacity of_
-			[insert title or other appropriate designation] in the presence of_

____[insert identification of official witness]

FORM NO. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

Ber	Beneficiary:[insert name and Ad	ddress of
Em	Employer]	
Dat	Date:[Insert date of issue]	
	Guarantor:[Insert name and address etterhead]	s of place of issue, unless indicated in the
1.	. We have been informed that_	(hereinaft
	er called "the Contractor") has entered	d into Contract Nodated
	Employer as the Beneficiary), for the exec Contract").	of Employer)(the ecution of(hereinafter called "the
2.	Furthermore, we understand that, according performance guarantee is required.	g to the conditions of the Contract, a
3.	Beneficiary any sum or sums not exceeding being payable in the types and proportion payable, upon receipt by us of the Beneficiary's statement, whether in the accompanying or identifying the demand	Guarantor, hereby irrevocably undertake to pay the ing in total an amount of(in words),¹ such sum ons of currencies in which the Contract Price is eneficiary's complying demand supported by the demand itself or in a separate signed document d, stating that the Applicant is in breach of its t the Beneficiary needing to prove or to show existed therein.
4.	This guarantee shall expire, no later than the . payment under it must be received by us date.	Day of, 2 ² , and any demand for as at the office indicated above on or before that
5.		nsion of this guarantee for a period not to exceed he Beneficiary's written request for such extension, antor before the expiry of the guarantee."

Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

FORM No. 6 - PERFORMANCE SECURITY [Option 2– Performance Bond]

[Note: Procuring Entities are advised to use Performance Security – Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]

Guar	uniee	instead of Ferjormance Bond due to difficulties involved in calling Bond noider to action?	
[Gua	ırantor	letterhead or SWIFT identifier code]	
Bene	eficiary	:[insert name and Address of	
Empl	loyer]	Date:[Insert date of issue]	
PER	FORM	IANCE BOND No.:	
	rantor head]	[Insert name and address of place of issue, unless indicated in the	
1.	and_ held amou of cu	as Principal (hereinafter called "the Contractor") and firmly bound unto] as Obligee (hereinafter called "the Employer") in the contract of the payment of which sum well and truly to be made in the types and proportions arrencies in which the Contract Price is payable, the Contractor and the Surety bind themselves, heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these ints.	
2.	WHEREAS the Contractor has entered into a written Agreement with the Employer dated the day of , 20, for in accordance with the documents, plans, specifications, and amendments thereto, which to the extent herein provided for, are by reference made part hereof and are hereinafter referred to as the Contract.		
and faithfully perform the said Contract (including any amendments thereto shall be null and void; otherwise, it shall remain in full force and effect. We shall be, and declared by the Employer to be, in default under the Contract		THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly faithfully perform the said Contract (including any amendments thereto), then this obligation be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor be, and declared by the Employer to be, in default under the Contract, the Employer having rmed the Employer's obligations thereunder, the Surety may promptly remedy the default, or promptly:	
	1)	complete the Contract in accordance with its terms and conditions; or	
	2)	obtain a tender or tenders from qualified tenderers for submission to the Employer for completing the Contract in accordance with its terms and conditions, and upon determination by the Employer and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Employer and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable hereunder, the amount set forth in the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by Employer to Contractor under the Contract, less the amount properly paid by Employer to Contractor; or	
	3)	pay the Employer the amount required by Employer to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.	

- 4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
- 5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Employer named herein or the heirs, executors, administrators, successors, and assigns of the Employer.
- 6. In testimony whereof, the Contractor has hereunto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly attested by the signature of his legal representative,

this day	of	
SIGNED ON	on behalf of	
Ву	in the capacity of	
SIGNED ON	on behalf of	
Ву	in the capacity of	
In the presence of		

FORM NO. 7 - ADVANCE PAYMENT SECURITY [Demand Bank Guarantee]

[Guarantor letterhead]

Beneficiary:			[Insert
name and Address of Employer] Date: [Insert date of issue]			
ADVANCE PAYMENT GUARANTEE No.: number]	[Insert	guarantee	reference
Guarantor: [Insert name and address of place of issue, unless indicated in the	he letterhe	ad]	
1. We have been informed that (hereinafter called Contract No dated with the Ber (hereinafter called "the Contract").	"the Conneficiary,	tractor") has e	entered into ecution of
2. Furthermore, we understand that, according to the conditions of		n advance pay	ment in the
3. At the request of the Contractor, we as Guarantor, hereby irrevocably sum or sums not exceeding in total an amount of upon receipt by us of the Beneficiary's complying demand supported by the the demand itself or in a separate signed document accompanying or identifyit Applicant:	(in words Beneficia	ry's statement,	whether in
(a) has used the advance payment for purposes other than the costs of mob(b) has failed to repay the advance payment in accordance with the Contra which the Applicant has failed to repay.		•	-
4. A demand under this guarantee may be presented as from the presentation from the Beneficiary's bank stating that the advance payment referred to above on its account number at			
5. The maximum amount of this guarantee shall be progressively redupayment repaid by the Contractor as specified in copies of interim statement be presented to us. This guarantee shall expire, at the latest, upon our receiverificate indicating that ninety (90) percent of the Accepted Contract Amount certified for payment, or on the day of, 2, which demand for payment under this guarantee must be received by us at this office	s or payme ipt of a co ount, less p hever is ea	ent certificates py of the interi provisional sum arlier. Conseq	which shall m payment as, has been
6. The Guarantor agrees to a one-time extension of this guarantee for a persear, in response to the Beneficiary's written request for such extension, Guarantor before the expiry of the guarantee.			
[Name of Authorized Official, signature(s) and seals/stamps]			
Note: All italicized text (including footnotes) is for use in preparing this for product.	n and sha	ll be deleted fro	om the final

¹The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance payment as specified in the Contract.

Insert the expected expiration date of the Time for Completion. The Employer should note that in the event of an extension of the time for completion of the Contract, the Employer would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM NO. 8 BENEFICIAL OWNERSHIP DISCLOSURE FORM (Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.

Tender Reference No.:	[insert identification
no] Name of the Tender Title/Description:	[insert name of the
assignment] to:[insert complete name of Procur	ing Entity]
In response to the requirement in your notification of award dated[in.additional information on beneficial ownership:[se options that are not applicable]	sert date of notification of award] to furnish elect one option as applicable and delete the

I) We here by provide the following beneficial ownership information.

Details of beneficial ownership

	Details of all Benefici	al Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
	Full Name		Directly	Directly	1. Having the right to appoint a majority	1. Exercises significant
1.	National identity card number or Passport number		of shares	% of voting rights	of the board of the directors or an equivalent	influence or control over the Company
	Personal Identification Number (where applicable)		Indirectly % of shares	Indirectly % of voting rights	governing body of the Tenderer: Yes No 2. Is this right held	body of the Company (tenderer)
	Nationality				directly or indirectly?:	YesNo
	Date of birth [dd/mm/yyyy]				Direct	2. Is this influence or
	Postal address					control
	Residential address					exercised directly or
	Telephone number				Indirect	indirectly?
	Email address					Direct
	Occupation or profession					Indirect

	Details of all Beneficial Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
2.	Full Name National identity card number or Passport number Personal Identification Number (where applicable) Nationality(ies) Date of birth [dd/mm/yyyy] Postal address Residential address Telephone number Email address Occupation or profession	Directly % of shares Indirectly % of shares	Directly% of voting rights Indirectly% of voting rights	1. Having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer: YesNo 2. Is this right held directly or indirectly?: Direct	1. Exercises significant influence or control over the Company body of the Company (tenderer) YesNo 2. Is this influence or control exercised directly or indirectly? Direct
			L		
3.					
e.t .c					

- II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). Note that Personally Identifiable Information (PII) is defined as any information that can be used to distinguish one person from another and can be used to deanonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.
- III) In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:
 - (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
 - (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
 - (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or

IV) What is stated to herein above is true to the best of my knowledge, information and belief.
Name of the Tenderer:*[insert complete name of the Tenderer]
Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete name of
person duly authorized to sign the Tender]
Designation of the person signing the Tender: [insert complete title of the person signing the
Tender]
Signature of the person named above:
shown above]
Date this [insert date of signing] day of [Insert month], [insert year]
Bidder Official Stamp

(d) exercises significant influence or control, directly or indirectly, over the company.